MAK SOLVE

PHASE I ENVIRONMENTAL SITE ASSESSMENT

OF THE

FORMER SELLMAN'S FURNITURE REPAIR SHOP & WAREHOUSE
28 N. MAIN STREET & 21 W. WRIGHT STREET
VILLAGE OF COVINGTON, MIAMI COUNTY, OHIO 45318

PREPARED FOR

VILLAGE OF COVINGTON
28 N. MAIN STREET & 1 SOUTH HIGH STREET
COVINGTON, OHIO 45318
ATTN: MR. JORDAN HODGES, VILLAGE ADMINISTRATOR

PROJECT NUMBER: 181-25

DATE: DECEMBER 5TH, 2025

Environmental & Safety Consultants

432 Windsor Park Drive · Dayton, Ohio 45459 · Phone: 937.815.6949

MAK SOLVE

December 5th, 2025

Mr. Jordan Hodges, Village Administrator
Village of Covington
28 N. Main Street1 South High Street
Covington, Ohio 45318

RE: FORMER SELLMAN'S FURNITURE REPAIR SHOP & WAREHOUSE
28 N. MAIN STREET & 21 W. WRIGHT STREET
VILLAGE OF COVINGTON, MIAMI COUNTY, OHIO 45318
MAKSOLVE PROJECT NUMBER: 181-25

Dear Mr. Hodges,

MAKSolve has completed a Phase I Environmental Site Assessment of the former Sellman's Furniture Repair Shop & Warehouse located at 28 N. Main Street & 21 W. Wright Street in the Village of Covington, Miami County, Ohio. The environmental assessment included a property visit, an investigation of regulatory and historic records, and an interview with a representiative of the current owner, Mr. Jordan Hodges. Details of the findings, professional opinion and conclusions for the above-mentioned subject property are contained in the attached report.

This document was prepared for and can be relied upon by Village of Covington as the end user of the report. MAKSolve assures that the scope of the investigation and contents included within the report are in conformance with ASTM E1527-21 and follow the generally accepted standards and practices of environmental consultants. The statements contained in the report are true and accurate to the best of our knowledge.

Sincerely,
MAKSolve

John Bowen

John Bowen, CP
President

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY i

2.0 INTRODUCTION 1

2.1 Scope of Work 1
2.2 Reliance 2
2.3 Limitations and Exceptions 2
2.4 Deviations 4
2.5 Data Gaps 4
2.6 Significant Assumptions 4
2.7 Special Terms and Conditions 4
2.8 Definitions 4

3.0 User-Provided Information 6

4.0 PHYSICAL SETTING 8

4.1 Topography 8
4.2 Surface Water Bodies 8
4.3 Geology 8
4.4 Soils 8
4.5 Hydrology 8

5.0 SITE RECONNAISSANCE 10

5.1 Subject Property Information 10
5.1.1 Current Subject Property Use 10
5.1.2 Adjoining Property Information 10
5.1.2 General Subject Property Setting 11
5.2 Site Reconnaissance Findings 12
5.2.1 Structures and Other Improvements 12
5.2.2 Potable Water Supply 13
5.2.3 Sewage Disposal 13
5.2.4 Hazardous Substances 13
5.2.5 Underground Storage Tanks (USTs) 13
5.2.6 Heating and Cooling Systems 13

6.0 RECORDS REVIEW 14

6.1 Regulatory Records Review 14
6.1.1 Subject Property 15
6.1.2 Adjoining and Nearby Property Listing 15
6.1.3 Orphan Properties 16
6.1.2 Historical Records Review 16
6.2.1 Historical Records Sources and Availability 17
6.2.2 Subject Property Historical Uses 17
6.2.3 Adjacent Property Historical Use 18
6.2.4 Interviews 19
6.2.5 Title Records 19
6.2.6 Property Tax Files 20

6.2.7 Village of Covington Building Department Records 20
6.2.8 Zoning/Land Use 20
6.2.9 Other Historical Records 20
6.2.10 Previous Environmental Reports 20
6.2.11 Historical Narrative Summary 20
6.3 Additional Environmental Resources 21
6.4 Environmental Lien and Activity/Use Limitations 21
6.5 Contaminants of Emerging Concern 21
7.0 INTERVIEWS & LOCAL GOVERNMENT RECORDS 23
8.0 Non-Scope Considerations 25
9.0 FINDINGS 26
10.0 CONCLUSIONS & OPINIONS 27
11.0 RECOMMENDATIONS 28
12.0 REFERENCES 29
12.1 Published References 29
12.2 Map, Aerial Photo, and Other Geographic References 29
13.0 ENVIRONMENTAL PROFESSIONAL DECLARATION 30
14.0 ENVIRONMENTAL PROFESSIONAL QUALIFICATIONS 31
APPENDIX A: Photographs
APPENDIX B: Government Records Search
APPENDIX C: Historical Research Documentation
APPENDIX D: Soil Survey Data
APPENDIX E: Correspondence Documentation
APPENDIX F: Previous Reports

1.0 EXECUTIVE SUMMARY

MAKSolve has completed this Phase I Environmental Site Assessment (ESA) of the former Sellman's Furniture Repair Shop & Warehouse located at 28 N. Main Street & 21 W. Wright Street in the Village of Covington, Miami County, Ohio. MAKSolve performed the ESA in conformance with the Scope of Work and the provisions of the ASTM Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process E1527-21. Any exceptions to, or deletions from, this practice are described within this report.

A Phase I ESA is an integral part of all appropriate inquiries (AAI), as codified in Title 40 Code of Federal Regulations Part 312, into the previous ownership and uses of the subject property consistent with good commercial and customary practice. The American Society for Testing and Materials ("ASTM") Standard E1527-21 is one industry standard used to comply with the AAI requirements. The purpose of the ESA therefore is to identify evidence of recognized environmental conditions ("RECs"), historic RECs ("HRECs"), and controlled RECs ("CRECs").

The Phase I Environmental Site Assessment (ESA) is designed to provide the former Sellman's Furniture Repair Shop & Warehouse with an assessment concerning environmental conditions as they may exist at the subject property. This assessment was conducted utilizing generally accepted ESA industry standards in accordance with the "All Appropriate Inquiries" rule, promulgated by the EPA (40 C.F.R. Part 312) and the American Society of Testing Materials ("ASTM") Standard E1527, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, version E1527-21 and if applicable, the client's scope of work as discussed in the Reliance section of this report. This executive summary is provided for convenience only and is not a substitute for a thorough reading of the entire report, including all appendices.

Mr. John Bowen, VAP CP of MAKSolve, conducted the property visit on November 5th, 2025. Mr. Bowen was accompanied by Mr. Jordan Hodges, Village Administrator of the Village of Covington, during the property visit. At the time of the visit, weather conditions were overcast and approximately 50° Fahrenheit.

The subject property is located in a commercial area of the Village of Covington, Ohio. The subject property consists of a rectangular-shaped parcel, totaling approximately 0.53-acres and is improved with an approximately 10,640 square feet, one-story, slab-on-grade, brick structure, constructed in 1953. The portions not developed with building are generally paved with asphalt parking lot, concrete sidewalks and curbs and associated landscaping. The subject building is currently unoccupied. According to the MiamiCounty Auditor, the subject property is identified as parcel ID H19-000310, H1900032, H19-000300 and H19-000200.

Based on a review of available historical resources, the subject property was originally developed with a few storage sheds and a carriage house by the late 1880s. By 1899 the subject property was further developed with a tobacco warehouse and a few dwellings along N. Main Street. The tobacco warehouse became an implements and painting building by 1905 before no longer being noted by 1946. At that time, only two of the dwellings and an auto garage were noted. In 1953 part of the current subject property was built, a long rectangular structure to the northeast. By 1968 the rest of the present-day structure, which includes a connected square building, was developed. Other developments include a large parking area. The subject property operated as Sellman Furniture from approximately 1985 to 2023, when it was purchased by the Village of Covington, Ohio. The former warehouse remains vacant today.

As summarized, MAKSolve has performed a *Phase I Environmental Site Assessment* in conformance with the scope and limitations of ASTM Practice E1527-21 of property 28 N. Main Street & 21 W. Wright Street in Village of Covington, Ohio, Miami County, Ohio (subject property). Any exceptions to, or deletions from, this practice are described in Section 7 of this *report.*

Report Section		No Further Action	REC	HREC	CREC	De Minimis	BER
3.0	User-Provided Information	X					
5.0	Site Reconnaissance	X					
6.1	Regulatory Records Review	X					
6.2	Historical Records Review			(1)			
6.5	Vapor Encroachment Evaluation	N/A					
7.0	Interviews & Local Government Records	X					
8.0	Non-Scope Consideration	X					

Recognized Environmental Condition

This assessment has revealed no evidence of recognized environmental conditions in connection with the subject property.

Historic Recognized Environmental Condition

Historic recognized environmental conditions were observed at the subject property, including the following:

1. The subject property was listed under the Leaking Underground Storage Tank (LUST) database. MAKSolve reviewed files from the Bureau of Underground Storage Tanks

(BUSTR) and found files regarding a 2,000-gallon steel walled gasoline tank that was removed in 1998. Confirmatory closure soil samples were collected and submitted following removal of the UST and submitted to the laboratory for the analysis chemicals of concern (COC). The resulting analysis revealed all COCs below applicable limits. After submittal of the closure assessment, a No Further Action (NFA) determination was issued by BUSTR. Based on the lack of contamination and no further action status, the former UST is not of environmental concern and is considered a historical recognized environmental condition.

Controlled Recognized Environmental Condition

This assessment has revealed no evidence of controlled recognized environmental conditions in connection with the subject property.

De Minimis Conditions

This assessment has revealed no evidence of de minimis conditions in connection with the subject property.

Data Gaps

Data gaps were encountered; however, none were considered significant enough to impact the Environmental Professional's ability to assess recognized environmental conditions.

Recommendations

No further assessment appears warranted at this time.

Key Dates of the Report

Report Component	Date Conducted	Expiration Date
Interviews	November 5, 2025	May 4, 2026
FOIA Request	November 14th 2025	May 14th, 2026
Government Database Search	November 15th, 2025	May 14th, 2026
Site Reconnaissance	November 5th 2025	May 14th, 2026
EP Declaration	December 5, 2025	June 2nd, 2026
Report Date	December 5, 2025	June 2nd, 2026

2.0 INTRODUCTION

MAKSolve has performed a Phase I Environmental Site Assessment (Phase I ESA) of the Former Sellman's Furniture Repair Shop & Warehouse located at 28 N. Main Street & 21 W. Wright Street in the Village of Covington, Ohio. This Environmental Site Assessment (ESA) documents the methods and findings of the Phase I ESA performed in general conformance with 42 U.S.C. §9601(35)(b) — Standards and Practices for All Appropriate Inquiries (AAI), and ASTM International — Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Processes E1527-21, the specific scope of work provided, and generally accepted industry standards. The purpose of the Phase I ESA is to identify Recognized Environmental Conditions (RECs), historical recognized environmental conditions (HRECs), and/or controlled recognized environmental conditions (CRECs) at the subject property and potential impacts from nearby facilities. If requested by the client, ASTM scope and non-scope considerations may also be addressed.

The Phase I ESA is being conducted at the request of the Former Sellman's Furniture Repair Shop & Warehousein preparation of signing a lease for/acquiring the subject property.

2.1 Scope of Work

This ESA was performed in accordance with our proposal number 103125-71 dated November 5th, 2025. The scope is limited to the objectives outlined in ASTM E1527-21. This ESA has been performed by an environmental professional (EP), including all records review, property visit, historical research and interviews, according to the standards set forth for environmental professionals in 40 CFR 312.10 (b).

This ESA has been performed on a voluntary basis to identify the presence of any "recognized environmental conditions" (RECs) that may be associated with the subject property. Recognized environmental conditions" are defined by ASTM as follows: (1) "the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment."

De minimis conditions are not recognized environmental conditions.

Historical RECs (HRECs) are defined by ASTM as "a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use

limitations)." A historical recognized environmental condition is not a recognized environmental condition.

Controlled RECs (CRECs) are defined by ASTM as "recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations)."

This practice is intended to reflect a commercially prudent and reasonable inquiry into the current and historic uses of the subject property and uses of adjoining properties. MAKSolve has been contracted by the Village of Covington to provide the ESA. MAKSolve considers the Village of Covington as the user, for whom landowner liability protection is sought. This ESA is intended to permit a user to satisfy one of the requirements to qualify for the innocent landowner, contiguous landowner or bona fide prospective purchaser limitations of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) liability, otherwise termed landowner liability protection (LLP).

2.2 Reliance

This ESA report is prepared for the exclusive use and reliance of the Village of Covington. No other parties, known or unknown to MAKSolve, are intended as a beneficiary of this work product, its content or information embedded therein. The Village of Covington may choose to share the contents of this report with any third party. However, third parties use this report at their own risk. Third party reliance letters may be issued on request to MAKSolve subject to approval of the Village of Covington, and payment to MAKSolve of a fee for such letters.

Reliance on the ESA by the client and all authorized parties will be subject to the terms, conditions and limitations stated in the proposal, ESA report, and MAKSolve's Contract. The limitation of liability defined in the Contract is the aggregate limit of MAKSolve's liability to the client and all relying parties.

The continued viability of this report is subject to ASTM E1527-21 Sections 4.6 and 4.8. If the ESA will be used by a different user (third party) than the user for whom the ESA was originally prepared, the third party must also satisfy the user's responsibilities in Section 6 of ASTM E1527-21.

2.3 Limitations and Exceptions

This Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs, HRECs, and CRECs to be present at the subject property. Not every property warrants the same level of assessment. Consistent with good commercial or customary practice, the

appropriate level of assessment was guided by the type of property subject to assessment and the information developed in the course of inquiry.

Certain additional services considered optional by ASTM Standard E1527-21, such as assessment for/of asbestos-containing building materials, biological agents, cultural and historic resources, ecological resources, endangered species, health and safety, industrial hygiene, lead-based paint, lead in drinking water, mold, radon, and wetlands, if not included in this report, were not included in the scope of work.

The findings and conclusions presented in this Phase I ESA are the result of professional interpretation of the information collected at the time of this study. This Phase I ESA was not an exhaustive search of all available records. MAKSolve cannot "certify" or guarantee that the subject property is free of environmental impairment; no warranties regarding the environmental quality of the subject property are expressed or implied. Significant limitations to our conclusions as a result of information gaps or incomplete information are documented in various sections of the report.

The findings of this report, to the best of our knowledge, are valid as of the date of this report. However, changes in the conditions of a property can occur with the passage of time, whether due to natural processes or the works of man, on this or adjacent properties. In addition, changes in applicable or appropriate regulations and standards may occur, whether they result from legislation, from the broadening of knowledge, or from other reasons. Per the E1527-21 Standard (the Standard), a Phase I ESA completed less than 180 days prior to the date of acquisition of the subject property is presumed valid. A Phase I ESA for which the information was collected or updated within one year of the date of acquisition of the subject property may be used, provided that the report is updated within 180 days of the date of purchase or intended transaction. Per the Standard, if a Phase I ESA or Phase I ESA Update is not completed within 12 months of the information collected, a new Phase I ESA is required.

Specified information contained in this report has been obtained from publicly available sources and other secondary sources of information. Although care has been taken in compiling this information, MAKSolve disclaims any and all liability for any errors, omissions, or inaccuracies in the data provided by third parties in such information and data.

The work was performed using the degree of care and skill ordinarily exercised under similar circumstances by environmental consultants practicing in this or similar localities at the time these services were provided. No other warranty or guarantee, expressed or implied, is made as to the findings, opinions, and conclusions included in this report. If in the opinion of the client, or any third-party claiming reliance on MAKSolve's report or services, that MAKSolve was negligent or in breach of contract, such aforementioned parties shall have one year from the date of MAKSolve's site visit to make a claim.

2.4 Deviations

In the performance of this Phase I ESA, MAKSolve has not identified potential exceptions or deviations from the E1527-21 standard of practice except where noted.

2.5 Data Gaps

The actions and investigations undertaken as part of the ESA are property-specific and limited to the legally defined subject property boundaries as defined by the user. All pertinent information has been reasonably obtained in a good faith effort from the appropriate government agencies, landowner or occupant and through an investigative property visit and other all appropriate inquiries. However, the following limiting conditions or deviations were encountered:

- MAKSolve was unable to document the historical use of the subject property prior to its first development because historical data prior to 1889 was not reasonably ascertainable from local agencies and other historical sources. This data gap is not significant and does not alter the conclusions or recommendations of this assessment.
- Data gaps in excess of the recommended 5-year interval were encountered. However, based on the available information reviewed, this data failure is not considered to be a significant data gap and is not expected to alter the conclusions or recommendations of this assessment.

2.6 Significant Assumptions

It is assumed that any and all information provided, either via interview, records review or historical resources search is true and accurate, without predisposition.

2.7 Special Terms and Conditions

This Phase I Environmental Assessment was prepared in accordance with the stated and agreed upon Scope of Work. This report was specifically and only prepared for the identified specific client user and for their specific purpose; no other person or entity for any other purpose may use or rely on this report or its contents unless specifically authorized in writing by MAKSolve. No other special terms and conditions are applicable to this Phase I Environmental Assessment

2.8 Definitions

For the purpose of this report, and as defined by ASTM Standard E1527-21, *a recognized environmental condition* (REC) is defined as (1) "the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment."

A *controlled recognized environmental condition* (CREC) is defined as a "recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of required controls (for example, activity and use limitations or other property use limitations)."

A *historical recognized environmental condition* (HREC) is defined as "a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls (for example, activity and use limitations or other property use limitations)." A HREC is not considered a REC under ASTM.

A *de minimis* condition is defined as "a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. A condition determined to be a de minimis condition is not a recognized environmental condition nor a controlled recognized environmental condition."

A *data gap* is defined as "a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information."

A *business environmental risk* (BER) is defined as "a risk which can have a material environmental or environmentally-driven impact on the business associated with the current or planned use of commercial real estate, not necessarily related to those environmental issues required to be investigated in this practice."

ASTM E1527-21 states the term *environment* "shall have the same meaning as the definition of environment in CERCLA 42 U.S.C. • 9601(8))", which is defined as "the navigable waters, the waters of the contiguous zone, and the ocean waters of which the natural resources are under the exclusive management authority of the United States under the Magnuson Fishery Conservation and Management Act [16 U.S.C. 1801 et seq.]; and any other surface water, ground water, drinking water supply, land surface or subsurface strata, or ambient air within the United States or under the jurisdiction of the United States."

Other ASTM terms used in this report are further clarified in the ASTM E1527-21 standard which can be obtained from ASTM International (astm.org).

3.0 User-Provided Information

In accordance with ASTM Standards E1527-21, MAKSolve requested that the User of this Phase I ESA provide information that would assist in identifying the potential for RECs in connection with the subject property. Information received from the User is contained in the appendices of this report and is summarized below. Issues identified by MAKSolve during the review of the information along with related comments are also presented.

The EP maintains the responsibility for developing opinions and documenting findings about *"recognized environmental conditions,"* however, the user of the ESA shares in the burden of providing information regarding known environmental concerns. To assist in the EP's development of findings and opinions and to not jeopardize the user's qualification for any of the LLPs to CERCLA liability, the user is required to consider the following and recommended to notify the EP of the findings, if applicable:

- Information regarding environmental liens recorded against the subject property;
- Activity and use limitations (AULs) that have been placed on the subject property, or filed/recorded against the subject property;
- Specialized knowledge of the subject property and adjoining properties, in relation to "recognized environmental conditions;"
- The relationship of the purchase price to the fair market value of the subject property, if not contaminated;
- Commonly known information or reasonably ascertainable information about the subject property;
- The degree or obviousness of the presence or likely presence of contamination/releases or potential releases at the subject property.

A user questionnaire was completed by Mr. Jordan Hodges, Village Administrator of the Village of Covington. A copy of the completed questionnaire is presented in Appendix E. Mr. Hodges's user questionnaire responses are summarized below.

Client Questionnaire Item	Client Did Not Respond	Client's Response	
		Yes	No
Aware of any information regarding environmental liens against the subject property.			X
Has actual knowledge of environmental liens or AULs that have been placed on the subject property.			X
Possesses specialized knowledge of the subject property or the activities performed there.			X
Believes the "purchase price" of the subject property reflects the fair market value of the subject property.		X	

Client Questionnaire Item	Client Did Not Respond	Client's Response	
		Yes	No
Aware of commonly known or reasonably ascertainable information about the subject property that would help the environmental professional to identify conditions indicative of releases or threatened releases.			X
Aware of obvious indicators that point to the presence or likely presence of releases or potential releases at the subject property.			X

According to the User Questionnaire the purpose of performing the Phase I ESA is to qualify for an LLP to CERCLA liability.

4.0 PHYSICAL SETTING

General site settings including topography, surface water bodies, geology and hydrology are detailed in the following sections.

4.1 Topography

The topography of the subject property appears to be generally level with adjoining properties. The regional topographic gradient is to the West toward the Stillwater River. According to the United States Geological Survey (USGS) topographic map (Pleasant Hill, OH, 2019) the subject property has an elevation of between approximately 907 to 922 feet above mean sea level (AMSL) (see Figure 1, Property Location Map).

4.2 Surface Water Bodies

No surface water features (i.e., streams, ponds, or rivers) were observed on or adjacent to the subject property.

The nearest surface water in the vicinity of the subject property is Stillwater River located approximately 366 ft to the west of the subject property.

4.3 Geology

The subject property is located in the Southern Ohio Loamy Till Plain area of the Central Lowlands section of the Interior Plains physiographic region of Ohio. The Southern Ohio Loamy Till Plain is described as having surface of loamy till; end and recessional moraines, commonly associated with boulder belts, between relatively flat-lying ground moraine, cut by steep-valleyed large streams; stream valleys filled with outwash and alternate between broad floodplains and narrows. The Southern Ohio Loamy Till Plain consists of loamy, high-lime Wisconsinan-age till, outwash, and loess over Lower Paleozoic-age carbonate rocks and, in the east, shales.

4.4 Soils

According to the USDA's Soil Conservation Service Web Soil Survey data, the subject property is underlain by Miamian Silt Loam.

The Miamian series consists of very deep, well drained soils that are moderately deep to dense till. These soils formed in as much as 46 cm (18 inches) of loess and the underlying loamy till on till plains and moraines. Slope ranges from 0 to 50 percent.

A copy of the soil survey report for the subject property is provided in Appendix D.

4.5 Hydrology

The Ground Water Resources of Miami County map, prepared by Douglas E. Keen and generated by the Ohio Department of Natural Resources in 1984, shows the subject property is located in

an "area in which yields of 5 to 20 gallons per minute may be developed." "Relatively shallow, basal Silurian limestone aquifer yields as much as 20 gallons per minute at depths of less than 100 feet. Deeper drilling to the non-water-bearing Ordovician shaly limestone is not recommended."

5.0 SITE RECONNAISSANCE

Mr. John Bowen, VAP CP of MAKSolve, conducted the property visit on November 5th, 2025. Mr. Bowen was accompanied by Mr. Jordan Hodges, Village Administrator of the Village of Covington, during the property visit. At the time of the visit, weather conditions were overcast and approximately 50° Fahrenheit.

Information used to complete this section was obtained from the site reconnaissance and/or property contact via an interview or completed questionnaire.

A site reconnaissance consists of observing the boundaries and systematically traversing the subject property to provide an overlapping field of view. Wherever possible, the site reconnaissance also consists of walking the subject property perimeter, exterior areas, the building interior, common areas, mechanical areas and maintenance areas. The adjacent properties were visually observed from public thoroughfares but were not entered.

5.1 Subject Property Information

As part of the site reconnaissance, MAKSolve looked for evidence of the presence of hazardous substances and/or petroleum products used, stored, or discarded at and near the subject property. A summary of the site reconnaissance is provided below. The locations of pertinent observations are depicted on the figures provided in The Figures Appendix of this report. Photographs of pertinent findings and features observed during the site reconnaissance are provided in Appendix A. Certain information obtained during the site visit, such as the number of structures, descriptions of roadways and parking facilities, utility services, and other general observations, may be presented in other sections of this report.

5.1.1 Current Subject Property Use

The subject property is currently improved with a vacant two story with basement, brick construction warehouse containing various storage areas including furniture, equipment, and consumer quantity chemicals.

5.1.2 Adjoining Property Information

Adjacent properties were viewed from the subject property, subject buildings, walking subject property boundaries, and via adjacent public thoroughfares. The following table describes the use of each adjacent property.

Adjoining Property Information				
Direction	**Address**	**Occupant**	**Use**	**REC**
North	104 W. Wright Street	Resident	Single Family Home	No
North	108 Main Street	N/A	Utility Building	No
North	101-103 N. High Street	Covington Drum Works	Instrument Store	No
East	27 N. High Street	The Stitchery	Embroidery Shop	No
East	23 N. High Street	1835 Events	Vacant Retail Building	No
East	21 N. High Street	Village of Covington Office	City Offices	No
East	11 N. High Street	Subway	Restaurant	No
South	6 N. Main Street	Resident	Single Family Home	No
West	15-17, 19, & 27 N. Main Street	Residents	Single Family Homes and Duplex	No

5.1.2 General Subject Property Setting

Property Information	
Property Ownership Name	Village of Covington Ohio
Date of Acquisition	June 8th, 2023
Property Acreage	0.53
Property Shape	Rectangle
Property Use	Other retail structures, regular lot
Number of Buildings	1
Number of Stories	2
Construction Date	1953
Building Square Footage	10,640
Basement/Slab-on-grade	Basement
Number of Units	1
Ceiling Finishes	Acoustic ceiling
Floor Finishes	Tile and carpet, concrete
Wall Finishes	Dry Wall, blocks
HVAC (Energy Source & Type of System)	Natural Gas
Renovation Date	N/A
Renovation Description	N/A
Vehicular Access	From the north off W. Wright Street and from the west off N. Main Street
Other Improvements	N/A

The subject property consists of approximately 0.53 acres and is currently improved with a two story, block frame with basement, vacant warehouse and retail furniture store. The ground surface at the site slopes slightly downward to the west. The subject property is accessed from the west via an entrance from N. Main Street and from the north via W. Wright Street.

A property diagram of the subject property is included in the Figures Appendix.

5.2 Site Reconnaissance Findings

Condition, Feature, or Operation Observed or Identified	Yes	No
Structures and Other Improvements	X	
Roads		X
Potable Water Supply	X	
Sewage Disposal	X	
Hazardous Substances	X	
Petroleum Products		X
Underground Storage Tanks (USTs)	X	
Aboveground Storage Tanks (ASTs)		X
Strong, Pungent, or Noxious Odors		X
Standing surface water and pools or sumps containing liquid likely to be Hazardous Substances or Petroleum Products		X
Drums, Totes, and Intermediate Bulk Containers		X
Hazardous Substance and Petroleum Product Containers Not in Connection With Identified Uses		X
Unidentified Substance Containers		X
PCB-Containing Items		X
Heating and Cooling Systems	X	
Stains or Corrosion on Floors, Walls, or Ceilings		X
Drains and Sumps		X
Pits, Ponds, or Lagoons		X
Stressed Vegetation		X
Solid Waste		X
Stained Soil or Pavement		X
Water/Wastewater		X
Wells		X
Septic Systems or Cesspools		X
Other		X

5.2.1 Structures and Other Improvements

The subject property is currently developed with a 10,640 square foot, brick and cement building constructed in 1953. The subject building is currently vacant with plans to be demolished and developed into a parking lot.

5.2.2 Potable Water Supply

According to the interview with Jordan Hodges, the subject property is supplied water from the Village of Covington.

5.2.3 Sewage Disposal

According to the interview with Jordan Hodges the subject property is provided sewerage disposal by the Village of Covington.

5.2.4 Hazardous Substances

Furniture stain, various spray paints, household paints, adhesive remover, degreasers, and maintenance chemicals are stored in the maintenance areas within the subject building on the first floor. Based on the nature and quantities of these materials, the presence of cleaning supplies at the subject property is not expected to represent a significant environmental concern.

5.2.5 Underground Storage Tanks (USTs)

The following table lists the **former** underground storage tank (UST) identified at the subject property:

UST No.	Capacity (gallons)	Contents	Material of Construction	Date	Leak Detection	Corrosion Protection	Spill/ Overfill	Registered	Status
01	2000	Gasoline	Steel	9/22/98	UNK	UNK	UNK	Yes	REM

Date - Date of removal
UNK - Unknown
REM – Removed

UST No.	Location/Former Location	Use/Former Use of Tank
01	Land lot area 105 feet from Ullery Street. South of Main Street	Used to fill tanks

5.2.6 Heating and Cooling Systems

Heating for the subject building appeared via natural gas fired forced air furnaces or other heat source. Cooling appeared via electric powered condensing units.

6.0 RECORDS REVIEW

The purpose of the records review is to obtain and review records that will help identify RECs in connection with the subject property.

6.1 Regulatory Records Review

MAKSolve contracted Environmental Data Resources, Inc. (EDR) to conduct a search of Federal and State databases containing known and suspected sites of environmental contamination. The number of listed sites identified within the approximate minimum search distance (AMSD) from the Federal and State environmental records database listings specified in ASTM Standard E 1527-21 are summarized in the following table. Detailed information for sites which could materially affect the environmental condition of the subject property (on-property, up-gradient, adjacent properties, and/or releases within 500 feet) will be detailed below, along with an opinion about the significance of the listing to the analysis of recognized environmental conditions in connection with the subject property. The table below identifies all of the database hits within their AMSD.

Database	Subject Property	Search Distance	< 1/8	1/8-1/4	1/4 -1/2	1/2 -1	>1	Total
NPL	0	1.0	0	0	0	0	NR	0
Proposed NPL	0	1.0	0	0	0	0	NR	0
NPL Liens	0	1.0	0	0	0	0	NR	0
Delisted NPL	0	1.0	0	0	0	0	NR	0
Federal Facility	0	0.5	0	0	0	NR	NR	0
SEMS	0	0.5	0	0	0	NR	NR	0
SEMS- Archive	0	0.5	0	0	0	NR	NR	0
CORRACTS	0	1.0	0	0	0	0	NR	0
RCRA TSDF	0	0.5	0	0	0	NR	NR	0
RCRA-LQG	0	0.25	0	0	NR	NR	NR	0
RCRA-SQG	0	0.25	0	0	NR	NR	NR	0
RCRA-VSQG	0	0.25	0	2	NR	NR	NR	2
LUCIS	0	0.5	0	0	0	NR	NR	0
US Eng Controls	0	0.5	0	0	0	NR	NR	0
US Inst Controls	0	0.5	0	0	0	NR	NR	0
ERNS	0	0.001	0	NR	NR	NR	NR	0
OH SHWS	0	N/A	N/A	N/A	N/A	N/A	NR	0
OH DERR	0	1.0	1	0	0	0	NR	1
OH SWF/LF	0	0.5	0	0	0	NR	NR	0
OH LUST	1	0.5	2	6	2	NR	NR	11
Indian LUST	0	0.5	0	0	0	NR	NR	0
OH Unreg LTanks	0	0.5	0	1	0	NR	NR	1
FEMA UST	0	0.25	0	0	NR	NR	NR	0

Database	Subject Property	Search Distance	< 1/8	1/8-1/4	1/4 -1/2	1/2 -1	>1	Total
OH UST	1	0.25	2	5	NR	NR	NR	8
OH AST	0	0.25	1	1	NR	NR	NR	2
Indian UST	0	0.25	0	0	NR	NR	NR	0
OH Hist Eng Controls	0	0.5	0	0	0	NR	NR	0
OH Hist Inst Controls	0	0.5	0	0	0	NR	NR	0
OH Eng Controls	0	0.5	0	0	0	NR	NR	0
OH Inst Controls	0	0.5	0	0	0	NR	NR	0
OH VCP	0	0.5	0	0	0	NR	NR	0
Indian VCP	0	0.5	0	0	0	NR	NR	0
OH Brownfields	0	0.5	0	0	0	NR	NR	0
US Brownfields	0	0.5	0	0	1	NR	NR	1
Additional Records		Vary						
HIST LF	0	0.5	0	1	1	NR	NR	2
Archive UST	1	0.25	1	2	NR	NR	NR	4
RCRA NonGen / NLR	0	0.25	0	2	NR	NR	NR	2
UST Finder Release	1	0.5	2	2	2	NR	NR	7
UST Finder	1	0.25	1	2	NR	NR	NR	4
RGA LUST	5	0.001	0	NR	NR	NR	NR	5
EDR Exclusive Records		Vary						
EDR MGP	0	1.0	0	0	0	0	NR	0
EDR Hist Auto	0	0.125	1	NR	NR	NR	NR	1
EDR Hist Cleaner	0	0.125	0	NR	NR	NR	NR	0

6.1.1 Subject Property

Site Name:	Sellman Furniture
Database:	LUST, UST, RGA LUST, UST Finder, UST Finder Release, RGA LUST, Archive UST
Address:	28 N Main Street
Elevation:	Target Property
Comments:	The subject property had a 2,000 gallon single wall gasoline underground storage tank (UST) that was removed on 9/22/1998. According to records from the Bureau of Underground Storage Tanks (BUSTR), the tank was formerly used to fuel delivery trucks, but was no longer needed. Upon the removal of the tank, soil samples were sent for laboratory analysis where it was determined that the soil was well below target levels. Based on these results, the subject property was granted a No Further Action (NFA) status on 11/25/1998. Therefore the subject property is not expected to be of environmental concern.

6.1.2 Adjoining and Nearby Property Listing

Site Name:	Alltel Ohio, Inc.
Database:	LUST, UST, Archive UST, UST Finder, UST Finder Release
Address:	108 N Main Street
Distance (feet):	75
Direction:	North

Elevation:	Lower
Comments:	This site had a 1,000 gallon diesel UST that was last used on 7/1/1991 and removed on 8/29/1991. The site received a No Further Action Status (NFA). Based on the NFA status and the site being down-gradient from the subject property, this site is not expected to be of environmental concern.

Site Name:	Dicks Service Station
Database:	EDR Hist Auto
Address:	High & Springs STS
Distance (feet):	447
Direction:	Southeast
Elevation:	Higher
Comments:	This site operated as a gasoline service station from 1971 to 1979. Based on the location of the site being cross-gradient to the subject property and no records of spills, this site is not expected to be of environmental concern.

Site Name:	Newberry TWP Garage
Database:	LUST, UST Finder Release, UST
Address:	140 N Main St
Distance (feet):	465
Direction:	North
Elevation:	Lower
Comments:	This site had a 550 gallon gasoline tank that was removed on 1/23/1991. The site received an NFA status. Based on the NFA, the distance, and the down-gradient, this site is not expected to be of environmental concern.

6.1.3 Orphan Properties

Orphan sites are sites that could not be located by EDR due to incomplete and/or inaccurate address information included in the United States Environmental Protection Agency (USEPA)/state databases. Although the exact locations of the orphan sites are frequently unknown, MAKSolve attempts to evaluate the potential adverse environmental impact that these sites may have on the subject property. This evaluation consists of reviewing street names in an effort to learn whether the street on which the site is located lies within the search distance of the subject property and evaluating the site type and information provided by government agencies. MAKSolve reviewed the information provided by EDR and no orphan sites were found.

6.1.2 Historical Records Review

As part of this Phase I ESA, MAKSolve attempted to develop a history of the previous uses of the subject property, adjacent properties, and the surrounding area to help identify past uses that may have resulted in one or more RECs at the subject property. Efforts were made to identify the uses of the subject property back to the subject property's first use, or back to 1940, whichever is earlier.

6.2.1 Historical Records Sources and Availability

The table below summarizes the historic resources reviewed or consulted as part of this Phase I ESA.

Resource	Source reviewed	Source	Date
Aerial Photographs	Yes	EDR	1940, 1949, 1957, 1959, 1963, 1968, 1973, 1981, 1994, 2006, 2011, 2015, 2019, 2023
Fire Insurance Maps	N/A	EDR	1887, 1892, 1899, 1905, 1910, 1920, 1946
USGS Topographic Maps	Yes	EDR	1911, 1944, 1961, 1983, 2013, 2016, 2019
City Directories	Yes	EDR	1985, 1995, 2000, 2005, 2010, 2014, 2017, 2022
Property Tax Files	Yes	Miami County Auditor's office	November 14th, 2025
Village of Covington Sewer Department Records	Yes	Village of Covington Sewer	November 14th, 2025
Zoning/Land Use Records	N/A	N/A	N/A
Interviews	Yes	Jordan Hodges	November 6th, 2025
Chain of Title	N/A	N/A	N/A
AULs and Environmental Liens	N/A	N/A	N/A
Recorded Land Title Records	N/A	N/A	N/A
Previous Reports	Yes	EDR	November 21st, 2025
Other Historical Sources	Yes	EDR	November 14th, 2025

6.2.2 Subject Property Historical Uses

Decade	Resources	Description of Use
Pre-1880	N/A	Data gap
1880	Sanborn (1887)	Two storage sheds are noted.
1890	Sanborn (1892, 1899)	A carriage house is listed in 1892. By 1899 the buildings appear to be replaced by a tobacco warehouse, three dwellings along N. Main Street, and a few storage sheds.
1900	Sanborn (1905)	The tobacco warehouse is listed as a painting and implement storage area.
1910	Sanborn (1910) Topo Map (1911)	No significant changes.
1920	Sanborn (1920)	The implements and painting building is listed as implements and warehouse.
1930	N/A	Data gap
1940	Sanborn (1946) Aerial Photo (1940, 1949) Topo Map (1944)	Some buildings include the warehouse are no longer noted, leaving two dwellings and an auto garage.
1953	Aerial Photo (1957, 1959)	In 1953 a long building to the northeast was built (which remains part of the subject property today) with what appears to be at least one dwelling still to the west.

Decade	Resources	Description of Use
1960	Aerial Photo (1963, 1968)	Trees and land appear to be cleared to make a parking area and driving paths. By 1968 the large square shaped building that makes up the rest of the present-day structure is added onto the long rectangular building.
1970	Aerial Photo (1973)	No significant changes.
1980	Aerial Photo (1981) Topo Map (1983) City Directory (1985)	Subject property is listed in city directory as Sellman Furniture and Carpet under 15 N High Street.
1990	Aerial Photo (1994) User Questionnaire (2025) City Directory (1990, 1995)	According to the user questionnaire, Sellman Furniture Co operated at the subject property until 2023.
2000	Aerial Photo (2006) City Directory (2000, 2005)	No significant changes.
2010	Aerial Photo (2011, 2015, 2019) City Directory (2010, 2014, 2017)	Subject property is listed as Sellman's Furniture & Carpet Store under 23 N High Street.
2020	Aerial Photo (2023) City Directory (2022)	Subject property is listed as Sellman's Furniture/Jane Sellman under 23 N High Street. According to the user questionnaire and county auditor, the subject property was purchased by the Village of Covington in 2023.

6.2.3 Adjacent Property Historical Use

The table below summarizes the adjacent properties' historic uses.

Decade	Resources	Description of Use	Occupant
Pre-1880	N/A	N/A	N/A
1880	Sanborn (1887)	What appears to be commercial spaces to the north and northwest, with office spaces along Wright Street. To the east are more businesses including clothing and dry goods stores, a bank, a dwelling, and what appears to be a few utility sheds.	N: Commercial E: Commercial/residential S: N/A W: N/A
1890	Sanborn (1892, 1899)	A small warehouse and a paint shop are added to the east by 1892, and a photo shop is noted to the north along with an OA's Furnishings. By 1899, the photo shop appears to be replaced by a duplex and farm implements warehouses. A Chinese Laundry shop is also noted to the northeast, with a meat store replacing the furnishings. To the southeast a few sheds, a tin shop, and a newspaper are noted, along with vacant land and residences to the south.	N: Commercial, residential E: Commercial, residential S: Commercial, Covington Gazette, residential W: N/A
1900	Sanborn (1905)	No significant changes. Stores go through various occupants.	No significant changes.
1910	Sanborn (1910) Topo Map (1911)	No significant changes.	No significant changes.
1920	Sanborn (1920)	The duplex to the north is converted into a printing shop. Dwellings are noted to the west.	N: Commercial E: Commercial, residential S: Commercial, residential W: Residential
1930	Data gap	N/A	N/A

Decade	Resources	Description of Use	Occupant
1940	Sanborn (1946) Aerial Photo (1940, 1949) Topo Map (1944)	Stores go through various occupants. By 1946 the drycleaners is listed as a basket factory. A movie theater is built to the east and a duplex is noted to the northwest.	N: Commercial, residential E: Commercial, residential S: Commercial, residential W: Residential
1953	Aerial Photo (1957, 1959)	No significant changes.	No significant changes.
1960	Aerial Photo (1963, 1968)	Land to the north appears cleared, with a water tower to the northwest.	No significant changes.
1970	Aerial Photo (1973)	No significant changes.	No significant changes.
1980	Aerial Photo (1981) Topo Map (1983) City Directory (1985)	Buildings to the southeast are cleared and replaced by a parking area.	N: Commercial, residential E: Commercial S: Commercial, residential W: Residential
1990	Aerial Photo (1994) City Directory (1990, 1995)	The former print shop to the north appears to be demolished with a new building in place, and land to the southwest appears to be cleared.	No significant changes.
2000	Aerial Photo (2006) City Directory (2000, 2005)	By 2006 the northwest water tower is no longer noted. Surrounding areas appear to be residential and commercial buildings much as they appear today.	No significant changes.
2010	Aerial Photo (2011, 2015, 2019) City Directory (2010, 2014, 2017)	No significant changes.	No significant changes.
2020	Aerial Photo (2023) City Directory (2022)	No significant changes.	No significant changes.

6.2.4 Interviews

MAKSolve was supplied with a completed Property Contact Questionnaire. Jordan Hodges, Village Administrator of the Village of Covington completed the questionnaire and is discussed further below in section 7.1 of this report. No significant environmental concerns were noted by Mr. Jordan Hodges, based on the information provided.

6.2.5 Title Records

No title records were provided by the user/client. Please refer to the Records Review section for current and historical ownership/use of the subject property.

6.2.6 Property Tax Files

Property tax files are reviewed to gather information regarding past ownership, appraisals, maps, photos, etc. According to the Miami County Auditor, the subject property is identified as parcel numbers H19-000310, H1900032, H19-000300, and H19-000200, is approximately 0.53 acres in size, developed with a 2 story with basement brick and cement block building constructed in 1953 and is owned by the Village of Covington since March 25th 2023. Previous ownership Jone Sellman of Sellman Furniture Co. from 1990-2023.

The land use for the subject property is labeled as: Other retail structures.

6.2.7 Village of Covington Building Department Records

Miami County Building Department records were not reasonably obtainable as of the publication of this report.

Records from Miami County Building Department were reviewed for evidence indicating the developmental history of the subject property, and for the presence of documentation relative to underground storage tanks. The records indicate the current subject property structures were constructed in 1953.

6.2.8 Zoning/Land Use

Zoning Department records were not reasonably obtainable as of the publication of this report.

MAKSolve reviewed the Village of Covington, Ohio Online Zoning Map. According to the map reviewed the subject property is zoned: CBD (Central Business District).

6.2.9 Other Historical Records

The history of the subject property was well documented using standard sources, as such other historical sources were not researched.

6.2.10 Previous Environmental Reports

No previous environmental reports were identified or made available by the client/user during the Phase I ESA.

6.2.11 Historical Narrative Summary

Based on a review of available historical resources, the subject property was originally developed with a few storage sheds and a carriage house by the late 1880s. By 1899 the subject property was further developed with a tobacco warehouse and a few dwellings along N. Main Street. The tobacco warehouse became an implements and painting building by 1905 before no longer being noted by 1946. At that time, only two of the dwellings and an auto garage were noted. In 1953

part of the current subject property was built, a long rectangular structure to the northeast. By 1968 the rest of the present-day structure, which includes a connected square building, was developed. Other developments include a large parking area. The subject property operated as Sellman Furniture from approximately 1985 to 2023, when it was purchased by the Village of Covington, Ohio. The former warehouse remains vacant today.

Based on a review of available historical resources, the surrounding properties were originally developed with commercial businesses and stores to the north and east, along with a few residences to the east, by the late 1880s. Additional stores and residences are noted to the south by 1899, as well as a drycleaners to the northeast. By 1946 the drycleaners is noted as a basket factory, and other stores go through various ownership. A few auto shops are also noted in the surrounding area, two of which were noted on the LUST database, but received NFAs. By 2006 the surrounding properties appear much as they do today. Based on the lack of noted contamination and NFA statuses of surrounding properties, adjacent properties are not expected to be of environmental concern.

6.3 Additional Environmental Resources

No additional documents were provided to MAKSolve for review.

6.4 Environmental Lien and Activity/Use Limitations

MAKSolve contracted with EDR to conduct a search of land title records for the existence of environmental liens and AULs. Based on the results of their search no Environmental Liens or Activity and Use Limitations (AULs) were found for the subject property. A copy of the EDR Environmental Lien and AUL Search is included in Appendix K.

6.5 Contaminants of Emerging Concern

The U.S. EPA defines contaminants of emerging concern (CEC) as chemicals that have not previously been detected in water, or that are being detected at significantly different levels than expected. MAKSolve evaluated the subject property use during the site reconnaissance and historical document review for potential environmental hazards, including Per- and Polyfluoroalkyl Substances (PFAS) impact to the subject property. On April 10, 2024, USEPA announced the final National Primary Drinking Water Regulation (NPDWR) for six PFAS compounds. On May 8, 2024, the USEPA published 40 CFR Part 302, Designation of Perfluorooctanoic Acid (PFOA) and Perfluorooctanesulfonic Acid (PFOS) as CERCLA Hazardous Substances. The USEPA designated PFOA, PFOS, including their salts and structural isomers, as hazardous substances. PFAS are a group of man-made chemicals that includes PFOA, PFOS, GenX, and many other chemicals. PFAS have been manufactured and used in a variety of industries around the globe, including in the United States, since the 1940s. PFOA and PFOS have been the

most extensively produced and studied of these chemicals. PFAS, including PFOA and PFOAS, are sometimes referred to as "forever" chemicals because of their strong carbon-fluoride bond in the "tail group" that causes them to be extremely resistant to degradation and to remain in the environment for long periods of time, and they are highly mobile in the environment.

PFAS can be found in:

- Food packaged in PFAS-containing materials, processed with equipment that used PFAS, or grown in PFAS-contaminated soil or water.
- Commercial household products, including stain- and water-repellent fabrics, nonstick products (e.g., Teflon), polishes, waxes, paints, cleaning products, and fire-fighting foams (a major source of groundwater contamination at airports and military bases where firefighting training occurs).
- Workplace, including production facilities or industries (e.g., chrome plating, electronics manufacturing or oil recovery) that use PFAS.
- Drinking water, typically localized and associated with a specific facility (e.g., manufacturer, landfill, wastewater treatment plant, firefighter training facility).
- Living organisms, including fish, animals, and humans, where PFAS have the ability to build up and persist over time.

MAKSolve is not aware of the use, manufacture, or generation of PFAS at the subject property, based on its historical use. No further evaluation is warranted at this time.

7.0 INTERVIEWS & LOCAL GOVERNMENT RECORDS

Resource	Date of Contact	Type of Contact	Response Received	Comments
Property Owner	11/5/25	Property Contact Questionnaire	Yes	Mr. Hodges is not aware of any environmental concerns associated with the subject property.
Key Site Manager	N/A	N/A	N/A	N/A
Client/User	11/5/25	User Questionnaire	Yes	Mr. Hodges is not aware of any environmental concerns associated with the subject property.
Occupant	N/A	N/A	N/A	N/A
Major Occupant	N/A	N/A	N/A	N/A
Local Health Department	11/13/25	Email	Yes	No issues reported
Local Fire Department	11/14/25	Email	Yes	No issues reported
Local Building and Zoning Department	11/16/25	Email	No	As of the date of this report, no response has been received pursuant to this information request. If a response is received that changes the outcome of this report, The Village of Covington will be notified.
Local Water and Village of Covington Sewer Department	11/16/25	Email	No	As of the date of this report, no response has been received pursuant to this information request. If a response is received that changes the outcome of this report, The Village of Covington will be notified.
Ohio EPA	11/13/25	Email	No	As of the date of this report, no response has been received pursuant to this information request. If a response is received that changes the outcome of this report, The Village of Covington will be notified.
Bureau of Underground Storage Tank Regulations (BUSTR)	11/18/25	Online Search	Yes	Reports located on BUSTR database.
Other Interviews	N/A	N/A	N/A	N/A

Interviews

Role	Property Owner/Client (User)
Name	Jordan Hodges
Title	Village Administrator
Company	Village of Covington
Method	Personal interview and email correspondence
Comments	Mr. Hodges is not aware of any environmental concerns associated with the subject property.

Role	Local Government Official
Name	Gerry Tipton
Title	Ohio EPA Northwest District Office
Company	Miami County Health
Method	Email
Comments	Per the Miami county Health Department, there are no notices of violations or releases for the subject property.

Role	Local Government Official
Name	Bart Weer
Title	Chief
Company	Covington Fire and Rescue
Method	Email
Comments	Per Mr. Weer, there is no history of hazards at the subject property.

Role	Local Government Official
Name	N/A
Title	N/A
Company	Bureau of Underground Storage Tank Regulations (BUSTR)
Method	Online Search
Comments	Files were found on the BUSTR website pertaining to LUST cases on the subject property and surrounding properties. All were granted NFA status and are not of environmental concern. Provided documents are located in Appendix E of this report.

8.0 Non-Scope Considerations

No additional services beyond the scope of ASTM E1527-21 were included in the scope of work for this ESA.

9.0 FINDINGS

MAKSolve has completed this Phase I Environmental Site Assessment (ESA) of the Former Sellman's Furniture Repair Shop & Warehouse located at 28 N. Main Street & 21 W. Wright Street in the Village of Covington, Ohio (subject property). A Phase I ESA is an integral part of all appropriate inquiries (AAI), as codified in Title 40 Code of Federal Regulations Part 312, into the previous ownership and uses of the subject property consistent with good commercial and customary practice. The American Society for Testing and Materials ("ASTM") Standard E1527-21 is one industry standard used to comply with the AAI requirements. The purpose of the ESA therefore is to identify evidence of recognized environmental conditions ("RECs"), historic RECs ("HRECs"), and controlled RECs ("CRECs").

The subject property is located in a commercial area of the Village of Covington, Ohio. The subject property consists of a rectangular-shaped parcel, totaling approximately 0.53-acres and is improved with an approximately 10,640 square feet, two-story with basement, brick and cement structure (subject building), constructed in 1953. The portions not developed with building(s) are generally paved with asphalt parking lot, concrete sidewalks and curbs and associated landscaping. The subject building is currently unoccupied. According to the MiamiCounty Auditor, the subject property is identified as parcel ID numbers: H19-000310, H1900032, H19-000300, and H19-000200.

Based on a review of historical resources such as aerial photographs, topographic maps and city directories, the subject property was originally developed with a few storage sheds and a carriage house by the late 1880s. By 1899 the subject property was further developed with a tobacco warehouse and a few dwellings along N. Main Street. The tobacco warehouse became an implements and painting building by 1905 before no longer being noted by 1946. At that time, only two of the dwellings and an auto garage were noted. In 1953 part of the current subject property was built, a long rectangular structure to the northeast. By 1968 the rest of the present-day structure, which includes a connected square building, was developed. Other developments include a large parking area. The subject property operated as Sellman Furniture from approximately 1985 to 2023, when it was purchased by the Village of Covington, Ohio. The former warehouse remains vacant today.

10.0 CONCLUSIONS & OPINIONS

As summarized, MAKSolve has performed a *Phase I Environmental Site Assessment* in conformance with the scope and limitations of ASTM Practice E1527-21 of property 28 N. Main Street & 21 W. Wright Street in Village of Covington, Ohio, MiamiCounty, Ohio (subject property). Any exceptions to, or deletions from, this practice are described in Section 2.4 of this report.

Recognized Environmental Condition

This assessment has revealed no evidence of recognized environmental conditions in connection with the *subject property*.

Historic Recognized Environmental Condition

Historic recognized environmental conditions were observed at the subject property, including the following:

2. The subject property was listed under the Leaking Underground Storage Tank (LUST) database. MAKSolve reviewed files from the Bureau of Underground Storage Tanks (BUSTR) and found files regarding a 2,000-gallon steel walled gasoline tank that was removed in 1998. Confirmatory closure soil samples were collected and submitted following removal of the UST and submitted to the laboratory for the analysis chemicals of concern (COC). The resulting analysis revealed all COCs below applicable limits. After submittal of the closure assessment, a No Further Action (NFA) determination was issued by BUSTR. Based on the lack of contamination and no further action status, the former UST is not of environmental concern and is considered a historical recognized environmental condition.

Controlled Recognized Environmental Condition

This assessment has revealed no evidence of controlled recognized environmental conditions in connection with the *subject property*.

De Minimis Conditions

This assessment has revealed no evidence of de minimis conditions in connection with the subject property.

11.0 RECOMMENDATIONS

Based on the above referenced information, no additional investigation appears warranted.

12.0 REFERENCES

12.1 Published References

CERCLIS - Comprehensive Environmental Response, Compensation, and Liability Information System, United States Environmental Protection Agency (U.S. EPA), List-8: State/Event Listing (EDR),

CORRACTS - U.S. EPA, Office of Solid Waste and Emergency Response (EDR),

Emergency Response Notification System - U.S. EPA, Office of Solid Waste and Emergency Response (EDR),

Hazardous Waste Handlers and TSD Facilities - U.S. EPA Division of Hazardous Waste Management (EDR),

LUST Data - Ohio Division of State Fire Marshal, Bureau of Underground Storage Tank Regulations (BUSTR) (EDR),

National Priorities List – U.S. EPA (EDR)

Ohio Spills List - Ohio Environmental Protection Agency (OEPA), Division of Emergency Response

Solid Waste Facilities - OEPA, Division of Solid and Infectious Waste (EDR),

U.S. EPA – Enforcement Compliance History (ECHO) online database,

UST Data - Ohio Division of State Fire Marshal, BUSTR (EDR).

12.2 Map, Aerial Photo, and Other Geographic References

Aerial Photographs – EDR (1940, 1949, 1957, 1959, 1963, 1968, 1973, 1981, 1994, 2006, 2011, 2015, 2019, 2023)

County Tax Map – Miami County Auditor's Office

Historical City Directories – EDR (1985, 1995, 2000, 2005, 2010, 2014, 2017, 2022)

Historical Topographic Maps – EDR (1911, 1944, 1961, 1983, 2013, 2016, 2019)

Sanborn Fire Insurance Maps – EDR (1887, 1892, 1899, 1905, 1910, 1920, 1946)

Soil Survey of MiamiCounty, Ohio - United States Department of Agriculture, Soil Conservation Services (EDR) and USDA Web Soil Survey, and

U.S. Geological Survey 7.5-Minute and 15-Minute Series Topographic Maps – Pleasant Hill, Ohio (EDR).

13.0 ENVIRONMENTAL PROFESSIONAL DECLARATION

I, John Bowen, declare that, to the best of my professional knowledge and belief, I meet the definition of *Environmental Professional* as defined in 40 CFR § 312.10. I have the specific qualifications based on education, training, and experience to assess a *property* of the nature, history, and setting of the subject property. I have developed and performed the all-appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

John Bowen

December 5, 2025

John Bowen

Date

14.0 ENVIRONMENTAL PROFESSIONAL QUALIFICATIONS

This ASTM E 1527-13 Phase I Environmental Site Assessment report of the subject property was prepared by or under the supervision of the following Environmental Professionals.

John Bowen

Senior Project Manager, MAKSolve, LLC

EDUCATION

B.S. Environmental Science, Purdue University

PROFESSIONAL LICENSES

Ohio Department of Health Asbestos Inspector/Management Planner

Radon Tester


PROFESSIONAL EXPERIENCE

Mr. John Bowen has been active in the environmental field since 1999 and is currently a Senior Project Manager with MAKSolve, LLC. He has extensive project management experience, with emphasis on site assessment; remedial work plans; implementation of corrective actions; remedial system operation, maintenance, and reporting; underground storage tank closures; and asbestos surveys and abatement management. Mr. John Bowen has provided services to industrial, commercial, and governmental clients at locations across the United States. His due diligence experience includes:

Mr. John Bowen has performed and managed numerous due diligence projects for real estate transactions of residential, commercial, and industrial properties and portfolios throughout the country. Phase I Environmental Site Assessments (ESAs) were conducted in accordance with ASTM, Brownfields Revitalization Act All Appropriate Inquiry (AAI), Ohio EPA VAP or client-specific standards.

Mr. John Bowen has provided environmental due diligence services for numerous national clients during mergers and acquisitions (M&A) of large real estate portfolios. Services included site assessment; soil, groundwater, and asbestos sampling; conducting regulatory compliance and permit review; regulatory agency communication; developing cost estimates for escrow account budgeting and management; conducting baseline environmental condition assessments; and report preparation.

FIGURES



Source	Date	Revision	Project
USGS	2013	NA	181-25

Figure 1 — **Pleasant Hill, Ohio 7.5 Minute Topographic Map**

MAK/SOLVE

Former Sellman's Furniture Repair Shop & Warehouse
28 N. Main Street & 21 W. Wright Street
Village of Covington, Ohio

N
W E
S



Figure 2	Site Plan	Project Number 181-25
MAK/SOLVE	Former Sellman's Furniture Repair Shop & Warehouse 28 N. Main Street & 21 W. Wright Street Village of Covington, Ohio	N W E S




Figure 3	Property Diagram	Project Number 181-25

MAK/SOLVE

Former Sellman's Furniture Repair Shop & Warehouse
28 N. Main Street & 21 W. Wright Street
Village of Covington, Ohio


N
W E
S

APPENDICES


APPENDIX A

PHOTOGRAPHS

Project name: Former Sellman's Project
Project No.: 181-25
Date Pictures Taken: November 6th, 2025




Photograph 1:Subject Building front entrance



Photograph 2: Subject Building first floor facing west



Photograph 3: Subject Building chemical storage area



Photograph 4: Subject Building chemical storage area



Photograph 5:.Subject Building first floor facing North



Photograph 6: Subject Building chemical storage

Project name: Former Sellman's Project
Project No.: 181-25
Date Pictures Taken: November 6th, 2025



Photograph 7: Subject Building first floor facing northwest



Photograph 8: Subject Building basement



Photograph 9: Subject Building Basement



Photograph 10: Subject Building basement heater




Photograph 11: Subject Building stairs to the second floor



Photograph 12: Subject Building second floor

Project name:
Project No.:
Date Pictures Taken:




Photograph 13: Subject Building second floor electrical box 1



Photograph 14: Subject Building second floor electrical box 2



Photograph 15: Subject Building first floor furnace



Photograph 16: Subject Building outside facing southwest




Photograph 17: Northern adjoining property




Photograph 18: Western adjoining properties

Project name:
Project No.:
Date Pictures Taken:



Photograph 19: Subject Building outside view facing South



Photograph 20:Subject Building outside view facing South




Photograph 21: Northern adjoining properties



Photograph 22: Southern adjoining properties




Photograph 23: Subject Building outside view facing South




Photograph 24:Subject Building outside view facing East

Project name:
Project No.:
Date Pictures Taken:



Photograph 25: Subject property facing east



Photograph 26: Subject Building outside view of the walkway connection with 15 N. Main Street, Covington, Ohio



Photograph 27: Subject Building outside view facing south where the front door is located



Photograph 28: Eastern adjoining properties

APPENDIX B

GOVERNMENT RECORDS SEARCH

H19-000290

10/31/2025

Matthew W. Gearhardt
County Auditor
Miami County, Ohio
www.miamicountyohioauditor.gov

Parcel	Address
H19-000290	HIGH ST N
429 - OTHER RETAIL STRUCTUR...	NEWBERRY TWP
Owner	Appraised
VILLAGE OF COVINGTON OHIO	$9,000.00
SOLD: 6/8/2023 $140,000.00	ACRES: 0.1300

No Sketches for this Parcel

Levies

2025 General Election on 11/4/2025 Ballot Entries

This levy information is specific to this particular property only. These cost estimates should be considered neither an endorsement nor an opposition to any particular proposed tax levy. Hopefully this information will prove beneficial and help you make an informed decision come Election Day.

Please note: 2024 property values were used for these calculations.

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Covington Village	Fire/EMS	5	2.5	Renewal	FUNDING FOR THE VILLAGE FIRE AND EMS SERVICE	$7.81	$7.81	$0.00
Miami County Board of Developmental Disabilities	Developmental Disabilities	10	2.5	Renewal	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR COMMUNITY DEVELOPMENTAL DISABILITIES PROGRAMS AND SERVICES	$7.77	$7.77	$0.00
Miami County	Bridge	Continuing	0.4	Replacement with Decrease	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR THE CONSTRUCTION, RECONSTRUCTION, RESURFACING, AND REPAIR OF BRIDGES WITHIN MIAMI COUNTY, OHIO	$1.40	$1.26	-$0.14

Location

Parcel	H19-000290
Owner	VILLAGE OF COVINGTON OHIO
Address	HIGH ST N
Municipality	COVINGTON VILLAGE
Township	NEWBERRY TWP
School District	COVINGTON EVSD

Deeded Owner Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	N HIGH ST
City, State, Zip	COVINGTON OH 45318

Tax Payer Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	1 S HIGH ST


City, State, Zip	COVINGTON OH 45318

Valuation

Please note, if you have any questions reach out to the Miami County Auditor's office at 937-440-5925.

	Appraised (100%)			Assessed (35%)		
Year	**Land**	**Improvements**	**Total**	**Land**	**Improvements**	**Total**
2025 *	$10,800.00	$0.00	$10,800.00	$3,780.00	$0.00	$3,780.00
2019	$9,000.00	$0.00	$9,000.00	$3,150.00	$0.00	$3,150.00
2013	$9,000.00	$0.00	$9,000.00	$3,150.00	$0.00	$3,150.00
2011	$6,900.00	$0.00	$6,900.00	$2,420.00	$0.00	$2,420.00
2008	$9,000.00	$0.00	$9,000.00	$3,150.00	$0.00	$3,150.00
2007	$9,000.00	$0.00	$9,000.00	$3,150.00	$0.00	$3,150.00

* Preliminary Valuation



Current Abatements And/Or Exemptions

No Abatement or Exemption Record Found.

Legal

Legal Acres	0.1300	Homestead Reduction	N
Legal Description	IN LOT 20 43 CEN PT	Owner Occupied	N
Land Use	429 - Other retail structures	Foreclosure	N
Neighborhood	03500	Board of Revision	N
Card Count	0	New Construction	N
Tax Lien	N	Lender ID	0
Annual Tax	$158.06	Divided Property	N
Routing Number	080530.1-07-012-00		

Notes

SMDA#: H19-NH006 -012-00

Residential

No Residential Records Found.

Additions

No Addition Records Found.

Agricultural

No Agricultural Records Found.

Commercial

No Commercial Building Records Found.

Sales

Date	Buyer	Seller	Conveyance Number	Deed Type	Deed	Book/Page	Valid	Parcels In Sale	Amount
6/8/2023	VILLAGE OF COVINGTON OHIO	SELLMAN JANE L	1044	WD-WARRANTY DEED		/	YES	4	$140,000.00
6/26/2012	SELLMAN JANE L	SELLMAN FURNITURE CO	999	QE-QUIT CLAIM DEED EXEMPT		/	NO	9	$0.00
1/1/1990	SELLMAN FURNITURE CO	Unknown	0	Unknown		/	UNKNOWN	0	$0.00

Land

Land Type	Acres	Actual Frontage	Effective Frontage	Depth	Depth Factor	Base Rate	Unit Rate	Adj. Rate	Market Value
L1 - Regular Lot	0.1303	43	43	132	105%	$480.00	$480.00	$504.00	$10,840.00
Totals	0.1303								$10,840.00

Improvements

No Improvement Records Found.

Tax

2024 Payable 2025

	Delinquency	First Half	Second Half	Year Total
CHARGE	$0.00	$91.89	$91.89	$183.78


ADJUSTMENT		$0.00	$0.00	$0.00
REDUCTION		-$12.86	-$12.86	-$25.72
NON-BUSINESS CREDIT		$0.00	$0.00	$0.00
OWNER OCCUPANCY CREDIT		$0.00	$0.00	$0.00
HOMESTEAD		$0.00	$0.00	$0.00
SALES CREDIT		$0.00	$0.00	$0.00
NET TAX	$0.00	$79.03	$79.03	$158.06
CAUV RECOUPMENT	$0.00	$0.00	$0.00	$0.00
SPECIAL ASSESSMENTS	$0.00	$2.55	$0.00	$2.55
PENALTY / INTEREST	$0.00	$0.00	$0.00	$0.00
NET OWED	$0.00	$81.58	$79.03	$160.61
NET PAID	$0.00	-$81.58	-$79.03	-$160.61
NET DUE	$0.00	$0.00	$0.00	$0.00
TAX RATE: 58.340000			ESCROW	$0.00
EFFECTIVE TAX RATE: 50.174962			SURPLUS	$0.00

Tax Payments

Payment Date	Cycle	Prior Paid	First Half Paid	Second Half Paid	Surplus Paid	Receipt Number
7/10/2025	2-24	$0.00	$0.00	$79.03	$0.00	2mlp-07102025-35-8
2/11/2025	1-24	$0.00	$81.58	$0.00	$0.00	19jmb-02112025-129-1
7/12/2024	2-23	$0.00	$0.00	$77.63	$0.00	5mes-07122024-125-1
2/9/2024	1-23	$0.00	$80.02	$0.00	$0.00	8jmb-02092024-155-1
7/17/2023	2-22	$0.00	$0.00	$81.15	$0.00	9mes-07172023-7-1
2/14/2023	1-22	$0.00	$83.54	$0.00	$0.00	7mt-02172023-12-1
7/20/2022	2-21	$0.00	$0.00	$81.93	$0.00	3jr-07202022-74-7
2/7/2022	1-21	$0.00	$84.77	$0.00	$0.00	3jr-02072022-90-7

Tax Distributions

2024



Levy Name	Amount	Percentage
School District	$84.66	53.56%
Township	$1.90	1.20%
County Breakout	$26.78	16.94%
Municipality	$27.04	17.11%
JVS	$14.76	9.34%
Misc +	$2.92	1.85%
Totals	$158.06	100%

Special Assessments

	Past		Due				Year Balance		
Project Name	Delinquency	Adjustment	First Half	Adjustment	Second Half	Adjustment	First Half	Second Half	Total
31-136 LIGHTS (MILL) - COVINGTON CORP	$0.00	$0.00	$2.55	-$2.55	$0.00	$0.00	$0.00	$0.00	$0.00
Totals	$0.00	$0.00	$2.55	-$2.55	$0.00	$0.00	$0.00	$0.00	$0.00

H19-000300

10/31/2025

Matthew W. Gearhardt
County Auditor
Miami County, Ohio
www.miamicountyohioauditor.gov

Parcel	Address
H19-000300	MAIN ST
429 - OTHER RETAIL STRUCTUR...	NEWBERRY TWP
Owner	Appraised
VILLAGE OF COVINGTON OHIO	$10,700.00
SOLD: 6/8/2023 $140,000.00	ACRES: 0.1500

No Sketches for this Parcel

Levies

2025 General Election on 11/4/2025 Ballot Entries

This levy information is specific to this particular property only. These cost estimates should be considered neither an endorsement nor an opposition to any particular proposed tax levy. Hopefully this information will prove beneficial and help you make an informed decision come Election Day.

Please note: 2024 property values were used for these calculations.

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Covington Village	Fire/EMS	5	2.5	Renewal	FUNDING FOR THE VILLAGE FIRE AND EMS SERVICE	$9.30	$9.30	$0.00
Miami County Board of Developmental Disabilities	Developmental Disabilities	10	2.5	Renewal	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR COMMUNITY DEVELOPMENTAL DISABILITIES PROGRAMS AND SERVICES	$9.25	$9.25	$0.00
Miami County	Bridge	Continuing	0.4	Replacement with Decrease	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR THE CONSTRUCTION, RECONSTRUCTION, RESURFACING, AND REPAIR OF BRIDGES WITHIN MIAMI COUNTY, OHIO	$1.66	$1.50	-$0.16

Location

Parcel	H19-000300
Owner	VILLAGE OF COVINGTON OHIO
Address	MAIN ST
Municipality	COVINGTON VILLAGE
Township	NEWBERRY TWP
School District	COVINGTON EVSD

Deeded Owner Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	23 N HIGH
City, State, Zip	COVINGTON OH 45318

Tax Payer Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	1 S HIGH ST

City, State, Zip	COVINGTON OH 45318


Valuation

Please note, if you have any questions reach out to the Miami County Auditor's office at 937-440-5925.

	Appraised (100%)			Assessed (35%)		
Year	**Land**	**Improvements**	**Total**	**Land**	**Improvements**	**Total**
2025 *	$12,900.00	$0.00	$12,900.00	$4,520.00	$0.00	$4,520.00
2019	$10,700.00	$0.00	$10,700.00	$3,750.00	$0.00	$3,750.00
2013	$10,700.00	$0.00	$10,700.00	$3,750.00	$0.00	$3,750.00
2011	$8,200.00	$0.00	$8,200.00	$2,870.00	$0.00	$2,870.00
2008	$10,700.00	$0.00	$10,700.00	$3,750.00	$0.00	$3,750.00
2007	$10,700.00	$0.00	$10,700.00	$3,750.00	$0.00	$3,750.00

* Preliminary Valuation

Historic Appraised (100%) Values



Current Abatements And/Or Exemptions

No Abatement or Exemption Record Found.

Legal

Legal Acres	0.1500	Homestead Reduction	N
Legal Description	IN LOT 20 51 N PT	Owner Occupied	N
Land Use	429 - Other retail structures	Foreclosure	N
Neighborhood	03500	Board of Revision	N
Card Count	0	New Construction	N
Tax Lien	N	Lender ID	0
Annual Tax	$188.16	Divided Property	N
Routing Number	080530.1-07-011-00		

Notes

SMDA#: H19-NH006 -011-00

Residential

No Residential Records Found.

Additions

No Addition Records Found.

Agricultural

No Agricultural Records Found.

Commercial

No Commercial Building Records Found.

Sales

Date	Buyer	Seller	Conveyance Number	Deed Type	Deed	Book/Page	Valid	Parcels In Sale	Amount
6/8/2023	VILLAGE OF COVINGTON OHIO	SELLMAN JANE L	1044	WD-WARRANTY DEED		/	YES	4	$140,000.00
6/26/2012	SELLMAN JANE L	SELLMAN FURNITURE CO	999	QE-QUIT CLAIM DEED EXEMPT		/	NO	9	$0.00
1/1/1990	SELLMAN FURNITURE CO	Unknown	0	Unknown		/	UNKNOWN	0	$0.00

Land

Land Type	Acres	Actual Frontage	Effective Frontage	Depth	Depth Factor	Base Rate	Unit Rate	Adj. Rate	Market Value
L1 - Regular Lot	0.1545	51	51	132	105%	$480.00	$480.00	$504.00	$12,850.00
Totals	0.1545								$12,850.00

Improvements

No Improvement Records Found.

Tax

2024 Payable 2025

	Delinquency	First Half	Second Half	Year Total
CHARGE	$0.00	$109.39	$109.39	$218.78


ADJUSTMENT		$0.00	$0.00	$0.00
REDUCTION		-$15.31	-$15.31	-$30.62
NON-BUSINESS CREDIT		$0.00	$0.00	$0.00
OWNER OCCUPANCY CREDIT		$0.00	$0.00	$0.00
HOMESTEAD		$0.00	$0.00	$0.00
SALES CREDIT		$0.00	$0.00	$0.00
NET TAX	$0.00	$94.08	$94.08	$188.16
CAUV RECOUPMENT	$0.00	$0.00	$0.00	$0.00
SPECIAL ASSESSMENTS	$0.00	$3.04	$0.00	$3.04
PENALTY / INTEREST	$0.00	$0.00	$0.00	$0.00
NET OWED	$0.00	$97.12	$94.08	$191.20
NET PAID	$0.00	-$97.12	-$94.08	-$191.20
NET DUE	$0.00	$0.00	$0.00	$0.00
TAX RATE: 58.340000			ESCROW	$0.00
EFFECTIVE TAX RATE: 50.174962			SURPLUS	$0.00

Tax Payments

Payment Date	Cycle	Prior Paid	First Half Paid	Second Half Paid	Surplus Paid	Receipt Number
7/10/2025	2-24	$0.00	$0.00	$94.08	$0.00	2mlp-07102025-35-7
2/11/2025	1-24	$0.00	$97.12	$0.00	$0.00	19jmb-02112025-128-1
7/12/2024	2-23	$0.00	$0.00	$92.42	$0.00	5mes-07122024-124-1
2/9/2024	1-23	$0.00	$95.27	$0.00	$0.00	8jmb-02092024-154-1
7/17/2023	2-22	$0.00	$0.00	$96.61	$0.00	9mes-07172023-6-1
2/14/2023	1-22	$0.00	$99.46	$0.00	$0.00	7mt-02172023-11-1
7/20/2022	2-21	$0.00	$0.00	$97.53	$0.00	3jr-07202022-74-6
2/7/2022	1-21	$0.00	$100.91	$0.00	$0.00	3jr-02072022-90-6

Tax Distributions

2024



Levy Name	Amount	Percentage
School District	$100.78	53.56%
Township	$2.26	1.20%
County Breakout	$31.88	16.94%
Municipality	$32.18	17.10%
JVS	$17.58	9.34%
Misc +	$3.48	1.85%
Totals	$188.16	100%

Special Assessments

Project Name	Past Due Delinquency	Adjustment	First Half	Adjustment	Second Half	Adjustment	Year Balance First Half	Second Half	Total
31-136 LIGHTS (MILL) - COVINGTON CORP	$0.00	$0.00	$3.04	-$3.04	$0.00	$0.00	$0.00	$0.00	$0.00
Totals	$0.00	$0.00	$3.04	-$3.04	$0.00	$0.00	$0.00	$0.00	$0.00

H19-000310


10/31/2025

Matthew W. Gearhardt
County Auditor
Miami County, Ohio
www.miamicountyohioauditor.gov

Parcel	Address
H19-000310	WRIGHT ST
429 - OTHER RETAIL STRUCTUR...	NEWBERRY TWP
Owner	Appraised
VILLAGE OF COVINGTON OHIO	$81,200.00
SOLD: 6/8/2023 $140,000.00	ACRES: 0.0900

Photos


Photo 1



H19000310 07/18/2007

Sketches

Sketch 1



Levies

2025 General Election on 11/4/2025 Ballot Entries

This levy information is specific to this particular property only. These cost estimates should be considered neither an endorsement nor an opposition to any particular proposed tax levy. Hopefully this information will prove beneficial and help you make an informed decision come Election Day.

Please note: 2024 property values were used for these calculations.

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Covington Village	Fire/EMS	5	2.5	Renewal	FUNDING FOR THE VILLAGE FIRE AND EMS SERVICE	$70.50	$70.50	$0.00
Miami County Board of Developmental Disabilities	Developmental Disabilities	10	2.5	Renewal	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR COMMUNITY DEVELOPMENTAL DISABILITIES PROGRAMS AND SERVICES	$70.08	$70.08	$0.00

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Miami County	Bridge	Continuing	0.4	Replacement with Decrease	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR THE CONSTRUCTION, RECONSTRUCTION, RESURFACING, AND REPAIR OF BRIDGES WITHIN MIAMI COUNTY, OHIO	$12.61	$11.37	-$1.25

Location

Parcel	H19-000310
Owner	VILLAGE OF COVINGTON OHIO
Address	WRIGHT ST
Municipality	COVINGTON VILLAGE
Township	NEWBERRY TWP
School District	COVINGTON EVSD

Deeded Owner Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	WRIGHT ST
City, State, Zip	COVINGTON OH 45318

Tax Payer Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	1 S HIGH ST
City, State, Zip	COVINGTON OH 45318


Valuation

Please note, if you have any questions reach out to the Miami County Auditor's office at 937-440-5925.

	Appraised (100%)			Assessed (35%)		
Year	Land	Improvements	Total	Land	Improvements	Total
2025 *	$15,300.00	$58,600.00	$73,900.00	$5,360.00	$20,510.00	$25,870.00
2019	$12,800.00	$68,400.00	$81,200.00	$4,480.00	$23,940.00	$28,420.00
2013	$12,800.00	$72,600.00	$85,400.00	$4,480.00	$25,410.00	$29,890.00
2011	$12,800.00	$83,000.00	$95,800.00	$4,480.00	$29,050.00	$33,530.00
2008	$12,800.00	$112,800.00	$125,600.00	$4,480.00	$39,480.00	$43,960.00
2007	$12,800.00	$112,800.00	$125,600.00	$4,480.00	$39,480.00	$43,960.00

* Preliminary Valuation

Historic Appraised (100%) Values



Current Abatements And/Or Exemptions

No Abatement or Exemption Record Found.

Legal

Legal Acres	0.0900	Homestead Reduction	N
Legal Description	IN LOT 21 48.12X82.5 E PT	Owner Occupied	N
Land Use	429 - Other retail structures	Foreclosure	N
Neighborhood	03500	Board of Revision	N
Card Count	1	New Construction	N
Tax Lien	N	Lender ID	0
Annual Tax	$1,425.96	Divided Property	N
Routing Number	080530.1-07-009-00		

Notes

SMDA#: HI9-NH006 -009-00

Residential

No Residential Records Found.

Additions

Code	Description	Card	Base Area	Year Built	Appraised Value (100%)
631	Basic Structure Cost	1	130	0	$6,100.00
PR2	Porch Frame - Enclosed	1	0	0	$0.00
Totals					$6,100.00

Agricultural

No Agricultural Records Found.

Commercial

Occupancy Type Code	Description	Card	Year Built	Effective Age	Class	Section Number	Section Area	Wall Height	Section Stories
353	Retail Store	1	1953	50	C	1	3,200	12	1
353	Retail Store	1	1953	50	C	2	3,200	12	1
Totals							6,400		

Sales

Date	Buyer	Seller	Conveyance Number	Deed Type	Deed	Book/Page	Valid	Parcels In Sale	Amount
6/8/2023	VILLAGE OF COVINGTON OHIO	SELLMAN JANE L	1044	WD-WARRANTY DEED		/	YES	4	$140,000.00
6/26/2012	SELLMAN JANE L	SELLMAN FURNITURE CO	999	QE-QUIT CLAIM DEED EXEMPT		/	NO	9	$0.00
1/1/1990	SELLMAN FURNITURE CO	Unknown	0	Unknown		/	UNKNOWN	0	$0.00

Land

Land Type	Acres	Actual Frontage	Effective Frontage	Depth	Depth Factor	Base Rate	Unit Rate	Adj. Rate	Market Value
LI - Regular Lot	0.0904	48	48	82	83%	$480.00	$480.00	$398.40	$15,300.00
Totals	0.0904								$15,300.00

Improvements

No Improvement Records Found.

Tax

2024 Payable 2025

	Delinquency	First Half	Second Half	Year Total
CHARGE	$0.00	$829.01	$829.01	$1,658.02
ADJUSTMENT		$0.00	$0.00	$0.00
REDUCTION		-$116.03	-$116.03	-$232.06
NON-BUSINESS CREDIT		$0.00	$0.00	$0.00
OWNER OCCUPANCY CREDIT		$0.00	$0.00	$0.00
HOMESTEAD		$0.00	$0.00	$0.00


SALES CREDIT		$0.00	$0.00	$0.00
NET TAX	$0.00	$712.98	$712.98	$1,425.96
CAUV RECOUPMENT	$0.00	$0.00	$0.00	$0.00
SPECIAL ASSESSMENTS	$0.00	$23.02	$0.00	$23.02
PENALTY / INTEREST	$0.00	$0.00	$0.00	$0.00
NET OWED	$0.00	$736.00	$712.98	$1,448.98
NET PAID	$0.00	-$736.00	-$712.98	-$1,448.98
NET DUE	$0.00	$0.00	$0.00	$0.00
TAX RATE: 58.340000			ESCROW	$0.00
EFFECTIVE TAX RATE: 50.174962			SURPLUS	$0.00

Tax Payments

Payment Date	Cycle	Prior Paid	First Half Paid	Second Half Paid	Surplus Paid	Receipt Number
7/10/2025	2-24	$0.00	$0.00	$712.98	$0.00	2mlp-07102025-35-6
2/11/2025	1-24	$0.00	$736.00	$0.00	$0.00	19jmb-02112025-127-1
7/12/2024	2-23	$0.00	$0.00	$700.39	$0.00	5mes-07122024-123-1
2/9/2024	1-23	$0.00	$721.99	$0.00	$0.00	8jmb-02092024-153-1
7/17/2023	2-22	$0.00	$0.00	$732.16	$0.00	9mes-07172023-5-1
2/14/2023	1-22	$0.00	$753.76	$0.00	$0.00	7mt-02172023-10-1
7/20/2022	2-21	$0.00	$0.00	$739.21	$0.00	3jr-07202022-74-5
2/7/2022	1-21	$0.00	$764.79	$0.00	$0.00	3jr-02072022-90-5

Tax Distributions

2024



Levy Name	Amount	Percentage
School District	$763.58	53.55%
Township	$17.04	1.19%
County Breakout	$241.74	16.95%
Municipality	$243.86	17.10%
JVS	$133.38	9.35%
Misc +	$26.36	1.85%
Totals	$1,425.96	100%

Special Assessments

	Past Due						Year Balance		
Project Name	Delinquency	Adjustment	First Half	Adjustment	Second Half	Adjustment	First Half	Second Half	Total
31-136 LIGHTS (MILL) - COVINGTON CORP	$0.00	$0.00	$23.02	-$23.02	$0.00	$0.00	$0.00	$0.00	$0.00
Totals	$0.00	$0.00	$23.02	-$23.02	$0.00	$0.00	$0.00	$0.00	$0.00

H19-000320

10/31/2025

Matthew W. Gearhardt
County Auditor
Miami County, Ohio
www.miamicountyohioauditor.gov

Parcel
H19-000320
428 - OTHER RETAIL STRUCTUR...


Address
HIGH ST
NEWBERRY TWP

Owner
VILLAGE OF COVINGTON OHIO
SOLD: 6/8/2023 $140,000.00

Appraised
$121,100.00
ACRES: 0.1600

Photos


Photo 1



H19000320 07/13/2007

Sketches

Sketch 1



Levies

2025 General Election on 11/4/2025 Ballot Entries

This levy information is specific to this particular property only. These cost estimates should be considered neither an endorsement nor an opposition to any particular proposed tax levy. Hopefully this information will prove beneficial and help you make an informed decision come Election Day.

Please note: 2024 property values were used for these calculations.

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Covington Village	Fire/EMS	5	2.5	Renewal	FUNDING FOR THE VILLAGE FIRE AND EMS SERVICE	$105.16	$105.16	$0.00
Miami County Board of Developmental Disabilities	Developmental Disabilities	10	2.5	Renewal	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR COMMUNITY DEVELOPMENTAL DISABILITIES PROGRAMS AND SERVICES	$104.53	$104.53	$0.00

Jurisdiction	Use	Years	Millage	Type	Description	Current	Proposed	Change
Miami County	Bridge	Continuing	0.4	Replacement with Decrease	FOR THE PURPOSE OF FUNDING AND PROVIDING FOR THE CONSTRUCTION, RECONSTRUCTION, RESURFACING, AND REPAIR OF BRIDGES WITHIN MIAMI COUNTY, OHIO	$18.81	$16.96	-$1.86

Location

Parcel	H19-000320
Owner	VILLAGE OF COVINGTON OHIO
Address	HIGH ST
Municipality	COVINGTON VILLAGE
Township	NEWBERRY TWP
School District	COVINGTON EVSD

Deeded Owner Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	23 N HIGH
City, State, Zip	COVINGTON OH 45318

Tax Payer Address

Mailing Name	VILLAGE OF COVINGTON OHIO
Mailing Address	1 S HIGH ST
City, State, Zip	COVINGTON OH 45318


Valuation

Please note, if you have any questions reach out to the Miami County Auditor's office at 937-440-5925.

	Appraised (100%)			Assessed (35%)		
Year	Land	Improvements	Total	Land	Improvements	Total
2025 *	$26,800.00	$107,800.00	$134,600.00	$9,380.00	$37,730.00	$47,110.00
2019	$22,300.00	$98,800.00	$121,100.00	$7,810.00	$34,580.00	$42,390.00
2013	$22,300.00	$104,800.00	$127,100.00	$7,810.00	$36,680.00	$44,490.00
2011	$22,300.00	$121,900.00	$144,200.00	$7,810.00	$42,670.00	$50,480.00
2008	$22,300.00	$166,700.00	$189,000.00	$7,810.00	$58,350.00	$66,160.00
2007	$22,300.00	$166,700.00	$189,000.00	$7,810.00	$58,350.00	$66,160.00

* Preliminary Valuation

Historic Appraised (100%) Values



Current Abatements And/Or Exemptions

No Abatement or Exemption Record Found.

Legal

Legal Acres	0.1600	Homestead Reduction	N
Legal Description	IN LOT 21 82.5X84.22 W PT	Owner Occupied	N
Land Use	429 - Other retail structures	Foreclosure	N
Neighborhood	03500	Board of Revision	N
Card Count	1	New Construction	N
Tax Lien	N	Lender ID	0
Annual Tax	$2,126.92	Divided Property	N
Routing Number	080530.1-07-010-00		

Notes

SMDA#: HI9-NH006 -010-00

Residential

No Residential Records Found.

Additions

Code	Description	Card	Base Area	Year Built	Appraised Value (100%)
631	Basic Structure Cost	1	320	0	$4,208.00
631	Basic Structure Cost	1	252	0	$3,313.80
631	Basic Structure Cost	1	320	0	$2,352.00
LD1	LD1	1	320	0	$0.00
Totals					$9,873.80

Code	Description	Card	Base Area	Year Built	Appraised Value (100%)
LD1	LD1	1	252	0	$0.00
Totals					$9,873.80

Agricultural

No Agricultural Records Found.

Commercial

Occupancy Type Code	Description	Card	Year Built	Effective Age	Class	Section Number	Section Area	Wall Height	Section Stories
406	Storage Warehouse	1	1953	50	C	1	5,320	9	1
353	Retail Store	1	1953	50	C	2	5,320	9	1
Totals							10,640		

Sales

Date	Buyer	Seller	Conveyance Number	Deed Type	Deed	Book/Page	Valid	Parcels In Sale	Amount
6/8/2023	VILLAGE OF COVINGTON OHIO	SELLMAN JANE L	1044	WD-WARRANTY DEED		/	YES	4	$140,000.00
6/26/2012	SELLMAN JANE L	SELLMAN FURNITURE CO	999	QE-QUIT CLAIM DEED EXEMPT		/	NO	9	$0.00
1/1/1990	SELLMAN FURNITURE CO	Unknown	0	Unknown		/	UNKNOWN	0	$0.00

Land

Land Type	Acres	Actual Frontage	Effective Frontage	Depth	Depth Factor	Base Rate	Unit Rate	Adj. Rate	Market Value
L1 - Regular Lot	0.1581	84	84	82	83%	$480.00	$480.00	$398.40	$26,780.00
Totals	0.1581								$26,780.00

Improvements

Description	Card	Segment ID	Size (LxW)	Area	Condition	Year Built	Appraised Value (100%)
Paving Asphalt	1		1x1,500	1,500	AV AV	1980	$600.00
Totals							$600.00

Tax

2024 Payable 2025


	Delinquency	First Half	Second Half	Year Total
CHARGE	$0.00	$1,236.52	$1,236.52	$2,473.04
ADJUSTMENT		$0.00	$0.00	$0.00
REDUCTION		-$173.06	-$173.06	-$346.12
NON-BUSINESS CREDIT		$0.00	$0.00	$0.00
OWNER OCCUPANCY CREDIT		$0.00	$0.00	$0.00
HOMESTEAD		$0.00	$0.00	$0.00
SALES CREDIT		$0.00	$0.00	$0.00
NET TAX	$0.00	$1,063.46	$1,063.46	$2,126.92
CAUV RECOUPMENT	$0.00	$0.00	$0.00	$0.00
SPECIAL ASSESSMENTS	$0.00	$17.17	$17.17	$34.34
PENALTY / INTEREST	$0.00	$0.00	$0.00	$0.00
NET OWED	$0.00	$1,080.63	$1,080.63	$2,161.26
NET PAID	$0.00	-$1,080.63	-$1,080.63	-$2,161.26
NET DUE	$0.00	$0.00	$0.00	$0.00
TAX RATE: 58.340000			ESCROW	$0.00
EFFECTIVE TAX RATE: 50.174962			SURPLUS	$0.00

Tax Payments

Payment Date	Cycle	Prior Paid	First Half Paid	Second Half Paid	Surplus Paid	Receipt Number
7/10/2025	2-24	$0.00	$0.00	$1,080.63	$0.00	2mlp-07102025-35-5
2/11/2025	1-24	$0.00	$1,080.63	$0.00	$0.00	19jmb-02112025-126-1
7/12/2024	2-23	$0.00	$0.00	$1,060.79	$0.00	5mes-07122024-122-1
2/9/2024	1-23	$0.00	$1,060.79	$0.00	$0.00	8jmb-02092024-152-1
7/17/2023	2-22	$0.00	$0.00	$1,108.16	$0.00	9mes-07172023-8-1
2/14/2023	1-22	$0.00	$1,108.16	$0.00	$0.00	7mt-02172023-9-1
7/20/2022	2-21	$0.00	$0.00	$1,121.63	$0.00	3jr-07202022-74-4
2/7/2022	1-21	$0.00	$1,121.64	$0.00	$0.00	3jr-02072022-90-4

Tax Distributions

2024



Levy Name	Amount	Percentage
School District	$1,138.88	53.55%
Township	$25.44	1.20%
County Breakout	$360.58	16.95%
Municipality	$363.76	17.10%
JVS	$198.92	9.35%
Misc +	$39.34	1.85%
Totals	$2,126.92	100%

Special Assessments

Project Name	Past Delinquency	Due First Half Adjustment	Due First Half	Due Second Half Adjustment	Due Second Half	Year Balance Adjustment	Year Balance First Half	Year Balance Second Half	Total
31-136 LIGHTS (MILL) - COVINGTON CORP	$0.00	$0.00	$17.17	-$17.17	$17.17	-$17.17	$0.00	$0.00	$0.00
Totals	$0.00	$0.00	$17.17	-$17.17	$17.17	-$17.17	$0.00	$0.00	$0.00

Miami County OH



10/31/2025, 4:13:44 PM

Recent Sales

> 12/25/2024

< 1/2/2022

Neighborhood Codes

Lot Numbers

Parcels

1:1,128

0 0.01 0.01 0.02 mi

0 0.01 0.02 0.04 km

Sources: Esri, Maxar, Airbus DS, USGS, NGA, NASA, CGIAR, N Robinson, NCEAS, NLS, OS, NMA, Geodatastyrelsen, Rijkswaterstaat, GSA, Geoland, FEMA, Intermap, and the GIS user community

Auditors Map

Commercial Property
28 N. Main Street
Covington, OH 45318

Inquiry Number: 8173755.2s
November 14, 2025

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

LIGHTBOX LIVE

Open LightBox Live to access data, tools, and advanced analytics in one online platform.

http://www.web.edrnet.com/ordering/switchboard/login.aspx?s=goto_lightbox&pguid=3D210E62-2C81-48FA-9692-FDB79021A067

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	96
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-19
Physical Setting Source Map Findings	A-21
Physical Setting Source Records Searched	PSGR-1

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 23), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

28 N. MAIN STREET
COVINGTON, OH 45318

COORDINATES

Latitude (North):	40.1180100 - 40° 7' 4.83"
Longitude (West):	84.3554260 - 84° 21' 19.53"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	725370.6
UTM Y (Meters):	4443998.0
Elevation:	920 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	14435264 PLEASANT HILL, OH
Version Date:	2019
Northeast Map:	14435262 PIQUA WEST, OH
Version Date:	2019
Southwest Map:	14435232 GETTYSBURG, OH
Version Date:	2019
Northwest Map:	14435286 VERSAILLES, OH
Version Date:	2019

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20230730, 20230801
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
28 N. MAIN STREET
COVINGTON, OH 45318

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	SELLMAN FURNITURE	28 N MAIN ST	LUST, UST		TP
A2	SELLMAN FURNITURE	28 N MAIN ST	RGA LUST		TP
A3	SELLMAN FURNITURE	28 N MAIN ST .	RGA LUST		TP
A4	SELLMAN FURNITURE	28 N MAIN ST .	UST FINDER, UST FINDER RELEASE		TP
A5	SELLMAN FURNITURE	28 N MAIN ST .	RGA LUST		TP
A6	SELLMAN FURNITURE	28 N MAIN ST ?.	ARCHIVE UST		TP
A7	SELLMAN FURNITURE	28 N MAIN ST Y.	RGA LUST		TP
A8	SELLMAN FURNITURE	28 N MAIN ST .	RGA LUST		TP
A9	ALLTEL OHIO, INC.	108 N MAIN ST	LUST, UST	Lower	75, 0.014, North
A10	ALLTEL OHIO, INC.	108 N MAIN ST	ARCHIVE UST	Lower	75, 0.014, North
A11	ALLTEL OHIO, INC.	108 N MAIN ST	UST FINDER, UST FINDER RELEASE	Lower	75, 0.014, North
A12	COVINGTON WWTP	1 SOUTH HIGH ST	AST, SPILLS	Higher	158, 0.030, SSE
13	DICKS SERVICE STATIO	HIGH & SPRING STS	EDR Hist Auto	Higher	447, 0.085, SSE
B14	NEWBERRY TWP GARAGE	140 N MAIN ST	LUST	Lower	465, 0.088, North
B15	NEWBERRY TWP GARAGE	140 N MAIN ST	UST FINDER RELEASE	Lower	465, 0.088, North
B16	NEWBERRY TWP GARAGE	140 N MAIN ST	UST	Lower	465, 0.088, North
17	PAULS PIZZA, COVINGT	136 N HIGH ST	DERR	Higher	502, 0.095, NNE
18	COVINGTON LF		HIST LF	Lower	808, 0.153, West
C19	KORTE JOANNE TRUSTEE	101 W BROADWAY	LUST, UST	Lower	898, 0.170, North
C20	REINKE CARL FORD	101 W BROADWAY ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	898, 0.170, North
D21	RICH OIL 1171	1 W BROADWAY ST	RCRA-VSQG, US AIRS	Lower	996, 0.189, North
D22	RICH OIL #1171	1 W BROADWAY ST	UST FINDER, UST FINDER RELEASE	Lower	996, 0.189, North
D23	RICH OIL #1171	1 W BROADWAY ST	LUST, UST, ARCHIVE UST	Lower	996, 0.189, North
D24	BROADWAY SERV	ONE E BROADWAY	LUST	Lower	1003, 0.190, North
25	ORPHAN TANK IN RIGHT	157 S HIGH ST	LUST, UST	Higher	1011, 0.191, South
E26	WATER TREATMENT PLAN	W BRIDGE ST	LUST, UST	Higher	1048, 0.198, NNE
D27	BONDED	SR 48 & SR 36	UNREG LTANKS	Lower	1080, 0.205, North
D28	BP OIL CO	6 E BROADWAY	LUST, UST, ARCHIVE UST, RCRA NonGen / NLR, ECHO	Lower	1149, 0.218, NNE
D29	BP OIL CO #09425	6 E BROADWAY	UST FINDER, UST FINDER RELEASE	Lower	1149, 0.218, NNE
30		200 WEST BRIDGE STRE	AST	Lower	1223, 0.232, SW
E31	TONYS BODY SHOP & SE	102 E BROADWAY ST	RCRA-VSQG, FINDS, ECHO	Lower	1234, 0.234, NNE
32	OLD RUDY ELEVATOR SI	100 GRANT STREET	US BROWNFIELDS	Higher	1536, 0.291, ESE
F33	GAS MART/ MARKET FRE	301 TROY PIKE	UST FINDER, UST FINDER RELEASE	Higher	2216, 0.420, SSE
F34	MARATHON MARKET FRES	301 TROY PIKE	LUST, UST, ARCHIVE UST	Higher	2216, 0.420, SSE
35	COVINGTON LANDFILL	SECTION 30	HIST LF	Lower	2296, 0.435, West
G36	BEATREME FOODS, INC.	400 HAZEL ST	UST FINDER, UST FINDER RELEASE	Higher	2320, 0.439, NE
G37	BEATREME FOODS, INC.	400 HAZEL ST	LUST, UST	Higher	2320, 0.439, NE

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
SELLMAN FURNITURE 28 N MAIN ST COVINGTON, OH 45318	LUST FR Status: NFA: No Further Action UST Facility Id: 55009754 Tank Status: REM - Removed	N/A
SELLMAN FURNITURE 28 N MAIN ST COVINGTON, OH	RGA LUST	N/A
SELLMAN FURNITURE 28 N MAIN ST . COVINGTON, OH	RGA LUST	N/A
SELLMAN FURNITURE 28 N MAIN ST . COVINGTON, OH 0	UST FINDER UST FINDER RELEASE	N/A
SELLMAN FURNITURE 28 N MAIN ST . COVINGTON, OH	RGA LUST	N/A
SELLMAN FURNITURE 28 N MAIN ST ?. COVINGTON, OH 45318	ARCHIVE UST Facility Number: 55009754 Tank Status: REM	N/A
SELLMAN FURNITURE 28 N MAIN ST Y. COVINGTON, OH	RGA LUST	N/A
SELLMAN FURNITURE 28 N MAIN ST . COVINGTON, OH	RGA LUST	N/A

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL ..... National Priority List
Proposed NPL ..... Proposed National Priority List Sites
NPL LIENS ..... Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ..... National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ..... Federal Facility Site Information listing
SEMS ..... Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE ..... Superfund Enterprise Management System Archive

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS ..... Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF ..... RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-LQG ..... RCRA - Large Quantity Generators
RCRA-SQG ..... RCRA - Small Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS ..... Land Use Control Information System
US ENG CONTROLS ..... Engineering Controls Sites List
US INST CONTROLS ..... Institutional Controls Sites List

Federal ERNS list

ERNS ..... Emergency Response Notification System

Lists of state- and tribal hazardous waste facilities

SHWS ..... This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

EXECUTIVE SUMMARY

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF..... Licensed Solid Waste Facilities

Lists of state and tribal leaking storage tanks

LAST..... Leaking Aboveground Storage Tank Listing
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST..... Underground Storage Tank Listing
INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

HIST INST CONTROLS..... Institutional Controls Database
HIST ENG CONTROLS..... Operation & Maintenance Agreements Database
ENG CONTROLS..... Sites with Engineering Controls
INST CONTROL..... Sites with Institutional Engineering Controls

Lists of state and tribal voluntary cleanup sites

INDIAN VCP..... Voluntary Cleanup Priority Listing
VCP..... Voluntary Action Program Sites

Lists of state and tribal brownfield sites

BROWNFIELDS..... Ohio Brownfield Inventory

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY..... Recycling Facility Listing
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory
IHS OPEN DUMPS..... Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
CDL..... Clandestine Drug Lab Locations
US CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

SPILLS	Emergency Response Database
SPILLS 90	SPILLS 90 data from FirstSearch
SPILLS 80	SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS	Formerly Used Defense Sites
DOD	Department of Defense Sites
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR	Financial Assurance Information
EPA WATCH LIST	EPA WATCH LIST
2020 COR ACTION	2020 Corrective Action Program List
TSCA	Toxic Substances Control Act
TRIS	Toxic Chemical Release Inventory System
SSTS	Section 7 Tracking Systems
ROD	Records Of Decision
RMP	Risk Management Plans
RAATS	RCRA Administrative Action Tracking System
PRP	Potentially Responsible Parties
PADS	PCB Activity Database System
ICIS	Integrated Compliance Information System
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS	Material Licensing Tracking System
COAL ASH DOE	Steam-Electric Plant Operation Data
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER	PCB Transformer Registration Database
RADINFO	Radiation Information Database
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS	Incident and Accident Data
CONSENT	Superfund (CERCLA) Consent Decrees
INDIAN RESERV	Indian Reservations
FUSRAP	Formerly Utilized Sites Remedial Action Program
UMTRA	Uranium Mill Tailings Sites
LEAD SMELTERS	Lead Smelter Sites
US AIRS	Aerometric Information Retrieval System Facility Subsystem
US MINES	Mines Master Index File
ABANDONED MINES	Abandoned Mines
MINES MRDS	Mineral Resources Data System
FINDS	Facility Index System/Facility Registry System
UXO	Unexploded Ordnance Sites
ECHO	Enforcement & Compliance History Information
DOCKET HWC	Hazardous Waste Compliance Docket Listing
FUELS PROGRAM	EPA Fuels Program Registered Listing
PFAS NPL	Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES	Federal Sites PFAS Information
PFAS TRIS	List of PFAS Added to the TRI
PFAS TSCA	PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR	PFAS Contamination Site Location Listing
PFAS WQP	Ambient Environmental Sampling for PFAS
PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT
PFAS NPDES	Clean Water Act Discharge Monitoring Information
PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing
PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing

EXECUTIVE SUMMARY

PFAS PT 139 AIRPORT..... All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC..... Aqueous Foam Related Incidents Listing
BIOSOLIDS..... ICIS-NPDES Biosolids Facility Data
E MANIFEST..... Hazardous Waste Electronic Manifest System
PFAS..... PFOA & PFOS Site Listing
AIRS..... Title V Permits Listing
ASBESTOS..... Asbestos Notification Listing
COAL ASH..... Coal Ash Disposal Site Listing
CRO..... Cessation of Regulated Operations Facility Listing
DRYCLEANERS..... Drycleaner Facility Listing
Financial Assurance..... Financial Assurance Information Listing
HIST USD..... Urban Setting Designations Database
LEAD..... Lead Inspections Listing
NPDES..... NPDES General Permit List
VAPOR..... Vapor Intrusion
TOWNGAS..... DERR Towngas Database
UIC..... Underground Injection Wells Listing
USD..... Urban Setting Designation Sites
SEPTAGE..... Biosolids Information Listing

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner..... EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF..... Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 06/02/2025 has revealed that there are 2 RCRA-VSQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
RICH OIL 1171 EPA ID:: OHD987006681	*1 W BROADWAY ST*	*N 1/8 - 1/4 (0.189 mi.)*	*D21*	*28*
TONYS BODY SHOP & SE EPA ID:: OHD987016268	*102 E BROADWAY ST*	*NNE 1/8 - 1/4 (0.234 mi.)*	*E31*	*68*

Lists of state- and tribal hazardous waste facilities

DERR: The DERR database is an index of sites for which Ohio EPA maintains files. It includes sites with known or suspected contamination, but a site's inclusion in the database does not mean that it is now or has ever been contaminated.

A review of the DERR list, as provided by EDR, and dated 08/13/2025 has revealed that there is 1 DERR site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PAULS PIZZA, COVINGT DERR Id: 555003200 Activity: SA	136 N HIGH ST	NNE 0 - 1/8 (0.095 mi.)	17	21

Lists of state and tribal leaking storage tanks

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Commerce Division of State Fire Marshal's List of Reported Petroleum Underground Storage Tank Release Incidents.

A review of the LUST list, as provided by EDR, and dated 10/17/2025 has revealed that there are 10 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ORPHAN TANK IN RIGHT FR Status: RPT: a possible incident is reported	*157 S HIGH ST*	*S 1/8 - 1/4 (0.191 mi.)*	*25*	*44*
WATER TREATMENT PLAN FR Status: NFA: No Further Action	*W BRIDGE ST*	*NNE 1/8 - 1/4 (0.198 mi.)*	*E26*	*45*
MARATHON MARKET FRES FR Status: NFA: No Further Action FR Status: SCT: Site Check & Tank Tightness Test	*301 TROY PIKE*	*SSE 1/4 - 1/2 (0.420 mi.)*	*F34*	*82*
BEATREME FOODS, INC.	*400 HAZEL ST*	*NE 1/4 - 1/2 (0.439 mi.)*	*G37*	*91*

FR Status: NFA: No Further Action

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALLTEL OHIO, INC.	***108 N MAIN ST***	***N 0 - 1/8 (0.014 mi.)***	***A9***	***13***
FR Status: NFA: No Further Action				
NEWBERRY TWP GARAGE	140 N MAIN ST	N 0 - 1/8 (0.088 mi.)	B14	18
FR Status: NFA: No Further Action				
KORTE JOANNE TRUSTEE	***101 W BROADWAY***	***N 1/8 - 1/4 (0.170 mi.)***	***C19***	***22***
FR Status: NFA: No Further Action				
RICH OIL #1171	***1 W BROADWAY ST***	***N 1/8 - 1/4 (0.189 mi.)***	***D23***	***35***
FR Status: RPT: a possible incident is reported				
FR Status: NFA: No Further Action				
FR Status: T2E: Tier 2 Evaluation				
FR Status: DIS: a release is disproved				
BROADWAY SERV	ONE E BROADWAY	N 1/8 - 1/4 (0.190 mi.)	D24	43
FR Status: NFA: No Further Action				
BP OIL CO	***6 E BROADWAY***	***NNE 1/8 - 1/4 (0.218 mi.)***	***D28***	***47***
FR Status: RPT: a possible incident is reported				
FR Status: NFA: No Further Action				

UNREG LTANKS: A suspected or confirmed release of petroleum from a non-regulated UST.

A review of the UNREG LTANKS list, as provided by EDR, and dated 08/25/1999 has revealed that there is 1 UNREG LTANKS site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BONDED	SR 48 & SR 36	N 1/8 - 1/4 (0.205 mi.)	D27	46
Facility Status: RPT				
Facility Id: -0-				
Incident Number: 551151300				

Lists of state and tribal registered storage tanks

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Commerce Division of State Fire Marshal's Facility File.

A review of the UST list, as provided by EDR, and dated 05/05/2025 has revealed that there are 7 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ORPHAN TANK IN RIGHT	***157 S HIGH ST***	***S 1/8 - 1/4 (0.191 mi.)***	***25***	***44***
Facility Id: 55010140				
Tank Status: REM - Removed				
WATER TREATMENT PLAN	***W BRIDGE ST***	***NNE 1/8 - 1/4 (0.198 mi.)***	***E26***	***45***
Facility Id: 55001415				

Tank Status: REM - Removed

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALLTEL OHIO, INC.	***108 N MAIN ST***	***N 0 - 1/8 (0.014 mi.)***	***A9***	***13***
Facility Id: 55003071				
Tank Status: REM - Removed				
NEWBERRY TWP GARAGE	140 N MAIN ST	N 0 - 1/8 (0.088 mi.)	B16	20
Facility Id: 55010019				
Tank Status: REM - Removed				
KORTE JOANNE TRUSTEE	***101 W BROADWAY***	***N 1/8 - 1/4 (0.170 mi.)***	***C19***	***22***
Facility Id: 55010135				
Tank Status: REM - Removed				
RICH OIL #1171	***1 W BROADWAY ST***	***N 1/8 - 1/4 (0.189 mi.)***	***D23***	***35***
Facility Id: 55000081				
Tank Status: REM - Removed				
BP OIL CO	***6 E BROADWAY***	***NNE 1/8 - 1/4 (0.218 mi.)***	***D28***	***47***
Facility Id: 55000254				
Tank Status: REM - Removed				
Tank Status: CIU - Currently In Use				

AST: A listing of aboveground storage tank site locations in the state.

A review of the AST list, as provided by EDR, and dated 10/17/2025 has revealed that there are 2 AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
COVINGTON WWTP	***1 SOUTH HIGH ST***	***SSE 0 - 1/8 (0.030 mi.)***	***A12***	***16***
Permit Number: TP-24107134				
Permit Number: TP-24108865				

Lower Elevation	Address	Direction / Distance	Map ID	Page
Not reported	200 WEST BRIDGE STRE	SW 1/8 - 1/4 (0.232 mi.)	30	67
Permit Number: TP-24129408				
Permit Number: TP-24135229				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 09/09/2024 has revealed that there is 1 US BROWNFIELDS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OLD RUDY ELEVATOR SI	100 GRANT STREET	ESE 1/4 - 1/2 (0.291 mi.)	32	72

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s.

A review of the HIST LF list, as provided by EDR, and dated 09/23/2024 has revealed that there are 2 HIST LF sites within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
COVINGTON LF		W 1/8 - 1/4 (0.153 mi.)	18	21
COVINGTON LANDFILL	SECTION 30	W 1/4 - 1/2 (0.435 mi.)	35	88

Local Lists of Registered Storage Tanks

ARCHIVE UST: Underground storage tank records that have been removed from the Underground Storage Tank database.

A review of the ARCHIVE UST list, as provided by EDR, and dated 05/05/2025 has revealed that there are 3 ARCHIVE UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALLTEL OHIO, INC. Facility Number: 55003071 Tank Status: REM	108 N MAIN ST	N 0 - 1/8 (0.014 mi.)	A10	14
RICH OIL #1171 Facility Number: 55000081 Tank Status: CIU Tank Status: REM	***1 W BROADWAY ST***	***N 1/8 - 1/4 (0.189 mi.)***	***D23***	***35***
BP OIL CO Facility Number: 55000254 Tank Status: CIU Tank Status: REM	***6 E BROADWAY***	***NNE 1/8 - 1/4 (0.218 mi.)***	***D28***	***47***

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 06/02/2025 has revealed that

there are 2 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
REINKE CARL FORD EPA ID:: OHD982650111	*101 W BROADWAY ST*	*N 1/8 - 1/4 (0.170 mi.)*	*C20*	*24*
BP OIL CO EPA ID:: OHD987013992	*6 E BROADWAY*	*NNE 1/8 - 1/4 (0.218 mi.)*	*D28*	*47*

UST FINDER RELEASE: US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 6 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GAS MART/ MARKET FRE	*301 TROY PIKE*	*SSE 1/4 - 1/2 (0.420 mi.)*	*F33*	*80*
BEATREME FOODS, INC.	*400 HAZEL ST*	*NE 1/4 - 1/2 (0.439 mi.)*	*G36*	*89*

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALLTEL OHIO, INC.	*108 N MAIN ST*	*N 0 - 1/8 (0.014 mi.)*	*A11*	*15*
NEWBERRY TWP GARAGE	140 N MAIN ST	N 0 - 1/8 (0.088 mi.)	B15	19
RICH OIL #1171	*1 W BROADWAY ST*	*N 1/8 - 1/4 (0.189 mi.)*	*D22*	*32*
BP OIL CO #09425	*6 E BROADWAY*	*NNE 1/8 - 1/4 (0.218 mi.)*	*D29*	*64*

UST FINDER: EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 3 UST FINDER sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALLTEL OHIO, INC.	*108 N MAIN ST*	*N 0 - 1/8 (0.014 mi.)*	*A11*	*15*
RICH OIL #1171	*1 W BROADWAY ST*	*N 1/8 - 1/4 (0.189 mi.)*	*D22*	*32*
BP OIL CO #09425	*6 E BROADWAY*	*NNE 1/8 - 1/4 (0.218 mi.)*	*D29*	*64*

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EXECUTIVE SUMMARY

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.


A review of the EDR Hist Auto list, as provided by EDR, has revealed that there is 1 EDR Hist Auto site within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DICKS SERVICE STATIO	HIGH & SPRING STS	SSE 0 - 1/8 (0.085 mi.)	13	18

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 8173755.2S



0 1/4 1/2 1 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Pipelines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Commercial Property ADDRESS: 28 N. Main Street Covington OH 45318 LAT/LONG: 40.11801 / 84.355426	CLIENT: Maksolve CONTACT: Sarah Smith INQUIRY #: 8173755.2s DATE: November 14, 2025 4:39 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 8173755.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Special Flood Hazard Area (1%)

0.2% Annual Chance Flood Hazard

National Wetland Inventory

0 1/16 1/8 1/4 Miles

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Commercial Property	CLIENT: Maksolve
ADDRESS: 28 N. Main Street Covington OH 45318	CONTACT: Sarah Smith
LAT/LONG: 40.11801 / 84.355426	INQUIRY #: 8173755.2s DATE: November 14, 2025 4:41 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	0	NR	0
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-VSQG	0.250		0	2	NR	NR	NR	2
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
SHWS	N/A		N/A	N/A	N/A	N/A	N/A	N/A
DERR	1.000		1	0	0	0	NR	1
Lists of state and tribal landfills and solid waste disposal facilities								
SWF/LF	0.500		0	0	0	NR	NR	0
Lists of state and tribal leaking storage tanks								
LUST	0.500	1	2	6	2	NR	NR	11

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LAST	0.001		0	NR	NR	NR	NR	0
INDIAN LUST	0.500		0	0	0	NR	NR	0
UNREG LTANKS	0.500		0	1	0	NR	NR	1
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250	1	2	5	NR	NR	NR	8
AST	0.250		1	1	NR	NR	NR	2
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
HIST INST CONTROLS	0.500		0	0	0	NR	NR	0
HIST ENG CONTROLS	0.500		0	0	0	NR	NR	0
ENG CONTROLS	0.500		0	0	0	NR	NR	0
INST CONTROL	0.500		0	0	0	NR	NR	0
Lists of state and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	1	NR	NR	1
Local Lists of Landfill / Solid Waste Disposal Sites								
HIST LF	0.500		0	1	1	NR	NR	2
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
ARCHIVE UST	0.250	1	1	2	NR	NR	NR	4
Local Land Records								
LIENS 2	0.001		0	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
SPILLS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
SPILLS 80	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	2	NR	NR	NR	2
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
FINDS	0.001		0	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
ECHO	0.001		0	NR	NR	NR	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS PROJECT	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	0	NR	NR	NR	0
PFAS ECHO FIRE TRAIN	0.250		0	0	NR	NR	NR	0
PFAS PT 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
BIOSOLIDS	0.001		0	NR	NR	NR	NR	0
UST FINDER RELEASE	0.500	1	2	2	2	NR	NR	7
UST FINDER	0.250	1	1	2	NR	NR	NR	4
E MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS	0.250		0	0	NR	NR	NR	0
AIRS	0.001		0	NR	NR	NR	NR	0
ASBESTOS	0.001		0	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
CRO	0.001		0	NR	NR	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HIST USD	0.500		0	0	0	NR	NR	0
LEAD	0.001		0	NR	NR	NR	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
VAPOR	0.500		0	0	0	NR	NR	0
TOWNGAS	1.000		0	0	0	0	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
USD	0.500		0	0	0	NR	NR	0
SEPTAGE	0.250		0	0	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		1	NR	NR	NR	NR	1
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001	5	0	NR	NR	NR	NR	5
- Totals --		10	11	24	6	0	0	51

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

A1 Target Property **SELLMAN FURNITURE**
28 N MAIN ST
COVINGTON, OH 45318

LUST U004210761
UST N/A

Site 1 of 12 in cluster A

Actual: 920 ft.

LUST:

Name:	SELLMAN FURNITURE
Address:	28 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55009754 - N00001
Release Date:	09/22/1998
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	11/25/1998
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1179553
Longitude:	-84.35558
Class:	Viable Responsible Party has been identified
Incident Number:	558221500.0
Last Update Updated:	Not reported
Sub Status:	Not reported
Rules:	1992
Coordinator:	N/A

UST:

Name:	SELLMAN FURNITURE
Address:	28 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55009754
Owner Name:	Not reported
Owner Address:	Not reported
Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	2000
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	Not reported
Date Last Used:	09/22/1998
Date TCL Closed:	Not reported
Date Removed:	09/22/1998
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported

SELLMAN FURNITURE (Continued) **U004210761**

Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

A2 **SELLMAN FURNITURE** **RGA LUST** **S114787332**
Target **28 N MAIN ST** **N/A**
Property **COVINGTON, OH**

Site 2 of 12 in cluster A

Actual: **920 ft.**

RGA LUST:

1999	SELLMAN FURNITURE	28 N MAIN ST
1998	SELLMAN FURNITURE	28 N MAIN ST

A3 **SELLMAN FURNITURE** **RGA LUST** **S114787328**
Target **28 N MAIN ST .** **N/A**
Property **COVINGTON, OH**

Site 3 of 12 in cluster A

Actual: **920 ft.**

RGA LUST:

2008	SELLMAN FURNITURE	28 N MAIN ST .

A4 **SELLMAN FURNITURE** **UST FINDER** **1028616340**
Target **28 N MAIN ST .** **UST FINDER RELEASE** **N/A**
Property **COVINGTON, OH 0**

Site 4 of 12 in cluster A

Actual: **920 ft.**

UST FINDER:

Object ID:	339935
Facility ID:	OH55009754
Name:	SELLMAN FURNITURE
Address:	28 N MAIN ST .
City,State,Zip:	COVINGTON, OH
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	746
Private Wells 1500ft:	31
Within 100yr Floodplain:	No
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported

SELLMAN FURNITURE (Continued) **1028616340**

SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.35572
Y Coord:	40.1176820000001
Latitude:	40.117682
Longitude:	-84.35572

UST FINDER:

Object ID:	1426300
Facility ID:	OH55009754
Tank ID:	OH55009754_T00001
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1998/09/22 15:59:59+00
Tank Capacity:	2000
Substances:	Gasoline
Tank Wall Type:	Single

UST FINDER RELEASE:

Object ID:	306769
Facility ID:	OH55009754
Lust ID:	OH55009754-N00001
Name:	SELLMAN FURNITURE
Address:	28 N MAIN ST .
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	Not reported
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	746
Domestic Wells within 1500ft:	31
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5

SELLMAN FURNITURE (Continued) **1028616340**

NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.35572
Y Coord:	40.1176800000001
Latitude:	40.11768
Longitude:	-84.35572

A5 **SELLMAN FURNITURE** **RGA LUST** **S114787331**
Target **28 N MAIN ST .** **N/A**
Property **COVINGTON, OH**

Site 5 of 12 in cluster A

Actual: **920 ft.**

RGA LUST:

2004	SELLMAN FURNITURE	28 N MAIN ST .
2003	SELLMAN FURNITURE	28 N MAIN ST .
2002	SELLMAN FURNITURE	28 N MAIN ST .
2001	SELLMAN FURNITURE	28 N MAIN ST .
2000	SELLMAN FURNITURE	28 N MAIN ST .

A6 **SELLMAN FURNITURE** **ARCHIVE UST** **U004100738**
Target **28 N MAIN ST ?.** **N/A**
Property **COVINGTON, OH 45318**

Site 6 of 12 in cluster A

Actual: **920 ft.**

ARCHIVE UST:

Name:	SELLMAN FURNITURE
Address:	28 N MAIN ST ?.
City,State,Zip:	COVINGTON, OH 45318
Facility Number:	55009754
Owner Name:	SELLMAN FURNITURE
Owner Address:	15-25 N HIGH ST
Owner City,St,Zip:	COVINGTON, OH 45318
Owner Telephone:	(937) 473-2397
Owner ID:	W012144
Facility Type:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Tank Number:	Not reported
Depth at Location:	Zero
Authorized:	No
Eligible Award:	Not reported
Action:	No

Permit:

Facility Id:	55009754
Permit Id:	P00001
Permit Status:	Expired
Issued Date:	10/28/1999
LFD Permit Id:	Not reported

Inspection:

SELLMAN FURNITURE (Continued) **U004100738**

Facility Id: 55009754
Permit Number: P00001
Code: 103
Inspection Type: Final

Tank ID:	T00001
Tank Type:	Not reported
Tank Status:	**Removed**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	No
Spill Device Installed:	No
Release Detection On Tank:	Not reported
Date Removed:	9/22/1998
Date Last Use:	9/22/1998
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Not reported

A7 **SELLMAN FURNITURE** **RGA LUST** **S114787330**
Target **28 N MAIN ST Y.** **N/A**
Property **COVINGTON, OH**

Site 7 of 12 in cluster A

Actual: **920 ft.**

RGA LUST:

2007	SELLMAN FURNITURE	28 N MAIN ST Y.
2006	SELLMAN FURNITURE	28 N MAIN ST Y.
2005	SELLMAN FURNITURE	28 N MAIN ST Y.

A8 **SELLMAN FURNITURE** **RGA LUST** **S114787329**
Target **28 N MAIN ST .** **N/A**
Property **COVINGTON, OH**

Site 8 of 12 in cluster A

Actual: **920 ft.**

RGA LUST:

2012	SELLMAN FURNITURE	28 N MAIN ST .
2011	SELLMAN FURNITURE	28 N MAIN ST .
2010	SELLMAN FURNITURE	28 N MAIN ST .
2009	SELLMAN FURNITURE	28 N MAIN ST .

A9 **ALLTEL OHIO, INC.** **LUST U004210719**
North **108 N MAIN ST** **UST N/A**
< 1/8 **COVINGTON, OH 45318**
0.014 mi.
75 ft. **Site 9 of 12 in cluster A**

Relative: **Lower**
Actual: **916 ft.**

LUST:

Name:	ALLTEL OHIO, INC.
Address:	108 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55003071 - N00001
Release Date:	08/29/1991
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	12/23/1991
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1186512
Longitude:	-84.355613
Class:	Viable Responsible Party has been identified
Incident Number:	551238900.0
Last Update Updated:	Not reported
Sub Status:	Not reported
Rules:	Not reported
Coordinator:	N/A

UST:

Name:	ALLTEL OHIO, INC.
Address:	108 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55003071
Owner Name:	ALLTEL OHIO, CORP.
Owner Address:	50 EXECUTIVE PKWY
Owner City/State/Zip:	44236
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	1000
Tank Content:	Diesel
Installation Date:	Not reported
Construction:	Other
Date Last Used:	07/01/1991
Date TCL Closed:	Not reported
Date Removed:	08/29/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported

ALLTEL OHIO, INC. (Continued) **U004210719**

Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

A10
North
< 1/8
0.014 mi.
75 ft.

ALLTEL OHIO, INC.
108 N MAIN ST
COVINGTON, OH 45318

ARCHIVE UST **U004084012**
N/A

Site 10 of 12 in cluster A

Relative:
Lower

Actual:
916 ft.

ARCHIVE UST:

Name:	ALLTEL OHIO, INC.
Address:	108 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Facility Number:	55003071
Owner Name:	Cellco d/b/a Verizon Wireless
Owner Address:	2000 HIGHLAND RD
Owner City,St,Zip:	TWINSBURG, OH 44087
Owner Telephone:	330 963-8210
Owner ID:	W000184
Facility Type:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Tank Number:	Not reported
Depth at Location:	Zero
Authorized:	No
Eligible Award:	Not reported
Action:	No
Tank ID:	T00001
Tank Type:	Not reported
Tank Status:	**Removed**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	No
Spill Device Installed:	No
Release Detection On Tank:	Not reported
Date Removed:	8/29/1991
Date Last Use:	7/1/1991
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Not reported

A11 **ALLTEL OHIO, INC.** **UST FINDER** **1028616287**
North **108 N MAIN ST** **UST FINDER RELEASE** **N/A**
< 1/8 **COVINGTON, OH 0**
0.014 mi.
75 ft. **Site 11 of 12 in cluster A**

Relative:
Lower

Actual:
916 ft.

UST FINDER:

Object ID:	339941
Facility ID:	OH55003071
Name:	ALLTEL OHIO, INC.
Address:	108 N MAIN ST
City,State,Zip:	COVINGTON, OH
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	742
Private Wells 1500ft:	31
Within 100yr Floodplain:	No
Land Use:	Developed, Low Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.355734
Y Coord:	40.1185380000001
Latitude:	40.118538
Longitude:	-84.355734

UST FINDER:

Object ID:	1429817
Facility ID:	OH55003071
Tank ID:	OH55003071_T00001
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/08/29 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

UST FINDER RELEASE:

Object ID:	306773
Facility ID:	OH55003071
Lust ID:	OH55003071-N00001
Name:	ALLTEL OHIO, INC.
Address:	108 N MAIN ST
City,State,Zip:	COVINGTON, OH 0

ALLTEL OHIO, INC. (Continued) **1028616287**

Address Match Type:	Not reported
Reported Date:	Not reported
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	741
Domestic Wells within 1500ft:	31
Land Use:	Developed, Low Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3557299999999
Y Coord:	40.1185400000001
Latitude:	40.11854
Longitude:	-84.3557299999999

A12 **COVINGTON WWTP** **AST S113867272**
SSE **1 SOUTH HIGH ST** **SPILLS N/A**
< 1/8 **COVINGTON, OH**
0.030 mi.
158 ft. **Site 12 of 12 in cluster A**

Relative:
Higher

Actual:
927 ft.

AST:

Name:	Not reported
Address:	1 SOUTH HIGH STREET
City,State,Zip:	COVINGTON, OH 45318
Facility Attention:	Not reported
Permit Number:	TP-24107134
Owner Name:	Not reported
Owner Attention:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported

COVINGTON WWTP (Continued) **S113867272**

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

Tank Size: Not reported
Tank Contents: Not reported
Status: Not reported

SPILLS:

Name:	COVINGTON WWTP
Address:	1 SOUTH HIGH ST
City,State,Zip:	COVINGTON, OH
Spill Number:	1307-55-1637
Spill Year:	2013
Date Spill Reported:	07/18/2013
Spill Month:	7
Spill Number:	1637
Rep Name:	MIKE BUSSE
Confidential:	Not reported
District Code:	SW
District Description:	South West
EMP Number:	Not reported
Area Name:	Not reported
Affiliation:	Not reported
Object ID:	Not reported
Spill Size:	Not reported
Spill Type:	Not reported
Ext Haz:	Not reported
OEPA Dist:	Not reported
Incident Type Code:	Not reported
Incident Type Description:	Not reported
Modifying Circumstance Code:	Not reported
Modifying Circumstance Description:	Not reported

COVINGTON WWTP (Continued) **S113867272**

Waterway: Not reported
Latitude: Not reported
Longitude: Not reported

SPILLS:
Substance: SEWAGE
Media: Not reported
Reported Amount: Not reported
Reported UOM: Not reported
Spill Number: 1307-55-1637
Recover Amount: Not reported
Recover Unit: Not reported
Recover Product Type: Not reported

13
SSE
< 1/8
0.085 mi.
447 ft.

DICKS SERVICE STATION
HIGH & SPRING STS
COVINGTON, OH 45318

EDR Hist Auto **1021020926**
N/A

Relative:
Higher

Actual:
927 ft.

EDR Hist Auto

Year:	Name:	Type:
1971	DICKS SERVICE STATION	Gasoline Service Stations
1972	DICKS SERVICE STATION	Gasoline Service Stations
1973	DICKS SERVICE STATION	Gasoline Service Stations
1974	DICKS SERVICE STATION	Gasoline Service Stations
1976	DICKS SERVICE STATION	Gasoline Service Stations
1977	DICKS SERVICE STATION	Gasoline Service Stations
1978	DICKS SERVICE STATION	Gasoline Service Stations
1979	DICKS SERVICE STATION	Gasoline Service Stations

B14
North
< 1/8
0.088 mi.
465 ft.

NEWBERRY TWP GARAGE
140 N MAIN ST
COVINGTON, OH 45318

Site 1 of 3 in cluster B

LUST **U004097018**
N/A

Relative:
Lower

Actual:
903 ft.

LUST:
Name: NEWBERRY TWP GARAGE
Address: 140 N MAIN ST
City,State,Zip: COVINGTON, OH 45318
Release Number: 55010019 - N00001
Release Date: 01/23/1991
LTF Status: 1 - SUS/CON from regulated UST
FR Status: **NFA: No Further Action**
Priority: -
Review Date: 07/24/1991
Priority Decode: Not reported
Class1 Decode: A viable RP have been identified
Latitude: 40.119322
Longitude: -84.355769
Class: Viable Responsible Party has been identified
Incident Number: 551051700.0
Last Update Updated: Not reported
Sub Status: Not reported

NEWBERRY TWP GARAGE (Continued) **U004097018**

Rules: 1992
Coordinator: N/A

B15 **NEWBERRY TWP GARAGE** **UST FINDER RELEASE** **1029084084**
North **140 N MAIN ST** **N/A**
< 1/8 **COVINGTON, OH 0**
0.088 mi.
465 ft. **Site 2 of 3 in cluster B**

Relative:
Lower

Actual:
903 ft.

UST FINDER RELEASE:

Object ID:	306782
Facility ID:	OH55010019
Lust ID:	OH55010019-N00001
Name:	NEWBERRY TWP GARAGE
Address:	140 N MAIN ST
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	Not reported
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	694
Domestic Wells within 1500ft:	29
Land Use:	Developed, Low Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3557699999999
Y Coord:	40.1193200000001
Latitude:	40.11932
Longitude:	-84.35577

B16 **NEWBERRY TWP GARAGE** **UST** **U004449852**
North **140 N MAIN ST** **N/A**
< 1/8 **COVINGTON, OH 45318**
0.088 mi.
465 ft. **Site 3 of 3 in cluster B**

Relative: UST:
Lower

Actual:
903 ft.

Name:	NEWBERRY TWP GARAGE
Address:	140 N MAIN ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55010019
Owner Name:	Not reported
Owner Address:	Not reported
Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	550
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	Not reported
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	01/23/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	Not reported

17
NNE
< 1/8
0.095 mi.
502 ft.

PAULS PIZZA, COVINGTON
136 N HIGH ST
COVINGTON, OH 45318

DERR **S118473830**
N/A

Relative:
Higher

Actual:
922 ft.

DERR:

Name:	PAULS PIZZA, COVINGTON
Address:	136 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318-
DERR ID:	555003200
District:	SWDO
Alias:	Not reported
Lat/Long:	Not reported
CERCLIS ID:	Not reported
Program:	**Site Assessment**
Decode for Activity:	Site Assessment

18
West
1/8-1/4
0.153 mi.
808 ft.

COVINGTON LF

MIAMI (County), OH

HIST LF **S121268295**
N/A

Relative:
Lower

Actual:
884 ft.

HIST LF:

Name:	COVINGTON LF
Address:	Not reported
City,State,Zip:	OH
Year closed:	0
Publicly owned:	Not reported
Object ID:	3197
Location:	Not reported
Latitude:	40.11823632
Longitude:	-84.35860091
Site 2:	Not reported
Site 3:	Not reported
Site 4:	Not reported
Site 5:	Not reported
Site 6:	Not reported
Waste Type:	Unknown
Capacity:	Not reported
SWF ID:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner Zip:	Not reported
Ohio ID:	Not reported
District:	Not reported
X Coord:	-84.358600907
Y Coord:	40.118236319
Year Open:	0
Year Ceased:	0
Access:	Not reported
Comments:	Closed before 1980
OEPADO:	SWDO
Edit Date:	09/10/2013
GIS ID:	Not reported
Sec ID:	Not reported
Coreplac:	Not reported

C19
North
1/8-1/4
0.170 mi.
898 ft.

KORTE JOANNE TRUSTEE OF JOANNE KORTE
101 W BROADWAY
COVINGTON, OH 45318

LUST U004294094
UST N/A

Site 1 of 2 in cluster C

Relative:
Lower

Actual:
912 ft.

LUST:

Name:	KORTE JOANNE TRUSTEE OF JOANNE KORTE
Address:	101 W BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55010135 - N00001
Release Date:	01/04/2019
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	02/22/2023
Priority Decode:	Not reported
Class1 Decode:	The RP is non-viable
Latitude:	40.12071
Longitude:	-84.35612
Class:	Responsible Party is non-viable
Incident Number:	Not reported
Last Update Updated:	02/22/2023
Sub Status:	Approved
Rules:	2017
Coordinator:	Danielle Cook

UST:

Name:	KORTE JOANNE TRUSTEE OF JOANNE KORTE
Address:	101 W BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55010135
Owner Name:	Not reported
Owner Address:	Not reported
Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	1000
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	11/26/2018
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported

KORTE JOANNE TRUSTEE OF JOANNE KORTE (Continued) **U004294094**

Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	ORPHAN
Name:	KORTE JOANNE TRUSTEE OF JOANNE KORTE
Address:	101 W BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00002
Status:	REM - Removed
UST Capacity:	550
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	11/26/2018
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	OROPHAN

C20 **REINKE CARL FORD** **RCRA NonGen / NLR** **1000316741**
North **101 W BROADWAY ST** **FINDS** **OHD982650111**
1/8-1/4 **COVINGTON, OH 45318** **ECHO**
0.170 mi.
898 ft. **Site 2 of 2 in cluster C**

Relative: **Lower**
Actual: **912 ft.**

RCRA Listings:

Date Form Received by Agency:		20100303
Handler Name:		Reinke Carl Ford
Handler Address:		101 W Broadway St
Handler City,State,Zip:		COVINGTON, OH 45318
EPA ID:		OHD982650111
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		05
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Oh
State District:		SW
Mailing Address:		Not reported
Mailing City,State,Zip:		Not reported
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

REINKE CARL FORD (Continued) **1000316741**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20170726
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F005
Waste Description:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: NAME NOT REPORTED	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ADDRESS NOT REPORTED
Owner/Operator City,State,Zip:	CITY NOT REPORTED, AK 99998
Owner/Operator Telephone:	312-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

REINKE CARL FORD (Continued) **1000316741**

Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: REINKE CARL
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: ADDRESS NOT REPORTED
Owner/Operator City,State,Zip: CITY NOT REPORTED, AK 99998
Owner/Operator Telephone: 312-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20100303
Handler Name: REINKE CARL FORD
Federal Waste Generator Description: Not a generator, verified
State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19880321
Handler Name: REINKE CARL FORD
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported

REINKE CARL FORD (Continued) **1000316741**

Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20100303
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	FOCUSED COMPLIANCE INSPECTION
Evaluation Responsible Person Identifier:	OHLD
Evaluation Responsible Sub-Organization:	SW
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:
Registry ID: 110004658371

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

REINKE CARL FORD (Continued) **1000316741**

ECHO:
Envid: 1000316741
Registry ID: 110004658371

DFR URL:
Name: REINKE CARL FORD
Address: 101 W Broadway St
City,State,Zip: COVINGTON, OH 45318

D21 **RICH OIL 1171** **RCRA-VSQG 1004764938**
North **1 W BROADWAY ST** **US AIRS OHD987006681**
1/8-1/4 **COVINGTON, OH 45318**
0.189 mi.
996 ft. **Site 1 of 7 in cluster D**

Relative: **Lower**
Actual: **911 ft.**

RCRA Listings:

Date Form Received by Agency:		20110215
Handler Name:		Rich Oil 1171
Handler Address:		1 W Broadway St
Handler City,State,Zip:		COVINGTON, OH 45318
EPA ID:		OHD987006681
Contact Name:		CHARLES A BESSE
Contact Address:		PO BOX 1500
Contact City,State,Zip:		SPRINGFIELD, OH 45501
Contact Telephone:		937-863-6278
Contact Fax:		Not reported
Contact Email:		CABESSE@SSALLC.COM
Contact Title:		Not reported
EPA Region:		05
Land Type:		Private
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Oh
State District:		SW
Mailing Address:		PO BOX 1500
Mailing City,State,Zip:		SPRINGFIELD, OH 45501
Owner Name:	Speedway Llc	
Owner Type:		Private
Operator Name:	Speedway Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---

RICH OIL 1171 (Continued) **1004764938**

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150428
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D018
Waste Description:	Benzene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SPEEDWAY/ SUPERAMERICA LLC
Legal Status:	Private
Date Became Current:	19980101
Date Ended Current:	Not reported
Owner/Operator Address:	207 WALTER ST
Owner/Operator City,State,Zip:	SPRINGFIELD, OH 45506
Owner/Operator Telephone:	937-322-1873
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SPEEDWAY SUPERAMERICA LLC
Legal Status:	Private
Date Became Current:	19000101
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 1500
Owner/Operator City,State,Zip:	SPRINGFIELD, OH 45501
Owner/Operator Telephone:	Not reported

RICH OIL 1171 (Continued) **1004764938**

Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SPEEDWAY SUPERAMERICA LLC
Legal Status: Private
Date Became Current: 20010101
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 1500
Owner/Operator City,State,Zip: SPRINGFIELD, OH 45501
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: SPEEDWAY LLC
Legal Status: Private
Date Became Current: 19000101
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 1500
Owner/Operator City,State,Zip: SPRINGFIELD, OH 45501
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SPEEDWAY LLC
Legal Status: Private
Date Became Current: 20010101
Date Ended Current: Not reported
Owner/Operator Address: PO BOX 1500
Owner/Operator City,State,Zip: SPRINGFIELD, OH 45501
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: EMRO MARKETING CO
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19971203
Handler Name: STARVIN MARVIN #1171
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator

RICH OIL 1171 (Continued) **1004764938**

State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20050404
Handler Name: RICH OIL 1171
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20110215
Handler Name: RICH OIL 1171
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19901204
Handler Name: EMRO STATION 1171
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Oh
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: Gasoline Stations With Convenience Stores

RICH OIL 1171 (Continued) **1004764938**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

US AIRS MINOR:
Envid: 1004764938
Region Code: 05
Programmatic ID: AIR OH0000000855050381
Facility Registry ID: 110004674610
D and B Number: Not reported
Primary SIC Code: Not reported
NAICS Code: 447190
Default Air Classification Code: MIN
Facility Type of Ownership Code: Not reported
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 05
Programmatic ID: AIR OH0000000855050381
Facility Registry ID: 110004674610
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2003-06-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

D22 **RICH OIL #1171** **UST FINDER** **1028616194**
North **1 W BROADWAY ST** **UST FINDER RELEASE** **N/A**
1/8-1/4 **COVINGTON, OH 0**
0.189 mi.
996 ft. **Site 2 of 7 in cluster D**

Relative:
Lower

Actual:
911 ft.

UST FINDER:
Object ID: 339957
Facility ID: OH55000081
Name: RICH OIL #1171
Address: 1 W BROADWAY ST
City,State,Zip: COVINGTON, OH 45318
Address Match Type: Not reported
Open USTs: 4
Closed USTs: 1
TOS USTs: 0
Population 1500ft: 659
Private Wells 1500ft: 29
Within 100yr Floodplain: No
Land Use: Developed, Medium Intensity
Within SPA: No
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported

RICH OIL #1171 (Continued) **1028616194**

SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.3557699999999
Y Coord:	40.120817
Latitude:	40.120817
Longitude:	-84.35577

UST FINDER:

Object ID:	1489495
Facility ID:	OH55000081
Tank ID:	OH55000081_T00003
Tank Status:	Open
Installation Date:	1986/06/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Gasoline
Tank Wall Type:	Single
Object ID:	1489496
Facility ID:	OH55000081
Tank ID:	OH55000081_T00001
Tank Status:	Open
Installation Date:	1986/06/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Gasoline
Tank Wall Type:	Single
Object ID:	1489497
Facility ID:	OH55000081
Tank ID:	OH55000081_T00002
Tank Status:	Open
Installation Date:	1986/06/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Gasoline
Tank Wall Type:	Single
Object ID:	1489498
Facility ID:	OH55000081
Tank ID:	OH55000081_T00005
Tank Status:	Open
Installation Date:	1986/06/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	4000
Substances:	Kerosene
Tank Wall Type:	Single

RICH OIL #1171 (Continued) **1028616194**

Object ID:	1449272
Facility ID:	OH55000081
Tank ID:	OH55000081_T00004
Tank Status:	Closed
Installation Date:	1986/06/01 16:00:00+00
Removal Date:	1995/04/03 15:59:59+00
Tank Capacity:	550
Substances:	Used Oil
Tank Wall Type:	Single

UST FINDER RELEASE:

Object ID:	306790
Facility ID:	OH55000081
Lust ID:	OH55000081-N00001
Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	Not reported
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	658
Domestic Wells within 1500ft:	29
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3557699999999
Y Coord:	40.12082
Latitude:	40.12082
Longitude:	-84.35577

D23 **RICH OIL #1171** **LUST** **U000894342**
North **1 W BROADWAY ST** **UST** **N/A**
1/8-1/4 **COVINGTON, OH 45318** **ARCHIVE UST**
0.189 mi.
996 ft. **Site 3 of 7 in cluster D**

Relative: **Lower**

Actual: **911 ft.**

LUST:

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000081 - N00003
Release Date:	07/09/1991
LTF Status:	2 - SUS/CON from non-regulated UST
FR Status:	**RPT: a possible incident is reported**
Priority:	-
Review Date:	07/18/1991
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1209927
Longitude:	-84.355126
Class:	Viable Responsible Party has been identified
Incident Number:	551151300.0
Last Update Updated:	07/18/1991
Sub Status:	Approved
Rules:	1992
Coordinator:	Ralph Mertz

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000081 - N00001
Release Date:	06/29/1995
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	12/12/1996
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1209927
Longitude:	-84.355126
Class:	Viable Responsible Party has been identified
Incident Number:	555036600.0
Last Update Updated:	12/12/1996
Sub Status:	Approved
Rules:	1992
Coordinator:	Ralph Mertz

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000081 - N00004
Release Date:	04/28/2022
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**T2E: Tier 2 Evaluation**
Priority:	-
Review Date:	07/07/2025
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1209927

RICH OIL #1171 (Continued) **U000894342**

Longitude:	-84.355126
Class:	Viable Responsible Party has been identified
Incident Number:	Not reported
Last Update Updated:	07/02/2025
Sub Status:	Submitted
Rules:	2017
Coordinator:	Danielle Cook
Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000081 - N00002
Release Date:	09/17/2009
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**DIS: a release is disproved**
Priority:	-
Review Date:	10/29/2009
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1209927
Longitude:	-84.355126
Class:	Viable Responsible Party has been identified
Incident Number:	Not reported
Last Update Updated:	10/29/2009
Sub Status:	Approved
Rules:	2005
Coordinator:	Ralph Mertz

UST:

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55000081
Owner Name:	SPEEDWAY LLC
Owner Address:	500 Speedway Drive
Owner City/State/Zip:	45323
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	06/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	01/06/2022
Date Removed:	04/20/2022
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging

RICH OIL #1171 (Continued) **U000894342**

Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318

Tank Number:	T00002
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	06/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	01/06/2022
Date Removed:	04/20/2022
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

Name:	RICH OIL #1171

RICH OIL #1171 (Continued) **U000894342**

Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00003
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	06/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	01/06/2022
Date Removed:	04/20/2022
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00004
Status:	REM - Removed
UST Capacity:	550
Tank Content:	Used Oil
Installation Date:	06/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	04/03/1995
Date TCL Closed:	01/06/2022
Date Removed:	04/03/1995
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported

RICH OIL #1171 (Continued) **U000894342**

UST Configurations:	Not reported
Construction Comments:	Fiberglass Reinforced Plastic
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMSIR - Alternative Method (SIR)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: Manual Tank Gauging;Statistical Inventory Reconciliation;SIR / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	S - Suction
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Fiberglass Reinforced Plastic
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Yes
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: Yes
Comments:	Not reported

Name:	RICH OIL #1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318

Tank Number:	T00005
Status:	REM - Removed
UST Capacity:	4000
Tank Content:	Kerosene
Installation Date:	06/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	01/06/2022
Date Removed:	04/20/2022
CAS Number:	8008-20-6
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	S - Suction
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	SS - Safe Suction
Piping Release Detection Comments:	Not reported

RICH OIL #1171 (Continued) **U000894342**

Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

ARCHIVE UST:

Name:	SPEEDWAY # 1171
Address:	1 W BROADWAY ST
City,State,Zip:	COVINGTON, OH 45318
Facility Number:	55000081
Owner Name:	SPEEDWAY LLC
Owner Address:	PO BOX 1500
Owner City,St,Zip:	SPRINGFIELD, OH 45501
Owner Telephone:	(937)863-7034
Owner ID:	W009441
Facility Type:	Gas Station
Contact Name:	Speedway Store Support
Contact Telephone:	(800)255-6690
Tank Number:	4
Depth at Location:	COVINGTON FIRE DEPARTMENT
Authorized:	No
Eligible Award:	Not reported
Action:	No

Permit:

Facility Id:	55000081
Permit Id:	P00001
Permit Status:	Expired
Issued Date:	5/12/1995
LFD Permit Id:	Not reported

Facility Id:	55000081
Permit Id:	P00002
Permit Status:	Expired
Issued Date:	5/12/1995
LFD Permit Id:	Not reported

Facility Id:	55000081
Permit Id:	P00002
Permit Status:	Expired
Issued Date:	5/12/1995
LFD Permit Id:	Not reported

Facility Id:	55000081
Permit Id:	P00003
Permit Status:	Expired
Issued Date:	5/12/1995
LFD Permit Id:	Not reported

Facility Id:	55000081
Permit Id:	P00004
Permit Status:	Expired
Issued Date:	6/11/2001
LFD Permit Id:	Not reported

Facility Id: 55000081

RICH OIL #1171 (Continued) **U000894342**

Permit Id: P00005
Permit Status: Closed
Issued Date: 6/7/2006
LFD Permit Id: Not reported

Facility Id: 55000081
Permit Id: P00006
Permit Status: Closed
Issued Date: 9/17/2009
LFD Permit Id: Not reported

Facility Id: 55000081
Permit Id: P00007
Permit Status: Closed
Issued Date: 12/13/2010
LFD Permit Id: Not reported

Inspection:
Facility Id: 55000081
Permit Number: P00006
Code: 402
Inspection Type: Final

Facility Id: 55000081
Permit Number: P00007
Code: 501
Inspection Type: Final

Facility Id: 55000081
Permit Number: P00003
Code: 503
Inspection Type: Final

Facility Id: 55000081
Permit Number: P00002
Code: 102
Inspection Type: Final

Facility Id: 55000081
Permit Number: P00001
Code: 103
Inspection Type: Final

Tank ID: T00001
Tank Type: Not reported
Tank Status: Currently In Use
Install Date: Not reported
Content: Not reported
Capacity: Not reported
Corrosion Protection Tank: Not reported
CAS #: Not reported
Regulated: Yes
Overfill Device Installed: Yes
Spill Device Installed: Yes
Release Detection On Tank: Not reported
Date Removed: Not reported

RICH OIL #1171 (Continued) **U000894342**

Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00002
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00003
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00004
Tank Type:	Not reported
Tank Status:	**Removed**
Install Date:	Not reported

RICH OIL #1171 (Continued) **U000894342**

Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	4/3/1995
Date Last Use:	4/3/1995
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Not reported

Tank ID:	T00005
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	No Monitoring Suction/Gravity System

---

D24 **BROADWAY SERV** **LUST** **U004086138**
North **ONE E BROADWAY** **N/A**
1/8-1/4 **COVINGTON, OH 45318**
0.190 mi.
1003 ft. **Site 4 of 7 in cluster D**

Relative: LUST:
Lower

Name:	BROADWAY SERV
Address:	ONE E BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55010032 - N00001
Release Date:	05/01/1991
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	11/02/1992
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1210749

Actual:
909 ft.

BROADWAY SERV (Continued) **U004086138**

Longitude:	-84.354467
Class:	Viable Responsible Party has been identified
Incident Number:	551177700.0
Last Update Updated:	Not reported
Sub Status:	Not reported
Rules:	1992
Coordinator:	N/A

---

25 **ORPHAN TANK IN RIGHT OF WAY** **LUST U004364563**
South **157 S HIGH ST** **UST N/A**
1/8-1/4 **COVINGTON, OH 45318**
0.191 mi.
1011 ft.

Relative:
Higher

Actual:
924 ft.

LUST:

Name:	ORPHAN TANK IN RIGHT OF WAY
Address:	157 S HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55010140 - N00001
Release Date:	05/17/2022
LTF Status:	5 - Petro incident, not from spill/overfill/release
FR Status:	**RPT: a possible incident is reported**
Priority:	-
Review Date:	08/22/2023
Priority Decode:	Not reported
Class1 Decode:	A Responsible Party (RP) for the release has not yet been determined
Latitude:	40.115002
Longitude:	-84.354717
Class:	Responsible Party for release has not yet been determined
Incident Number:	Not reported
Last Update Updated:	08/22/2023
Sub Status:	Approved
Rules:	2017
Coordinator:	Danielle Cook

UST:

Name:	ORPHAN TANK IN RIGHT OF WAY
Address:	157 S HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55010140
Owner Name:	Not reported
Owner Address:	Not reported
Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	100
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	05/20/2022
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO

ORPHAN TANK IN RIGHT OF WAY (Continued) **U004364563**

Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	ORPHAN TANK

E26 **WATER TREATMENT PLANT** **LUST U004210700**
NNE **W BRIDGE ST** **UST N/A**
1/8-1/4 **COVINGTON, OH 45318**
0.198 mi.
1048 ft. **Site 1 of 2 in cluster E**

Relative: **Higher**
Actual: **920 ft.**

LUST:

Name:	WATER TREATMENT PLANT
Address:	W BRIDGE ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55001415 - N00001
Release Date:	12/10/1996
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	12/23/1998
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1161729
Longitude:	-84.358946
Class:	Viable Responsible Party has been identified
Incident Number:	556123400.0
Last Update Updated:	Not reported
Sub Status:	Not reported
Rules:	1992
Coordinator:	N/A

UST:

Name:	WATER TREATMENT PLANT
Address:	W BRIDGE ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55001415
Owner Name:	Not reported
Owner Address:	Not reported

WATER TREATMENT PLANT (Continued) **U004210700**

Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	1000
Tank Content:	Diesel
Installation Date:	10/01/1982
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	12/10/1996
Date TCL Closed:	Not reported
Date Removed:	12/10/1996
CAS Number:	68334-30-5
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Fiberglass Reinforced Plastic
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: Manual Tank Gauging;Tnk Tightness Testing / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	S - Suction
Piping Constructions:	BM - Bare Metal
Piping Construction Comments:	Galvanized Steel;Copper
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

D27 **BONDED** **UNREG LTANKS** **S105907429**
North **SR 48 & SR 36** **N/A**
1/8-1/4 **COVINGTON, OH 44318**
0.205 mi.
1080 ft. **Site 5 of 7 in cluster D**

Relative: UNREG LTANKS:
Lower **Facility Status:** **A possible incident is reported**
Actual: Facility Id: Not reported — Facility County #: 55
910 ft. Facility Track: 0 — Facility Phone: Not reported
Report Number: 5511513 — Incident Number: 551151300
RP Status: Not reported — RP Search Date: Not reported
Inspector: Not reported — Coordinator: COCA
Revised Date: Not reported — Fiscal Tracking: FY91
Class: D — Priority: 2
Vacant: Not reported — Lust Trust Fund: 2
Emrgncy Resp: 2 — ER By: Not reported
Authorized By: GILL — Authorized Date: 07/11/91
Added Date: 07/18/91 — Entry By: UNGER
Owner Name: EMRO

BONDED (Continued) **S105907429**

Owner Address: Not reported
Owner City,St,Zip: OH
Owner Phone: Not reported
Operator Name: Not reported
Operator Address: Not reported
Operator C,S,Z: OH
Operator Phone: Not reported
Remarks: 0
Summary: Not reported

D28 **BP OIL CO** **LUST 1000560620**
NNE **6 E BROADWAY** **UST OHD987013992**
1/8-1/4 **COVINGTON, OH 45318** **ARCHIVE UST**
0.218 mi. **RCRA NonGen / NLR**
1149 ft. **Site 6 of 7 in cluster D** **ECHO**

Relative: LUST:
Lower
Name: CASEY'S GENERAL STORE #3777
Actual: Address: 200 N HIGH ST
910 ft. City,State,Zip: COVINGTON, OH 45318
Release Number: 55000254 - N00004
Release Date: 11/30/2015
LTF Status: 5 - Petro incident, not from spill/overfill/release
FR Status: **RPT: a possible incident is reported**
Priority: -
Review Date: 12/04/2015
Priority Decode: Not reported
Class1 Decode: A viable RP have been identified
Latitude: 40.121582
Longitude: -84.354355
Class: Viable Responsible Party has been identified
Incident Number: Not reported
Last Update Updated: 12/01/2015
Sub Status: Approved
Rules: 2012
Coordinator: Ralph Mertz

Name: CASEY'S GENERAL STORE #3777
Address: 200 N HIGH ST
City,State,Zip: COVINGTON, OH 45318
Release Number: 55000254 - N00003
Release Date: 10/28/2015
LTF Status: 5 - Petro incident, not from spill/overfill/release
FR Status: **RPT: a possible incident is reported**
Priority: -
Review Date: 10/29/2015
Priority Decode: Not reported
Class1 Decode: A viable RP have been identified
Latitude: 40.121582
Longitude: -84.354355
Class: Viable Responsible Party has been identified
Incident Number: Not reported
Last Update Updated: 10/29/2015
Sub Status: Approved
Rules: 2012
Coordinator: Ralph Mertz

Name: CASEY'S GENERAL STORE #3777

BP OIL CO (Continued) **1000560620**

Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000254 - N00006
Release Date:	12/19/2019
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	02/19/2020
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.121582
Longitude:	-84.354355
Class:	Viable Responsible Party has been identified
Incident Number:	Not reported
Last Update Updated:	02/19/2020
Sub Status:	Approved
Rules:	2017
Coordinator:	Ralph Mertz

Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000254 - N00005
Release Date:	11/01/2019
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	05/16/2022
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.121582
Longitude:	-84.354355
Class:	Viable Responsible Party has been identified
Incident Number:	Not reported
Last Update Updated:	05/16/2022
Sub Status:	Approved
Rules:	2017
Coordinator:	Ralph Mertz

Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000254 - N00002
Release Date:	02/24/1999
LTF Status:	6 - Closure of regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	08/06/1999
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.121582
Longitude:	-84.354355
Class:	Viable Responsible Party has been identified
Incident Number:	558263800.0
Last Update Updated:	07/02/1999
Sub Status:	Not reported
Rules:	1992

BP OIL CO (Continued) **1000560620**

Coordinator:	N/A
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000254 - N00001
Release Date:	09/01/1993
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	06/16/2003
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.121582
Longitude:	-84.354355
Class:	Viable Responsible Party has been identified
Incident Number:	553179500.0
Last Update Updated:	04/23/2004
Sub Status:	Not reported
Rules:	1992
Coordinator:	Raymond Bauman

UST:

Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55000254
Owner Name:	CASEY'S MARKETING CO
Owner Address:	3305 SE DELAWARE AVE
Owner City/State/Zip:	50021
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	1000
Tank Content:	Used Oil
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	01/01/1987
Date TCL Closed:	Not reported
Date Removed:	01/01/1987
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	BM - Bare Metal
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not reported

BP OIL CO (Continued) **1000560620**

Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	OTH - Other (Explain)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00002
Status:	REM - Removed
UST Capacity:	1000
Tank Content:	Diesel
Installation Date:	01/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	02/25/1999
Date TCL Closed:	Not reported
Date Removed:	02/25/1999
CAS Number:	68334-30-5
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Fiberglass Reinforced Plastic
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Fiberglass Reinforced Plastic
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00003
Status:	REM - Removed
UST Capacity:	1000

BP OIL CO (Continued) **1000560620**

Tank Content:	Used Oil
Installation Date:	01/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	03/23/2019
Date TCL Closed:	Not reported
Date Removed:	10/23/2019
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	MTGH - Manual Tank Gauging (551-2000)
Secondary Release Detection:	MTGH - Manual Tank Gauging (551-2000)
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	G - Gravity
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	G - Gravity Piping
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318

Tank Number:	T00004
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	01/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	03/23/2019
Date TCL Closed:	Not reported
Date Removed:	10/23/2019
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging

BP OIL CO (Continued) **1000560620**

Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	FLDA - Field Installed Anodes
Piping Corrosion Protection Comments:	Sacrificial anodes added to tank top metal flex connectors 12.08.2015
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318

Tank Number:	T00005
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Diesel
Installation Date:	01/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	03/23/2019
Date TCL Closed:	Not reported
Date Removed:	10/23/2019
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	FLDA - Field Installed Anodes
Piping Corrosion Protection Comments:	Sacrificial anodes added to tank top metal flex connectors 12.08.2015
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

Name: CASEY'S GENERAL STORE #3777

BP OIL CO (Continued) **1000560620**

Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00006
Status:	REM - Removed
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	01/01/1986
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	03/23/2019
Date TCL Closed:	Not reported
Date Removed:	10/23/2019
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SW - Single Wall
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	FLDA - Field Installed Anodes
Piping Corrosion Protection Comments:	Sacrificial anodes added to tank top metal flex connectors 12.08.2015
Piping Release Detections:	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00007
Status:	REM - Removed
UST Capacity:	750
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	12/20/2019
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported

BP OIL CO (Continued) **1000560620**

UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	ORPHAN
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00008
Status:	REM - Removed
UST Capacity:	750
Tank Content:	Gasoline
Installation Date:	Not reported
Construction:	BM - Bare Metal
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	12/20/2019
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	Not reported
Secondary Release Detection:	Not reported
Release Detection Comments:	Not reported
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	Not reported
Piping Constructions:	Not reported
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	Not reported
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	Not reported
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	Not reported

BP OIL CO (Continued) **1000560620**

Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	Not reported
OverFill Prevention Comment:	Not reported
Comments:	ORPHAN
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00009
Status:	CIU - Currently In Use
UST Capacity:	22000
Tank Content:	Gasoline
Installation Date:	02/12/2020
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SC- Secondarily Contained
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	IMT - Interstitial Monitoring
Piping Release Detection Comments:	ELLD
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	COMPARTMENTAL
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00010
Status:	CIU - Currently In Use
UST Capacity:	8000
Tank Content:	E-85 / Ethanol
Installation Date:	02/12/2020
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported

BP OIL CO (Continued) **1000560620**

Date Removed:	Not reported
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SC- Secondarily Contained
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	IMT - Interstitial Monitoring
Piping Release Detection Comments:	ELLD
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	COMPARTMENTAL
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00011
Status:	CIU - Currently In Use
UST Capacity:	14000
Tank Content:	Diesel
Installation Date:	02/12/2020
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SC- Secondarily Contained
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping

BP OIL CO (Continued) **1000560620**

Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	IMT - Interstitial Monitoring
Piping Release Detection Comments:	ELLD
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	COMPARTMENTAL
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00012
Status:	CIU - Currently In Use
UST Capacity:	8000
Tank Content:	Gasoline
Installation Date:	02/12/2020
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SC- Secondarily Contained
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	IMT - Interstitial Monitoring
Piping Release Detection Comments:	ELLD
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	COMPARTMENTAL
Name:	CASEY'S GENERAL STORE #3777
Address:	200 N HIGH ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00013
Status:	CIU - Currently In Use

BP OIL CO (Continued) **1000560620**

UST Capacity:	8000
Tank Content:	Gasoline
Installation Date:	02/12/2020
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SC- Secondarily Contained
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	IMT - Interstitial Monitoring
Piping Release Detection Comments:	ELLD
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	FILL - Fill Pipe (drop tube flapper)
OverFill Prevention Comment:	Not reported
Comments:	COMPARTMENTAL

ARCHIVE UST:

Name:	BP OIL CO #09425
Address:	6 E BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Facility Number:	55000254
Owner Name:	ALFRED HITCHCOCK
Owner Address:	6 E BROADWAY
Owner City,St,Zip:	COVINGTON, OH 45318
Owner Telephone:	(937)473-8164
Owner ID:	W005522
Facility Type:	Gas Station
Contact Name:	ALFRED HITCHCOCK
Contact Telephone:	(937)473-8164
Tank Number:	4
Depth at Location:	Zero
Authorized:	No
Eligible Award:	Not reported
Action:	No

Permit:

Facility Id:	55000254
Permit Id:	P00001
Permit Status:	Expired

BP OIL CO (Continued) **1000560620**

Issued Date: 5/4/1994
LFD Permit Id: Not reported

Facility Id: 55000254
Permit Id: P00002
Permit Status: Expired
Issued Date: 10/27/1999
LFD Permit Id: Not reported

Facility Id: 55000254
Permit Id: P00002
Permit Status: Expired
Issued Date: 10/27/1999
LFD Permit Id: Not reported

Facility Id: 55000254
Permit Id: P00002
Permit Status: Expired
Issued Date: 10/27/1999
LFD Permit Id: Not reported

Inspection:
Facility Id: 55000254
Permit Number: P00002
Code: 103
Inspection Type: Final

Facility Id: 55000254
Permit Number: P00001
Code: 102
Inspection Type: Final

Tank ID: T00001
Tank Type: Not reported
Tank Status: Removed
Install Date: Not reported
Content: Not reported
Capacity: Not reported
Corrosion Protection Tank: Not reported
CAS #: Not reported
Regulated: Not reported
Overfill Device Installed: Not reported
Spill Device Installed: Not reported
Release Detection On Tank: Not reported
Date Removed: 1/1/1987
Date Last Use: 1/1/1987
Date Abandoned/Closed: Not reported
AST/UST: UST
Corrosion Protection Piping: Not reported
Piping Material: Not reported
Piping Type: Not reported
Release Detection On Piping: Not reported

Tank ID: T00002
Tank Type: Not reported

BP OIL CO (Continued) **1000560620**

Tank Status:	**Removed**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	No
Spill Device Installed:	No
Release Detection On Tank:	Not reported
Date Removed:	2/25/1999
Date Last Use:	2/25/1999
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Not reported

Tank ID:	T00003
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	No
Spill Device Installed:	No
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00004
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported

BP OIL CO (Continued) **1000560620**

AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00005
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00006
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

RCRA Listings:

Date Form Received by Agency:	19980728
Handler Name:	Bp Oil Co
Handler Address:	6 E Broadway
Handler City,State,Zip:	COVINGTON, OH 45318
EPA ID:	OHD987013992
Contact Name:	E C JAYCOX

BP OIL CO (Continued) **1000560620**

Contact Address:		621 BRANDT ST
Contact City,State,Zip:		DAYTON, OH 45404
Contact Telephone:		513-461-3642
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		05
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Oh
State District:		SW
Mailing Address:		621 BRANDT ST
Mailing City,State,Zip:		DAYTON, OH 45404
Owner Name:	Bp Oil Company	
Owner Type:		Private
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No

BP OIL CO (Continued) **1000560620**

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: BP OIL COMPANY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ADDRESS NOT REPORTED
Owner/Operator City,State,Zip:	CITY NOT REPORTED, OH 00000
Owner/Operator Telephone:	000-000-0000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19980728
Handler Name: BP OIL CO	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Oh
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

ECHO:

Envid:	1000560620
Registry ID:	110064150715

DFR URL:

Name:	BP OIL CO
Address:	6 E Broadway

BP OIL CO (Continued) **1000560620**

City,State,Zip: COVINGTON, OH 45318

D29
NNE
1/8-1/4
0.218 mi.
1149 ft.

BP OIL CO #09425
6 E BROADWAY
COVINGTON, OH 45318

UST FINDER **1028616236**
UST FINDER RELEASE **N/A**

Site 7 of 7 in cluster D

Relative:
Lower

Actual:
910 ft.

UST FINDER:

Object ID:	339960
Facility ID:	OH55000254
Name:	BP OIL CO #09425
Address:	6 E BROADWAY
City,State,Zip:	COVINGTON, OH 45318
Address Match Type:	Not reported
Open USTs:	4
Closed USTs:	2
TOS USTs:	0
Population 1500ft:	720
Private Wells 1500ft:	31
Within 100yr Floodplain:	No
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.3546669999999
Y Coord:	40.121319
Latitude:	40.121319
Longitude:	-84.354667

UST FINDER:

Object ID:	1457421
Facility ID:	OH55000254
Tank ID:	OH55000254_T00002
Tank Status:	Closed
Installation Date:	1986/01/01 16:00:00+00
Removal Date:	1999/02/25 15:59:59+00
Tank Capacity:	1000
Substances:	Diesel
Tank Wall Type:	Single

Object ID:	1475415
Facility ID:	OH55000254
Tank ID:	OH55000254_T00001
Tank Status:	Closed
Installation Date:	Not reported

BP OIL CO #09425 (Continued) **1028616236**

Removal Date: 1987/01/01 16:00:00+00
Tank Capacity: 1000
Substances: Used Oil
Tank Wall Type: Single

Object ID: 1489102
Facility ID: OH55000254
Tank ID: OH55000254_T00004
Tank Status: Open
Installation Date: 1986/01/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 10000
Substances: Gasoline
Tank Wall Type: Single

Object ID: 1489103
Facility ID: OH55000254
Tank ID: OH55000254_T00003
Tank Status: Open
Installation Date: 1986/01/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 1000
Substances: Used Oil
Tank Wall Type: Single

Object ID: 1489104
Facility ID: OH55000254
Tank ID: OH55000254_T00005
Tank Status: Open
Installation Date: 1986/01/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 10000
Substances: Diesel
Tank Wall Type: Single

Object ID: 1489105
Facility ID: OH55000254
Tank ID: OH55000254_T00006
Tank Status: Open
Installation Date: 1986/01/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 10000
Substances: Gasoline
Tank Wall Type: Single

UST FINDER RELEASE:
Object ID: 306793
Facility ID: OH55000254
Lust ID: OH55000254-N00001
Name: BP OIL CO #09425
Address: 6 E BROADWAY
City,State,Zip: COVINGTON, OH 0
Address Match Type: Not reported
Reported Date: 1993/09/01 15:59:59+00
Status: No Further Action
Substance: Not reported

BP OIL CO #09425 (Continued) **1028616236**

Population within 1500ft:	719
Domestic Wells within 1500ft:	31
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3546699999999
Y Coord:	40.12132
Latitude:	40.1213199999999
Longitude:	-84.3546699999999

Object ID:	306794
Facility ID:	OH55000254
Lust ID:	OH55000254-N00002
Name:	BP OIL CO #09425
Address:	6 E BROADWAY
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	1999/07/02 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	719
Domestic Wells within 1500ft:	31
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported

BP OIL CO #09425 (Continued) **1028616236**

Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3546699999999
Y Coord:	40.12132
Latitude:	40.1213199999999
Longitude:	-84.3546699999999

---

30 **AST** **A100543221**
SW **200 WEST BRIDGE STREET** **N/A**
1/8-1/4 **COVINGTON, OH 45318**
0.232 mi.
1223 ft.

Relative: AST:
Lower

Actual:
883 ft.

Name:	Not reported
Address:	200 WEST BRIDGE STREET
City,State,Zip:	COVINGTON, OH 45318
Facility Attention:	Not reported
Permit Number:	TP-24129408
Owner Name:	Not reported
Owner Attention:	Not reported
Owner Address:	Not reported
Owner City:	Not reported
Owner State:	Not reported
Owner Zip:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported
Tank Size:	Not reported
Tank Contents:	Not reported
Status:	Not reported

E31
NNE
1/8-1/4
0.234 mi.
1234 ft.

TONYS BODY SHOP & SERVICE CENTER
102 E BROADWAY ST
COVINGTON, OH 45318

RCRA-VSQG **1000560840**
FINDS **OHD987016268**
ECHO

Site 2 of 2 in cluster E

Relative:
Lower

Actual:
910 ft.

RCRA Listings:

Date Form Received by Agency:		20100303
Handler Name:		Tonys Body Shop & Service Center
Handler Address:		102 E Broadway St
Handler City,State,Zip:		COVINGTON, OH 45318
EPA ID:		OHD987016268
Contact Name:		ANTHONY C BUNDY
Contact Address:		102 E BROADWAY
Contact City,State,Zip:		COVINGTON, OH 45318
Contact Telephone:		937-473-2554
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		05
Land Type:		Private
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities, State-specific Activities
State District Owner:		Oh
State District:		SW
Mailing Address:		Not reported
Mailing City,State,Zip:		Not reported
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		--Y
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

TONYS BODY SHOP & SERVICE CENTER (Continued) **1000560840**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20170726
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code:	F005
Waste Description:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BUNDY, TONY
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	ADDRESS NOT REPORTED
Owner/Operator City,State,Zip:	CITY NOT REPORTED, OH 00000
Owner/Operator Telephone:	000-000-0000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20100303
Handler Name:	TONYS BODY SHOP & SERVICE CENTER
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small

TONYS BODY SHOP & SERVICE CENTER (Continued) **1000560840**

	Quantity Generator
State District Owner:	Oh
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	19910411
Handler Name: TONYS BODY SHOP	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Oh
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported

TONYS BODY SHOP & SERVICE CENTER (Continued) **1000560840**

SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20100309
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	OHLD
Evaluation Responsible Sub-Organization:	SW
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:
Registry ID: 110004680462

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000560840
Registry ID:	110004680462

DFR URL:

Name:	TONYS BODY SHOP
Address:	102 E Broadway
City,State,Zip:	COVINGTON, OH 45318

32
ESE
1/4-1/2
0.291 mi.
1536 ft.

OLD RUDY ELEVATOR SITE
100 GRANT STREET
COVINGTON, OH 45318

US BROWNFIELDS **1026110199**
N/A

Relative:
Higher

Actual:
929 ft.

US BROWNFIELDS:

Name:	Old Rudy Elevator Site
Address:	100 Grant Street
City,State,Zip:	COVINGTON, OH 45318
Property ID:	242792
Property Alias:	Not reported
Recipient Name:	R5 TBA - Ohio (STAG Funded)
Grant Type:	Not reported
Property Number:	H19-006830, H19-006820, H19-005610
Parcel Size:	0.71
Latitude:	40.11889896
Longitude:	-84.350044873
Census Tract:	39109325000
State or Tribal Voluntary Response Program:	Y
Program Name:	Not reported
AA Activity Funded:	Yes
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Yes
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Asbestos
Contaminants Found at Actionable Level:	Asbestos
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	n/a
Start Date:	2020-04-21 00:00:00
Ownership Entity:	Government
Additional Institutional Controls Information:	Not reported
Completion Date:	2020-05-08 00:00:00
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	Y
Indicates Cleanup/Treatment Tech Implemented:	U
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Y
IC in place date:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	N
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Building Materials
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	Not reported
Past use commercial acreage:	0.71
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	Not reported
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	274
Below Poverty Percent:	13.69
Meidan Income:	6141
Meidan Income Number:	648
Meidan Income Percent:	32.38
Vacant Housing Number:	42
Vacant Housing Percent:	5.4
Unemployed Number:	80
Unemployed Percent:	4

Name:	Old Rudy Elevator Site
Address:	100 Grant Street
City,State,Zip:	COVINGTON, OH 45318
Property ID:	242792
Property Alias:	Not reported
Recipient Name:	R5 TBA - Ohio (STAG Funded)
Grant Type:	Not reported
Property Number:	H19-006830, H19-006820, H19-005610
Parcel Size:	0.71
Latitude:	40.11889896
Longitude:	-84.350044873
Census Tract:	39109325000
State or Tribal Voluntary Response Program:	Y
Program Name:	Not reported
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Yes
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Asbestos
Contaminants Found at Actionable Level:	Asbestos
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	n/a
Start Date:	Not reported
Ownership Entity:	Government
Additional Institutional Controls Information:	Not reported
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	Y
Indicates Cleanup/Treatment Tech Implemented:	U
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Y
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	N
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Building Materials
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	0.71
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	274
Below Poverty Percent:	13.69
Meidan Income:	6141
Meidan Income Number:	648
Meidan Income Percent:	32.38
Vacant Housing Number:	42
Vacant Housing Percent:	5.4
Unemployed Number:	80
Unemployed Percent:	4

Name:	Old Rudy Elevator Site
Address:	100 Grant Street
City,State,Zip:	COVINGTON, OH 45318
Property ID:	242792
Property Alias:	Not reported
Recipient Name:	R5 TBA - Ohio (STAG Funded)
Grant Type:	Not reported
Property Number:	H19-006830, H19-006820, H19-005610
Parcel Size:	0.71
Latitude:	40.11889896
Longitude:	-84.350044873
Census Tract:	39109325000
State or Tribal Voluntary Response Program:	Y
Program Name:	Not reported
AA Activity Funded:	Yes
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Yes
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Asbestos
Contaminants Found at Actionable Level:	Asbestos
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	n/a

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Start Date:	2020-04-21 00:00:00
Ownership Entity:	Government
Additional Institutional Controls Information:	Not reported
Completion Date:	2021-02-15 00:00:00
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	Y
Indicates Cleanup/Treatment Tech Implemented:	U
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Y
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	N
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Building Materials
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	Not reported
Past use commercial acreage:	0.71
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	Not reported
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	274
Below Poverty Percent:	13.69
Meidan Income:	6141
Meidan Income Number:	648
Meidan Income Percent:	32.38
Vacant Housing Number:	42
Vacant Housing Percent:	5.4
Unemployed Number:	80
Unemployed Percent:	4

Name:	Old Rudy Elevator Site
Address:	100 Grant Street
City,State,Zip:	COVINGTON, OH 45318
Property ID:	242792
Property Alias:	Not reported
Recipient Name:	R5 TBA - Ohio (STAG Funded)
Grant Type:	Not reported
Property Number:	H19-006830, H19-006820, H19-005610
Parcel Size:	0.71
Latitude:	40.11889896
Longitude:	-84.350044873
Census Tract:	39109325000
State or Tribal Voluntary Response Program:	Y
Program Name:	Not reported
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Yes
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Asbestos

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

Contaminants Found at Actionable Level:	Asbestos
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	n/a
Start Date:	Not reported
Ownership Entity:	Government
Additional Institutional Controls Information:	Not reported
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	Y
Indicates Cleanup/Treatment Tech Implemented:	U
Institutional Controls Required:	N
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Y
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	N
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Building Materials
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported

OLD RUDY ELEVATOR SITE (Continued) **1026110199**

RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	Not reported
Past use commercial acreage:	0.71
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	Not reported
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	274
Below Poverty Percent:	13.69
Meidan Income:	6141
Meidan Income Number:	648
Meidan Income Percent:	32.38
Vacant Housing Number:	42
Vacant Housing Percent:	5.4
Unemployed Number:	80
Unemployed Percent:	4

F33 **GAS MART/ MARKET FRESH EXPRESS** **UST FINDER** **1028616253**
SSE **301 TROY PIKE** **UST FINDER RELEASE** **N/A**
1/4-1/2 **COVINGTON, OH 0**
0.420 mi.
2216 ft. **Site 1 of 2 in cluster F**

Relative: **Higher**
Actual: **925 ft.**

UST FINDER:

Object ID:	339894
Facility ID:	OH55000637
Name:	GAS MART/ MARKET FRESH EXPRESS
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Address Match Type:	Not reported
Open USTs:	4
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	324

GAS MART/ MARKET FRESH EXPRESS (Continued) **1028616253**

Private Wells 1500ft:	11
Within 100yr Floodplain:	Yes
Land Use:	Non-Developed
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	Not reported
WHPA Water Type:	Not reported
WHPA Facility Type:	Not reported
WHPA HUC12:	Not reported
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.3481199999999
Y Coord:	40.11206
Latitude:	40.11206
Longitude:	-84.34812

UST FINDER:

Object ID:	1489431
Facility ID:	OH55000637
Tank ID:	OH55000637_T00004
Tank Status:	Open
Installation Date:	1999/05/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	4000
Substances:	Kerosene
Tank Wall Type:	Single
Object ID:	1489432
Facility ID:	OH55000637
Tank ID:	OH55000637_T00003
Tank Status:	Open
Installation Date:	1999/05/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	4000
Substances:	Diesel
Tank Wall Type:	Single
Object ID:	1489433
Facility ID:	OH55000637
Tank ID:	OH55000637_T00002
Tank Status:	Open
Installation Date:	1999/05/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	6000
Substances:	Gasoline
Tank Wall Type:	Single
Object ID:	1489434
Facility ID:	OH55000637
Tank ID:	OH55000637_T00001
Tank Status:	Open

GAS MART/ MARKET FRESH EXPRESS (Continued) **1028616253**

Installation Date:	1999/05/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Gasoline
Tank Wall Type:	Single

UST FINDER RELEASE:

Object ID:	306713
Facility ID:	OH55000637
Lust ID:	OH55000637-N00001
Name:	GAS MART/ MARKET FRESH EXPRESS
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	2012/09/25 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	325
Domestic Wells within 1500ft:	11
Land Use:	Non-Developed
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	Not reported
WHPA Water Type:	Not reported
WHPA Facility Type:	Not reported
WHPA HUC12:	Not reported
Within 100yr Floodplain:	Yes
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.3481199999999
Y Coord:	40.11206
Latitude:	40.11206
Longitude:	-84.3481199999999

F34 **MARATHON MARKET FRESH** **LUST U003727806**
SSE **301 TROY PIKE** **UST N/A**
1/4-1/2 **COVINGTON, OH 45318** **ARCHIVE UST**
0.420 mi.
2216 ft. **Site 2 of 2 in cluster F**

Relative:
Higher

Actual:
925 ft.

LUST:

Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000637 - N00001
Release Date:	09/25/2012

MARATHON MARKET FRESH (Continued) **U003727806**

LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	11/14/2017
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1129498
Longitude:	-84.35071
Class:	Viable Responsible Party has been identified
Incident Number:	Not reported
Last Update Updated:	11/14/2017
Sub Status:	Approved
Rules:	2012
Coordinator:	Ralph Mertz

Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000637 - N00002
Release Date:	08/01/2020
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**SCT: Site Check & Tank Tightness Test**
Priority:	1 - Petro Vapors / FP in off-site structure /sewer
Review Date:	10/07/2025
Priority Decode:	Not reported
Class1 Decode:	Referred to Enforcement
Latitude:	40.1129498
Longitude:	-84.35071
Class:	E
Incident Number:	Not reported
Last Update Updated:	08/04/2020
Sub Status:	Required
Rules:	2017
Coordinator:	Danielle Cook

UST:

Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55000637
Owner Name:	EKROOP1 LTD
Owner Address:	301 E TROY PIKE
Owner City/State/Zip:	45318

Tank Number:	T00001
Status:	CIU - Currently In Use
UST Capacity:	10000
Tank Content:	Gasoline
Installation Date:	05/01/1999
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO

MARATHON MARKET FRESH (Continued) **U003727806**

Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00002
Status:	CIU - Currently In Use
UST Capacity:	6000
Tank Content:	Gasoline
Installation Date:	05/01/1999
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	8006-61-9
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments:	Not reported

MARATHON MARKET FRESH (Continued) **U003727806**

Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00003
Status:	CIU - Currently In Use
UST Capacity:	4000
Tank Content:	Diesel
Installation Date:	05/01/1999
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported
Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	68334-30-5
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported
Name:	MARATHON MARKET FRESH
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00004
Status:	CIU - Currently In Use
UST Capacity:	4000
Tank Content:	Kerosene
Installation Date:	05/01/1999
Construction:	FRP-Fiberglass Reinforced Plastic
Date Last Used:	Not reported

MARATHON MARKET FRESH (Continued) **U003727806**

Date TCL Closed:	Not reported
Date Removed:	Not reported
CAS Number:	8008-20-6
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	SW - Single Wall
Construction Comments:	Not reported
Corrosion Protections:	NR - None Required by Rule
Corrosion Protection Comments:	Not reported
Primary Release Detection:	ATG - Automatic Tank Gauging
Secondary Release Detection:	ATG - Automatic Tank Gauging
Release Detection Comments:	Not reported
Piping Configuration:	SC - Secondarily Contained
Piping Configuration Comments:	Not reported
Piping Styles:	P - Pressure
Piping Constructions:	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments:	Not reported
Piping Corrosion Protections:	NR - None required by rule
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments:	Not reported
OverFill Prevention:	VENT - Vent Line (float vent valve)
OverFill Prevention Comment:	Not reported
Comments:	Not reported

ARCHIVE UST:

Name:	MARKET FRESH FOODS
Address:	301 TROY PIKE
City,State,Zip:	COVINGTON, OH 45318
Facility Number:	55000637
Owner Name:	MJS Group, Inc.
Owner Address:	301 Troy Pike
Owner City,St,Zip:	Covington, OH 45359
Owner Telephone:	937-676-3678
Owner ID:	W024491
Facility Type:	Gas Station
Contact Name:	LANE ROBBINS
Contact Telephone:	(937)676-3678
Tank Number:	4
Depth at Location:	COVINGTON FIRE DEPARTMENT
Authorized:	No
Eligible Award:	Not reported
Action:	No

Permit:

Facility Id:	55000637
Permit Id:	P00001
Permit Status:	Expired
Issued Date:	4/27/1999
LFD Permit Id:	Not reported

Inspection:

Facility Id:	55000637

MARATHON MARKET FRESH (Continued) **U003727806**

Permit Number: P00001
Code: 203
Inspection Type: Final

Tank ID:	T00001
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00002
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00003
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported

MARATHON MARKET FRESH (Continued) **U003727806**

Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

Tank ID:	T00004
Tank Type:	Not reported
Tank Status:	**Currently In Use**
Install Date:	Not reported
Content:	Not reported
Capacity:	Not reported
Corrosion Protection Tank:	Not reported
CAS #:	Not reported
Regulated:	Yes
Overfill Device Installed:	Yes
Spill Device Installed:	Yes
Release Detection On Tank:	Not reported
Date Removed:	Not reported
Date Last Use:	Not reported
Date Abandoned/Closed:	Not reported
AST/UST:	UST
Corrosion Protection Piping:	Not reported
Piping Material:	Not reported
Piping Type:	Not reported
Release Detection On Piping:	Electronic Line Leak Detector

---

35 West 1/4-1/2 0.435 mi. 2296 ft. **COVINGTON LANDFILL** **HIST LF** **S105860111**
SECTION 30 **N/A**
NEWBERRY TOWNSHIP, OH

Relative: Lower
Actual: 908 ft.

HIST LF:

Name:	COVINGTON LANDFILL
Address:	SECTION 30
City,State,Zip:	NEWBERRY TOWNSHIP, OH
Year closed:	<'80
Publicly owned:	Y
Object ID:	Not reported
Location:	SOUTH OF US-36, WEST OF COVINGTON, AND NORTH OF GREENVILLE CREEK.
Latitude:	40 07 08
Longitude:	84 21 50
Site 2:	Not reported
Site 3:	Not reported
Site 4:	Not reported
Site 5:	Not reported
Site 6:	Not reported
Waste Type:	UNKNOWN
Capacity:	UNKNOWN

COVINGTON LANDFILL (Continued) **S105860111**

SWF ID:	N
Owner Name:	VILLAGE OF COVINGTON
Owner Address:	Not reported
Owner City:	COVINGTON
Owner Zip:	45318
Ohio ID:	N
District:	5
X Coord:	Not reported
Y Coord:	Not reported
Year Open:	Not reported
Year Ceased:	Not reported
Access:	Not reported
Comments:	Not reported
OEPADO:	Not reported
Edit Date:	Not reported
GIS ID:	Not reported
Sec ID:	Not reported
Coreplac:	Not reported

G36 **BEATREME FOODS, INC.** **UST FINDER** **1028616205**
NE **400 HAZEL ST** **UST FINDER RELEASE** **N/A**
1/4-1/2 **COVINGTON, OH 0**
0.439 mi.
2320 ft. **Site 1 of 2 in cluster G**

Relative: **Higher**

Actual: **929 ft.**

UST FINDER:

Object ID:	339967
Facility ID:	OH55000143
Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	5
TOS USTs:	0
Population 1500ft:	609
Private Wells 1500ft:	24
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	5
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-84.349277
Y Coord:	40.1224700000001
Latitude:	40.12247
Longitude:	-84.349277

BEATREME FOODS, INC. (Continued) **1028616205**

UST FINDER:

Object ID:	1433478
Facility ID:	OH55000143
Tank ID:	OH55000143_T00004
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/07/09 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

Object ID:	1433479
Facility ID:	OH55000143
Tank ID:	OH55000143_T00005
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/07/09 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

Object ID:	1433480
Facility ID:	OH55000143
Tank ID:	OH55000143_T00003
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/07/09 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

Object ID:	1433481
Facility ID:	OH55000143
Tank ID:	OH55000143_T00001
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/07/09 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

Object ID:	1433482
Facility ID:	OH55000143
Tank ID:	OH55000143_T00002
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	1991/07/09 15:59:59+00
Tank Capacity:	Not reported
Substances:	Unknown
Tank Wall Type:	Single

UST FINDER RELEASE:

Object ID:	306808
Facility ID:	OH55000143
Lust ID:	OH55000143-N00001

BEATREME FOODS, INC. (Continued) **1028616205**

Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 0
Address Match Type:	Not reported
Reported Date:	Not reported
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	609
Domestic Wells within 1500ft:	24
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	OH5543312_15700
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	050800011303
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	5
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-84.34928
Y Coord:	40.1224700000001
Latitude:	40.12247
Longitude:	-84.3492799999999

G37 **BEATREME FOODS, INC.** **LUST U004210668**
NE **400 HAZEL ST** **UST N/A**
1/4-1/2 **COVINGTON, OH 45318**
0.439 mi.
2320 ft. **Site 2 of 2 in cluster G**

Relative: LUST:
Higher

Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318
Release Number:	55000143 - N00001
Release Date:	07/09/1991
LTF Status:	1 - SUS/CON from regulated UST
FR Status:	**NFA: No Further Action**
Priority:	-
Review Date:	02/11/1993
Priority Decode:	Not reported
Class1 Decode:	A viable RP have been identified
Latitude:	40.1224375
Longitude:	-84.34875
Class:	Viable Responsible Party has been identified
Incident Number:	551209100.0
Last Update Updated:	Not reported
Sub Status:	Not reported

Actual:
929 ft.

BEATREME FOODS, INC. (Continued) **U004210668**

Rules: 1992
Coordinator: N/A

UST:

Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318
Facility Id:	55000143
Owner Name:	Not reported
Owner Address:	Not reported
Owner City/State/Zip:	Not reported
Tank Number:	T00001
Status:	REM - Removed
UST Capacity:	Not reported
Tank Content:	Unknown
Installation Date:	Not reported
Construction:	Other
Date Last Used:	07/09/1991
Date TCL Closed:	Not reported
Date Removed:	07/09/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported
Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00002
Status:	REM - Removed
UST Capacity:	Not reported
Tank Content:	Unknown
Installation Date:	Not reported

BEATREME FOODS, INC. (Continued) **U004210668**

Construction:	Other
Date Last Used:	07/09/1991
Date TCL Closed:	Not reported
Date Removed:	07/09/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported
Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318
Tank Number:	T00003
Status:	REM - Removed
UST Capacity:	Not reported
Tank Content:	Unknown
Installation Date:	Not reported
Construction:	Other
Date Last Used:	07/09/1991
Date TCL Closed:	Not reported
Date Removed:	07/09/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported

BEATREME FOODS, INC. (Continued) **U004210668**

Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318

Tank Number:	T00004
Status:	REM - Removed
UST Capacity:	Not reported
Tank Content:	Unknown
Installation Date:	Not reported
Construction:	Other
Date Last Used:	07/09/1991
Date TCL Closed:	Not reported
Date Removed:	07/09/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

Name:	BEATREME FOODS, INC.
Address:	400 HAZEL ST
City,State,Zip:	COVINGTON, OH 45318

BEATREME FOODS, INC. (Continued) **U004210668**

Tank Number:	T00005
Status:	REM - Removed
UST Capacity:	Not reported
Tank Content:	Unknown
Installation Date:	Not reported
Construction:	Other
Date Last Used:	07/09/1991
Date TCL Closed:	Not reported
Date Removed:	07/09/1991
CAS Number:	Not reported
Abandoned Approved:	Not reported
Regulated:	YES
Sensitive Area:	NO
Date Of Sensitivity:	Not reported
UST Configurations:	Not reported
Construction Comments:	Other
Corrosion Protections:	Not reported
Corrosion Protection Comments:	Not reported
Primary Release Detection:	AMO - Alternative Method (Other, explain)
Secondary Release Detection:	Not reported
Release Detection Comments:	RDTank: / RDLine:
Piping Configuration:	Not reported
Piping Configuration Comments:	Not reported
Piping Styles:	NA - Not Applicable
Piping Constructions:	OTH - Other (explain)
Piping Construction Comments:	Not Marked on Form
Piping Corrosion Protections:	OTH - Other (explain)
Piping Corrosion Protection Comments:	Not reported
Piping Release Detections:	OTH - Other(explain)
Piping Release Detection Comments:	Not reported
Spill Prevention Manholes:	NP - None Present
Spill Prevention Manhole Comments:	No
OverFill Prevention:	Not reported
OverFill Prevention Comment:	OverFill Spill: No
Comments:	Not reported

Count: 0 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
		NO SITES FOUND			

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: EPA
Telephone: N/A
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: EPA
Telephone: N/A
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: EPA
Telephone: N/A
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/05/2025
Date Data Arrived at EDR: 06/20/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 68

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 09/23/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/03/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 13

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 03/11/2025
Date Data Arrived at EDR: 04/02/2025
Date Made Active in Reports: 06/24/2025
Number of Days to Update: 83

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 11/11/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 1

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 11/11/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 1

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System
Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/10/2025
Date Data Arrived at EDR: 06/12/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 4

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.
State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: Ohio EPA
Telephone: 614-644-2924
Last EDR Contact: 11/05/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: N/A

DERR: Division of Emergency & Remedial Response's Database
The DERR listings contains sites from all of Ohio that are in the Division of Environmental Response and Revitalization (DERR) database, which is an index of sites for which our district offices maintain files. The database is NOT a record of contaminated sites or sites suspected of contamination. Not all sites in the database are contaminated, and a site's absence from the database does not imply that it is uncontaminated.

Date of Government Version: 08/13/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 6

Source: Ohio EPA
Telephone: 614-644-3538
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Licensed Solid Waste Facilities
Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/30/2025
Date Data Arrived at EDR: 06/30/2025
Date Made Active in Reports: 09/22/2025
Number of Days to Update: 84

Source: Ohio Environmental Protection Agency
Telephone: 614-644-2621
Last EDR Contact: 09/30/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Semi-Annually

Lists of state and tribal leaking storage tanks

LAST: Leaking Aboveground Storage Tank Listing
Suspected/confirmed release from Aboveground storage tank sites.

Date of Government Version: 10/17/2025
Date Data Arrived at EDR: 10/17/2025
Date Made Active in Reports: 10/22/2025
Number of Days to Update: 5

Source: Department of Commerce
Telephone: 614-752-7928
Last EDR Contact: 10/16/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Leaking Underground Storage Tank File
Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 10/17/2025
Date Data Arrived at EDR: 10/17/2025
Date Made Active in Reports: 10/22/2025
Number of Days to Update: 5
Source: Department of Commerce
Telephone: 614-752-8200
Last EDR Contact: 10/16/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/27/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

UNREG LTANKS: Ohio Leaking UST File
A suspected or confirmed release of petroleum from a non-regulated UST.

Date of Government Version: 08/25/1999
Date Data Arrived at EDR: 08/19/2003
Date Made Active in Reports: 08/26/2003
Number of Days to Update: 7

Source: Department of Commerce
Telephone: 614-752-7938
Last EDR Contact: 08/01/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 06/06/2025
Date Data Arrived at EDR: 08/26/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 78

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

UST: Underground Storage Tank Tank File
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 05/05/2025
Date Data Arrived at EDR: 05/06/2025
Date Made Active in Reports: 07/23/2025
Number of Days to Update: 78

Source: Department of Commerce
Telephone: 614-752-8200
Last EDR Contact: 10/29/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Quarterly

AST: Above Ground Storage Tanks
A listing of aboveground storage tank site locations in the state.

Date of Government Version: 10/17/2025
Date Data Arrived at EDR: 10/17/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 17

Source: Department of Commerce
Telephone: 614-752-7037
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Quarterly

INDIAN UST R5: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/27/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

HIST INST CONTROLS: Institutional Controls Database

"Institutional control" is a restriction that is recorded in the same manner as a deed which limits access to or use of the property such that exposure to hazardous substances or petroleum are effectively and reliably eliminated or mitigated. Examples of institutional controls include land and water use restrictions. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005
Date Data Arrived at EDR: 04/06/2006
Date Made Active in Reports: 05/04/2006
Number of Days to Update: 28

Source: Ohio EPA
Telephone: 614-644-2306
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

HIST ENG CONTROLS: Operation & Maintenance Agreements Database

Volunteers that complete a voluntary action that relies on the ongoing operation and maintenance (O&M) of an engineered control to make the site protective (e.g" cap systems and ground water treatment systems) must enter into a legally binding agreement with the Ohio EPA before the director issues a covenant not to sue. This O&M Agreement must describe how the remedy is constructed and how itwill be monitored, maintained and repaired. It also lays out inspection opportunities for the agency. Companies must document that they have the financial capability to operate any remedy relied on, before the agency will agree to enter into the O&M Agreement. The statute requires that the agency be notified of any change in ownership. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005
Date Data Arrived at EDR: 04/04/2006
Date Made Active in Reports: 05/04/2006
Number of Days to Update: 30

Source: Ohio EPA
Telephone: 614-644-2306
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

ENG CONTROLS: Sites with Engineering Controls

A database that tracks properties with engineering controls.

Date of Government Version: 08/13/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 6

Source: Ohio EPA
Telephone: 614-644-2306
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

INST CONTROL: Sites with Institutional Engineering Controls

A database that tracks properties with institutional controls.

Date of Government Version: 08/13/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 6

Source: Ohio Environmental Protection Agency
Telephone: 614-644-2306
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/09/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Varies

VCP: Voluntary Action Program Sites
Site involved in the Voluntary Action Program.

Date of Government Version: 08/13/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 6

Source: Ohio EPA, Voluntary Action Program
Telephone: 614-728-1298
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS: Ohio Brownfield Inventory
A statewide brownfields inventory. A brownfield is an abandoned, idled or under-used industrial or commercial property where expansion or redevelopment is complicated by known or potential releases of hazardous substances and/or petroleum.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 86

Source: Ohio EPA
Telephone: 614-644-3748
Last EDR Contact: 09/03/2025
Next Scheduled EDR Contact: 12/15/2025
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites
Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/09/2024
Date Data Arrived at EDR: 09/11/2024
Date Made Active in Reports: 12/06/2024
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: Old Solid Waste Landfill
A list of about 1200 old abandoned dumps or landfills. This database was developed from Ohio EPA staff notebooks and other information dating from the mid-1970s

Date of Government Version: 09/23/2024
Date Data Arrived at EDR: 12/04/2024
Date Made Active in Reports: 02/27/2025
Number of Days to Update: 85

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 09/04/2025
Next Scheduled EDR Contact: 12/15/2025
Data Release Frequency: No Update Planned

SWRCY: Recycling Facility Listing
A listing of recycling facility locations.

Date of Government Version: 06/25/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/20/2025
Number of Days to Update: 55

Source: Ohio EPA
Telephone: 614-728-5357
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Quarterly

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations
A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 10/07/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory
An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land
A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 02/07/2024
Date Data Arrived at EDR: 11/13/2024
Date Made Active in Reports: 11/19/2024
Number of Days to Update: 6

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 10/23/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register
A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/21/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Lab Locations
A list of clandestine drug lab sites with environmental impact. This list is extracted from the SPILLS database based on the "product" type.

Date of Government Version: 07/08/2025
Date Data Arrived at EDR: 07/28/2025
Date Made Active in Reports: 10/17/2025
Number of Days to Update: 81

Source: Ohio EPA
Telephone: 614-644-2080
Last EDR Contact: 10/30/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

US CDL: Clandestine Drug Labs
A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/21/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

ARCHIVE UST: Archived Underground Storage Tank Sites
Underground storage tank records that have been removed from the Underground Storage Tank database.

Date of Government Version: 05/05/2025
Date Data Arrived at EDR: 05/06/2025
Date Made Active in Reports: 07/23/2025
Number of Days to Update: 78

Source: Department of Commerce, Division of State Fire Marshal
Telephone: 614-752-7938
Last EDR Contact: 10/29/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Quarterly

Local Land Records

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System
Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/11/2025
Date Data Arrived at EDR: 06/12/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 4

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

SPILLS: Emergency Response Database
Incidents reported to the Emergency Response Unit. The focus of the ER program is to minimize the impact on the environment from accidental releases, spills, and unauthorized discharges from any fixed or mobile sources. Incidents involving petroleum products, hazardous materials, hazardous waste, abandoned drums, or other materials which may pose as a pollution threat to the state?s water, land, or air should be reported immediately. Not all incidents included in the database are actual SPILLS, they can simply be reported incidents.

Date of Government Version: 07/08/2025
Date Data Arrived at EDR: 07/28/2025
Date Made Active in Reports: 10/17/2025
Number of Days to Update: 81

Source: Ohio EPA
Telephone: 614-644-2084
Last EDR Contact: 10/30/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

SPILLS 90: SPILLS90 data from FirstSearch
Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/13/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 55

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch
Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 04/24/2004
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/01/2013
Number of Days to Update: 57

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 312-886-6186
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 07/23/2025
Date Data Arrived at EDR: 07/23/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 6

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/07/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/02/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/03/2025
Date Made Active in Reports: 06/16/2025
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA Watch List

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 10/22/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: No Update Planned

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 10/30/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/11/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 08/11/2025
Date Made Active in Reports: 11/10/2025
Number of Days to Update: 91

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/10/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/14/2025
Date Data Arrived at EDR: 07/14/2025
Date Made Active in Reports: 10/13/2025
Number of Days to Update: 91

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/14/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 07/29/2025
Date Data Arrived at EDR: 08/04/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 8

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 12/08/2025
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 07/01/2025
Date Data Arrived at EDR: 07/29/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 91

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 10/08/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/26/2025
Date Data Arrived at EDR: 07/01/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 28

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 10/02/2024
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 100

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 09/30/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 09/23/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/11/2025
Date Data Arrived at EDR: 08/12/2025
Date Made Active in Reports: 11/04/2025
Number of Days to Update: 84

Source: Nuclear Regulatory Commission
Telephone: 301-415-0717
Last EDR Contact: 10/23/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 10/16/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 90

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 08/28/2025
Next Scheduled EDR Contact: 12/08/2025
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 08/21/2025
Next Scheduled EDR Contact: 12/08/2025
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 10/30/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 09/17/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data
Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 06/30/2025
Date Data Arrived at EDR: 07/17/2025
Date Made Active in Reports: 10/13/2025
Number of Days to Update: 88

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 10/20/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees
Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2025
Date Data Arrived at EDR: 07/29/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 91

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 09/23/2025
Next Scheduled EDR Contact: 01/13/2026
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/07/2025
Number of Days to Update: 16

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 09/29/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 10/22/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 05/15/2025
Date Data Arrived at EDR: 05/15/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 75

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/10/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 01/05/2026
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)
The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data
A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data
Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 07/01/2025
Date Data Arrived at EDR: 07/01/2025
Date Made Active in Reports: 09/24/2025
Number of Days to Update: 85

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 07/01/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: Quarterly

US MINES: Mines Master Index File
Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/08/2025
Date Data Arrived at EDR: 08/18/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 86

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 08/18/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing
This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 04/08/2025
Date Data Arrived at EDR: 05/20/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 84

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/12/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/21/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System

Mineral Resources Data System

Date of Government Version: 06/04/2024
Date Data Arrived at EDR: 11/22/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 88

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 08/21/2025
Next Scheduled EDR Contact: 12/01/2025
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/10/2025
Date Data Arrived at EDR: 09/10/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 63

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 09/09/2025
Next Scheduled EDR Contact: 12/15/2025
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/22/2025
Date Data Arrived at EDR: 05/05/2025
Date Made Active in Reports: 05/21/2025
Number of Days to Update: 16

Source: EPA
Telephone: (312) 353-2000
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/08/2025
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 07/31/2025
Date Data Arrived at EDR: 08/14/2025
Date Made Active in Reports: 11/04/2025
Number of Days to Update: 82

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 10/29/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/22/2025
Date Data Arrived at EDR: 06/25/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/07/2025
Date Data Arrived at EDR: 08/07/2025
Date Made Active in Reports: 11/04/2025
Number of Days to Update: 89

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 09/24/2025
Number of Days to Update: 90

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 11/12/2024
Date Data Arrived at EDR: 07/21/2025
Date Made Active in Reports: 10/13/2025
Number of Days to Update: 84

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS PROJECT: NORTHEASTERN UNIVERSITY PFAS PROJECT

The PFAS Contamination Site Tracker records qualitative and quantitative data from each site in a chart, specifically examining discovery, contamination levels, government response, litigation, health impacts, media coverage, and community characteristics. All data presented in the chart were extracted from government websites, such as state health departments or the Environmental Protection Agency, and news articles.

Date of Government Version: 05/15/2024
Date Data Arrived at EDR: 03/06/2025
Date Made Active in Reports: 06/03/2025
Number of Days to Update: 89

Source: Social Science Environmental Health Research Institute
Telephone: N/A
Last EDR Contact: 09/02/2025
Next Scheduled EDR Contact: 12/15/2025
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS ECHO FIRE TRAIN: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PFAS PT 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 06/23/2025
Date Data Arrived at EDR: 06/26/2025
Date Made Active in Reports: 08/27/2025
Number of Days to Update: 62

Source: Environmental Protection Agency
Telephone: 202-267-2675
Last EDR Contact: 09/26/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 12/16/2016
Date Data Arrived at EDR: 01/06/2017
Date Made Active in Reports: 03/10/2017
Number of Days to Update: 63

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: No Update Planned

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data

The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 07/06/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-564-4700
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 01/26/2026
Data Release Frequency: Varies

UST FINDER RELEASE: UST Finder Releases Database

US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/31/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 79

Source: Environmental Protecton Agency
Telephone: 202-564-0394
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Semi-Annually

UST FINDER: UST Finder Database

EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/04/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 106

Source: Environmental Protection Agency
Telephone: 202-564-0394
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: Varies

E MANIFEST: Hazardous Waste Electronic Manifest System

EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 08/13/2025
Number of Days to Update: 70

Source: Environmental Protection Agency
Telephone: 833-501-6826
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Varies

PFAS: PFOA & PFOS Site Listing

PFAS have been widely used in numerous industrial and residential applications since the 1950a??s. Their stability and unique chemical properties produce waterproof, stain resistant, and nonstick qualities in products. They are found in some firefighting foams and a wide range of consumer products such as carpet treatments, non-stick cookware, water-resistant fabrics, food packaging materials, and personal care products.

Date of Government Version: 06/04/2024
Date Data Arrived at EDR: 06/26/2024
Date Made Active in Reports: 09/18/2024
Number of Days to Update: 84

Source: Ohio EPA
Telephone: 614-644-2752
Last EDR Contact: 09/09/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Varies

AIRS: Title V Permits Listing

A listing of Title V Permits issued by the Division of Air Pollution Control. It is a federal operating permit program adopted and implemented by the state. The basic program elements typically specify that major sources will submit an operating application to the specified state environmental regulatory agency according to a schedule.

Date of Government Version: 06/09/2025
Date Data Arrived at EDR: 06/11/2025
Date Made Active in Reports: 09/04/2025
Number of Days to Update: 85

Source: Ohio EPA
Telephone: 614-644-2270
Last EDR Contact: 09/04/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Quarterly

ASBESTOS: Asbestos Notification Listing

A listing of notifications site locations with abatement and demolition dates.

Date of Government Version: 07/18/2025
Date Data Arrived at EDR: 07/21/2025
Date Made Active in Reports: 10/08/2025
Number of Days to Update: 79

Source: Ohio EPA
Telephone: 614-466-3770
Last EDR Contact: 10/21/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 04/13/2015
Date Data Arrived at EDR: 04/16/2015
Date Made Active in Reports: 05/29/2015
Number of Days to Update: 43

Source: Ohio EPA
Telephone: 614-644-2134
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

CRO: Cessation of Regulated Operations Facility Listing

"Cessation of Regulated Operations" means the discontinuation or termination of regulated operations or the finalizing of any transaction or proceeding through which those operations are discontinued. "Regulated Operations" means the production, use, storage or handling of regulated substances.

Date of Government Version: 06/12/2025
Date Data Arrived at EDR: 07/30/2025
Date Made Active in Reports: 10/17/2025
Number of Days to Update: 79

Source: Ohio EPA
Telephone: 614-644-3065
Last EDR Contact: 10/30/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Facility Listing
A listing of drycleaner facility locations.

Date of Government Version: 06/13/2025
Date Data Arrived at EDR: 06/13/2025
Date Made Active in Reports: 09/08/2025
Number of Days to Update: 87

Source: Ohio EPA
Telephone: 614-644-3469
Last EDR Contact: 09/10/2025
Next Scheduled EDR Contact: 12/29/2025
Data Release Frequency: Semi-Annually

FIN ASSURANCE: Financial Assurance Information Listing
Financial assurance information.

Date of Government Version: 12/05/2017
Date Data Arrived at EDR: 12/08/2017
Date Made Active in Reports: 01/08/2018
Number of Days to Update: 31

Source: Ohio EPA
Telephone: 614-644-2955
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Semi-Annually

FIN ASSURANCE 3: Financial Assurance3 Information Listing
Information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 06/30/2025
Date Data Arrived at EDR: 07/15/2025
Date Made Active in Reports: 10/08/2025
Number of Days to Update: 85

Source: Ohio EPA
Telephone: 614-644-2621
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

HIST USD: Urban Setting Designations Database
A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined. This database is no longer updated or maintained by the state agency.

Date of Government Version: 05/10/2005
Date Data Arrived at EDR: 04/25/2006
Date Made Active in Reports: 05/11/2006
Number of Days to Update: 16

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

LEAD: Lead Inspections Listing
Department of Health lead inspections included in the Environmental Licensing System.

Date of Government Version: 06/09/2025
Date Data Arrived at EDR: 06/10/2025
Date Made Active in Reports: 09/04/2025
Number of Days to Update: 86

Source: Department of Health
Telephone: 614-466-3543
Last EDR Contact: 09/05/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Quarterly

NPDES: NPDES General Permit List
General information regarding NPDES (National Pollutant Discharge Elimination System) permits.

Date of Government Version: 07/28/2025
Date Data Arrived at EDR: 07/28/2025
Date Made Active in Reports: 10/20/2025
Number of Days to Update: 84

Source: Ohio EPA
Telephone: 614-644-2031
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Quarterly

VAPOR: Vapor Intrusion
A listing of vapor intrusion related sites.

Date of Government Version: 06/16/2020
Date Data Arrived at EDR: 06/18/2020
Date Made Active in Reports: 09/01/2020
Number of Days to Update: 75

Source: Ohio EPA
Telephone: 614-644-2924
Last EDR Contact: 09/04/2025
Next Scheduled EDR Contact: 12/22/2025
Data Release Frequency: Varies

TOWNGAS: DERR Towngas Database
The database includes 82 very old sites (circa 1895) which produced gas from coal for street lighting. Most visual evidence of these sites has disappeared, however the potential for buried coal tar remains. The database is no longer in active use.

Date of Government Version: 07/28/1992
Date Data Arrived at EDR: 02/21/2003
Date Made Active in Reports: 03/05/2003
Number of Days to Update: 12

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 02/12/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UIC: Underground Injection Wells Listing
A listing of underground injection well locations.

Date of Government Version: 05/13/2025
Date Data Arrived at EDR: 07/24/2025
Date Made Active in Reports: 10/16/2025
Number of Days to Update: 84

Source: Ohio EPA
Telephone: 614-644-2752
Last EDR Contact: 10/15/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Varies

USD: Urban Setting Designation Sites
A USD may be requested for properties participating in the VAP when there is no current or future use of the ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If these USDs were to be approved, the ground water cleanup or response requirements for the areas could be lessened. The Ohio EPA director may approve a USD request based on a demonstration that the USD requirements are met and an evaluation of existing and future uses of ground water in the area. The Ohio EPA director's decision on approval or denial of the request is needed before cleanup requirements for the site can be determined.

Date of Government Version: 05/09/2025
Date Data Arrived at EDR: 07/28/2025
Date Made Active in Reports: 10/16/2025
Number of Days to Update: 80

Source: Ohio EPA
Telephone: 614-644-3749
Last EDR Contact: 10/28/2025
Next Scheduled EDR Contact: 02/09/2026
Data Release Frequency: Semi-Annually

BIOSOLIDS: Biosolids Information Listing
Ohio EPA's biosolids program regulates the disposal and/or beneficial use of sewage sludge and biosolids generated by non-industrial wastewater treatment plants in Ohio, as well as any sewage sludge or biosolids brought into Ohio by out-of-state, non-industrial wastewater treatment plants. The information presented within this map is accurate to the best of Ohio EPA's knowledge. Authorization for beneficial use of Class B biosolids does not mean biosolids have been used at the site.

Date of Government Version: 07/08/2025
Date Data Arrived at EDR: 08/25/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 79

Source: Ohio Environmental Protection Agency
Telephone: 614-644-2150
Last EDR Contact: 08/25/2025
Next Scheduled EDR Contact: 12/08/2025
Data Release Frequency: Annually

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List
The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Ohio Environmental Procetion Agency in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Ohio Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank
The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Commerce in Ohio.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/20/2013
Number of Days to Update: 172

Source: Department of Commerce
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2025
Date Data Arrived at EDR: 07/31/2025
Date Made Active in Reports: 10/16/2025
Number of Days to Update: 77

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/03/2025
Next Scheduled EDR Contact: 02/16/2026
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 11/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 1

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 10/23/2025
Next Scheduled EDR Contact: 02/02/2026
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/05/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 10/01/2025
Next Scheduled EDR Contact: 01/19/2026
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 08/27/2025
Next Scheduled EDR Contact: 12/15/2025
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.
Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.
Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Licensed Child Day Care Facilities
Source: Department of Job & Family Services
Telephone: 614-466-6282

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

COMMERCIAL PROPERTY
28 N. MAIN STREET
COVINGTON, OH 45318

TARGET PROPERTY COORDINATES

Latitude (North):	40.11801 - 40° 7' 4.84"
Longitude (West):	84.355426 - 84° 21' 19.53"
Universal Tranverse Mercator:	Zone 16
UTM X (Meters):	725370.6
UTM Y (Meters):	4443998.0
Elevation:	920 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	14435264 PLEASANT HILL, OH
Version Date:	2019
Northeast Map:	14435262 PIQUA WEST, OH
Version Date:	2019
Southwest Map:	14435232 GETTYSBURG, OH
Version Date:	2019
Northwest Map:	14435286 VERSAILLES, OH
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General West

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
39109C0126E	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
39109C0040E	FEMA FIRM Flood data
39109C0038E	FEMA FIRM Flood data
39109C0127E	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
PLEASANT HILL	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT


Era:	Paleozoic
System:	Silurian
Series:	Middle Silurian (Niagoaran)
Code:	S2 *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 8173755.2s



★ Target Property
SSURGO Soil
Water

SITE NAME:	Commercial Property	CLIENT:	Maksolve
ADDRESS:	28 N. Main Street Covington OH 45318	CONTACT:	Sarah Smith
LAT/LONG:	40.11801 / 84.355426	INQUIRY #:	8173755.2s
		DATE:	November 14, 2025 4:41 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Miamian

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 152 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	5 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
2	5 inches	44 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
3	44 inches	59 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
4	59 inches	64 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Miamian

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 152 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
2	9 inches	31 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
3	31 inches	50 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
4	50 inches	59 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
5	59 inches	64 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 3

Soil Component Name: Milton

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 74 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4.23 Min: 0.42	Max: Min:
2	7 inches	18 inches	silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4.23 Min: 0.42	Max: Min:
3	18 inches	29 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4.23 Min: 0.42	Max: Min:
4	29 inches	31 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4.23 Min: 0.42	Max: Min:

Soil Map ID: 4

Soil Component Name:	Udorthents
Soil Surface Texture:	silt loam
Hydrologic Group:	Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.
Soil Drainage Class:	
Hydric Status: Unknown	
Corrosion Potential - Uncoated Steel:	Not Reported
Depth to Bedrock Min:	> 0 inches
Depth to Watertable Min:	> 0 inches

No Layer Information available.

Soil Map ID: 5

Soil Component Name:	Water
Soil Surface Texture:	silt loam
Hydrologic Group:	Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.
Soil Drainage Class:	
Hydric Status: Unknown	
Corrosion Potential - Uncoated Steel:	Not Reported
Depth to Bedrock Min:	> 0 inches
Depth to Watertable Min:	> 0 inches

No Layer Information available.

Soil Map ID: 6

Soil Component Name:	Eldean
Soil Surface Texture:	loam
Hydrologic Group:	Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.
Soil Drainage Class:	Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	11 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
2	11 inches	22 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
3	22 inches	29 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
4	29 inches	59 inches	stratified sand to gravel	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9

Soil Map ID: 7

Soil Component Name: Stonelick

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	14 inches	37 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42.34 Min: 14.11	Max: 8.4 Min: 7.9
2	0 inches	14 inches	loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42.34 Min: 14.11	Max: 8.4 Min: 7.9
3	37 inches	59 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42.34 Min: 14.11	Max: 8.4 Min: 7.9

Soil Map ID: 8

Soil Component Name: Eldean

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	11 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
2	11 inches	22 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
3	22 inches	29 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
4	29 inches	59 inches	stratified sand to gravel	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9

Soil Map ID: 9

Soil Component Name: Genesee

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	25 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
2	25 inches	42 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
3	42 inches	59 inches	stratified sand to gravel	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9

Soil Map ID: 10

Soil Component Name: Eldean

Soil Surface Texture: silt loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	11 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
2	11 inches	22 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
3	22 inches	29 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9
4	29 inches	59 inches	stratified sand to gravel	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141.14 Min: 42.34	Max: 8.4 Min: 7.9

Soil Map ID: 11

Soil Component Name: Miamian

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 152 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
2	9 inches	31 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
3	31 inches	50 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
4	50 inches	59 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:
5	59 inches	64 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 1.41 Min: 0	Max: Min:

Soil Map ID: 12

Soil Component Name: Quarries

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 13

Soil Component Name: Gravel pits

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:
Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	OHWT40000002584	0 - 1/8 Mile West
2	OHD900000790686	0 - 1/8 Mile SE
A3	OHD900000065667	1/8 - 1/4 Mile WSW
B4	OHDM30000012979	1/8 - 1/4 Mile West
A5	OHDM30000012978	1/8 - 1/4 Mile WSW
B6	OHPWS8000003526	1/8 - 1/4 Mile West
B7	OHD900000074810	1/8 - 1/4 Mile West
B8	OHD900000128670	1/8 - 1/4 Mile West
B9	OHPWS8000003525	1/8 - 1/4 Mile West
B10	OHD900000622469	1/8 - 1/4 Mile West
B11	OHD900000622649	1/8 - 1/4 Mile West
A12	OHDM30000068619	1/8 - 1/4 Mile SW
A13	OHPWS8000003524	1/8 - 1/4 Mile WSW
C14	OHD900000421177	1/8 - 1/4 Mile WNW
A15	OHD900000073388	1/8 - 1/4 Mile SW
A16	OHD900000128678	1/8 - 1/4 Mile SW
C17	OHD900000128804	1/8 - 1/4 Mile WNW
C18	OHPWS8000003523	1/8 - 1/4 Mile WNW
C19	OHD900000622650	1/8 - 1/4 Mile WNW
C20	OHD900000741556	1/8 - 1/4 Mile WNW
C21	OHD900000128805	1/8 - 1/4 Mile WNW
D22	OHD900000128808	1/8 - 1/4 Mile SW
23	OHD900000074825	1/8 - 1/4 Mile SSW
D24	OHD900000128807	1/8 - 1/4 Mile SW
E25	OHD900000128677	1/8 - 1/4 Mile NW
D26	OHD900000070926	1/4 - 1/2 Mile SW
F27	OHDM30000020367	1/4 - 1/2 Mile ENE
F28	OHDM30000064011	1/4 - 1/2 Mile ENE
D29	OHD900000128806	1/4 - 1/2 Mile SW
E30	OHPWS8000003522	1/4 - 1/2 Mile NW
E31	OHD900000072156	1/4 - 1/2 Mile NW
F32	OHDM30000021785	1/4 - 1/2 Mile ENE
F33	OHDM30000063864	1/4 - 1/2 Mile ENE
34	OHPWS8000003521	1/4 - 1/2 Mile WNW
F35	OHDM30000022179	1/4 - 1/2 Mile ENE
F36	OHDM30000022614	1/4 - 1/2 Mile ENE
F37	OHDM30000020366	1/4 - 1/2 Mile ENE
F38	OHDM30000024911	1/4 - 1/2 Mile ENE
F39	OHDM30000022239	1/4 - 1/2 Mile ENE
F40	OHDM30000063863	1/4 - 1/2 Mile ENE
E41	OHD900000128676	1/4 - 1/2 Mile NNW
G42	OHD900000128803	1/4 - 1/2 Mile SW
H43	OHD900000306416	1/4 - 1/2 Mile SE
H44	OHD900000073398	1/4 - 1/2 Mile SE
G45	OHD900000128671	1/4 - 1/2 Mile SW
I46	OHD900000787865	1/4 - 1/2 Mile SW
I47	OHD900000128809	1/4 - 1/2 Mile SW
I48	OHD900000357768	1/4 - 1/2 Mile SW
I49	OHD900000128668	1/4 - 1/2 Mile SW
J50	OHD900000128672	1/4 - 1/2 Mile SSW
K51	OHDM30000059182	1/4 - 1/2 Mile SE
K52	OHDM30000062843	1/4 - 1/2 Mile SE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
K53	OHDM30000062839	1/4 - 1/2 Mile SE
K54	OHDM30000062841	1/4 - 1/2 Mile SE
J55	OHD900000788460	1/4 - 1/2 Mile SW
K56	OHDM30000062836	1/4 - 1/2 Mile SE
K57	OHDM30000052397	1/4 - 1/2 Mile SE
K58	OHDM30000062842	1/4 - 1/2 Mile SE
K59	OHDM30000062837	1/4 - 1/2 Mile SE
K60	OHDM30000052150	1/4 - 1/2 Mile SE
K61	OHDM30000062844	1/4 - 1/2 Mile SE
J62	OHD900000039608	1/4 - 1/2 Mile SSW
K63	OHDM30000062840	1/4 - 1/2 Mile SE
K64	OHDM30000062838	1/4 - 1/2 Mile SE
J65	OHD900000730123	1/4 - 1/2 Mile SW
J66	OHD900000128673	1/4 - 1/2 Mile SW
L67	OHDM30000040354	1/4 - 1/2 Mile NE
L68	OHDM30000040794	1/4 - 1/2 Mile NE
M69	OHD900000821076	1/4 - 1/2 Mile SW
N70	OHD900000839799	1/4 - 1/2 Mile SW
O71	OHD900000841204	1/4 - 1/2 Mile WNW
J72	OHD900000126233	1/4 - 1/2 Mile SSW
O73	OHD900000126300	1/4 - 1/2 Mile WNW
P74	OHD900000788860	1/4 - 1/2 Mile SSW
O75	OHD900000070917	1/4 - 1/2 Mile WNW
N76	OHD900000711073	1/4 - 1/2 Mile SW
M77	OHD900000039610	1/4 - 1/2 Mile SW
M78	OHD900000128802	1/4 - 1/2 Mile SW
P79	OHD900000126232	1/4 - 1/2 Mile SSW
M80	OHD900000609576	1/4 - 1/2 Mile SW
P81	OHD900000128674	1/2 - 1 Mile SSW
82	OHDM30000040793	1/2 - 1 Mile NE
M83	OHD900000288143	1/2 - 1 Mile SW
P84	OHD900000128675	1/2 - 1 Mile SSW
P85	OHD900000039609	1/2 - 1 Mile SSW
Q86	OHD900000390126	1/2 - 1 Mile SSW
M87	OHD900000073410	1/2 - 1 Mile SW
Q88	OHD900000128669	1/2 - 1 Mile SSW
Q89	OHD900000126072	1/2 - 1 Mile SW
Q90	OHD900000738297	1/2 - 1 Mile SW
91	OHD900000038092	1/2 - 1 Mile South
92	OHD900000787465	1/2 - 1 Mile West
93	OHD900000797772	1/2 - 1 Mile NNE
94	OHD900000070916	1/2 - 1 Mile West
95	OHD900000267555	1/2 - 1 Mile SW
R96	OHD900000748323	1/2 - 1 Mile NNE
97	OHD900000073405	1/2 - 1 Mile East
S98	OHD900000038093	1/2 - 1 Mile South
S99	OHD900000787920	1/2 - 1 Mile South
T100	OHD900000788921	1/2 - 1 Mile SW
T101	OHD900000698843	1/2 - 1 Mile SW
R102	OHD900000711541	1/2 - 1 Mile NNE
T103	OHD900000804572	1/2 - 1 Mile SW
S104	OHD900000038094	1/2 - 1 Mile South

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
T105	OHD900000386667	1/2 - 1 Mile SW
U106	OHD900000301667	1/2 - 1 Mile NNE
107	OHD900000073567	1/2 - 1 Mile ENE
108	OHD900000070915	1/2 - 1 Mile West
V109	OHD900000038090	1/2 - 1 Mile SSW
U110	OHD900000711542	1/2 - 1 Mile NNE
W111	OHD900000788859	1/2 - 1 Mile SW
112	OHD900000787903	1/2 - 1 Mile West
X113	OHD900000787919	1/2 - 1 Mile South
X114	OHD900000070786	1/2 - 1 Mile South
V115	OHD900000066206	1/2 - 1 Mile SSW
W116	OHD900000073496	1/2 - 1 Mile SW
Y117	OHD900000073412	1/2 - 1 Mile West
Y118	OHD900000863727	1/2 - 1 Mile West
Z119	OHD900000831216	1/2 - 1 Mile SSW
AA120	OHD900000760073	1/2 - 1 Mile East
121	OHD900000128681	1/2 - 1 Mile ENE
Z122	OHD900000073469	1/2 - 1 Mile SSW
AA123	OHD900000128680	1/2 - 1 Mile East
124	OHD900000306427	1/2 - 1 Mile SSW
125	OHD900000788423	1/2 - 1 Mile East
AB126	OHD900000076536	1/2 - 1 Mile West
127	OHD900000128679	1/2 - 1 Mile SE
AC128	OHD900000759374	1/2 - 1 Mile SW
AB129	OHD900000306898	1/2 - 1 Mile West
130	OHD900000597017	1/2 - 1 Mile North
131	OHD900000039615	1/2 - 1 Mile WNW
AD132	OHD900000770120	1/2 - 1 Mile SSW
133	OHD900000070787	1/2 - 1 Mile South
AD134	OHD900000126235	1/2 - 1 Mile SSW
AE135	OHD900000070912	1/2 - 1 Mile West
136	OHD900000787866	1/2 - 1 Mile SW
137	OHD900000073598	1/2 - 1 Mile NNW
AE138	OHD900000126255	1/2 - 1 Mile West
AC139	OHD900000039612	1/2 - 1 Mile SW
140	OHD900000074153	1/2 - 1 Mile WSW

PHYSICAL SETTING SOURCE MAP - 8173755.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Oil, gas or related wells

SITE NAME:	Commercial Property	CLIENT:	Maksolve
ADDRESS:	28 N. Main Street Covington OH 45318	CONTACT:	Sarah Smith
		INQUIRY #:	8173755.2s
LAT/LONG:	40.11801 / 84.355426	DATE:	November 14, 2025 4:41 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
1 **West** **0 - 1/8 Mile** **Lower**	**OH WELLS**	**OHWT40000002584**

Database:	Water Treatment Facilities	PWS ID:	OH5500112
WTP Name:	Covington Village	Status:	Active
System Name:	Covington Village Pws	System #:	4487
System Status:	Active	PWS System Type:	Community
Source:	Groundwater	Population Served:	2584
Facility/Plant ID:	5556483	Flow Rate:	1200000
Flow Rate Units:	GPD		

---

2 **SE** **0 - 1/8 Mile** **Higher**	**OH WELLS**	**OHD900000790686**	
Database:	Water Well Database	Well Log #:	211202
Well Type:	Sealing Report	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	ABANDONED
Aquifer Type:	Not Reported	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	0
Test Duration:	0	Surface Water Level (ft):	0
Date Measured:	20150414000000.000	Casing Height (ft):	0
Screen Length (ft):	Not Reported	Total Depth (ft):	16
Completion Date:	Not Reported	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

A3 **WSW** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHD900000065667**	
Database:	Water Well Database	Well Log #:	137371
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	30
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	21
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	872.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
B4 **West** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHDM30000012979**

Database:	Monitoring Water Wells Listing		
Well Log #:	915578	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY & ROCK
Permit #:	MW#3	Test Rate (gpm):	Not Reported
Draw Down:	0	Test Duration:	0
Surface Water Level (ft):	0	Date Measured:	Not Reported
Casing Height (ft):	3	Screen Length (ft):	10
Total Depth (ft):	33	Completion Date:	20020903000000.000
Depth to Bedrock (ft):	3	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	880.7
Well Drilled By:	Not Reported	Comments:	Not Reported

	Database	EDR ID Number
A5 **WSW** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHDM30000012978**

Database:	Monitoring Water Wells Listing		
Well Log #:	915577	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	ROCK
Permit #:	MW#2	Test Rate (gpm):	Not Reported
Draw Down:	0	Test Duration:	0
Surface Water Level (ft):	0	Date Measured:	Not Reported
Casing Height (ft):	3	Screen Length (ft):	10
Total Depth (ft):	39	Completion Date:	20020830000000.000
Depth to Bedrock (ft):	4	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	880.8
Well Drilled By:	Not Reported	Comments:	Not Reported

	Database	EDR ID Number
B6 **West** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHPWS8000003526**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15601	Well Name:	Covington, Village Of Well 0011
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	2004-07-12T00:00:00.000Z
Well Status:	Active	System Status:	Active
Last Well Update:	2009-08-18T14:37:44.000Z	Last System Update:	2015-08-28T14:20:18.000Z

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number

B7
West
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000074810**

Database:	Water Well Database	Well Log #:	787257
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	MUNICIPAL
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	506	Draw Down:	35.8
Test Duration:	24	Surface Water Level (ft):	10.3
Date Measured:	Not Reported	Casing Height (ft):	0
Screen Length (ft):	Not Reported	Total Depth (ft):	106
Completion Date:	19950616000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

B8
West
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000128670**

Database:	Water Well Database	Well Log #:	472206
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	BEDROCK	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	80
Completion Date:	19750703000000.000	Depth to Bedrock (ft):	78
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

B9
West
1/8 - 1/4 Mile
Lower

OH WELLS **OHPWS8000003525**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15602	Well Name:	Covington, Village Of Well 0010
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	2004-09-06T00:00:00.000Z
Well Status:	Active	System Status:	Active
Last Well Update:	2009-08-19T09:03:09.000Z	Last System Update:	2015-08-28T14:20:18.000Z

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
B10 **West** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHD900000622469**

Database:	Water Well Database	Well Log #:	915602
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	PUBLIC/SEMI-PUB
Aquifer Type:	CLAY AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	538	Draw Down:	19
Test Duration:	24	Surface Water Level (ft):	9
Date Measured:	20040216000000.000	Casing Height (ft):	3
Screen Length (ft):	15	Total Depth (ft):	40
Completion Date:	20040216000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	874.4	Well Drilled By:	Not Reported
Comments:	Well #10		

	Database	EDR ID Number
B11 **West** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHD900000622649**

Database:	Water Well Database	Well Log #:	915609
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	449	Draw Down:	50
Test Duration:	24	Surface Water Level (ft):	22
Date Measured:	20040909000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	25	Total Depth (ft):	115
Completion Date:	20040906000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	861.4	Well Drilled By:	Not Reported
Comments:	Well #10 Deepening		

	Database	EDR ID Number
A12 **SW** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHDM30000068619**

Database:	Monitoring Water Wells Listing		
Well Log #:	915576	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	ROCK & CLAY
Permit #:	MW#1	Test Rate (gpm):	Not Reported
Draw Down:	0	Test Duration:	0
Surface Water Level (ft):	0	Date Measured:	Not Reported
Casing Height (ft):	3	Screen Length (ft):	10
Total Depth (ft):	29	Completion Date:	20020829000000.000

Depth to Bedrock (ft):	1	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	877.8
Well Drilled By:	Not Reported	Comments:	Not Reported

A13
WSW
1/8 - 1/4 Mile
Lower

OH WELLS **OHPWS8000003524**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15604	Well Name:	Covington, Village Of Well 0006
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	1999-10-15T00:00:00.000Z
Well Status:	Active	System Status:	Active
Last Well Update:	2006-09-29T14:35:49.000Z	Last System Update:	2015-08-28T14:20:18.000Z

C14
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000421177**

Database:	Water Well Database	Well Log #:	137368
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	31
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	29
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

A15
SW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000073388**

Database:	Water Well Database	Well Log #:	9955058
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	300	Draw Down:	0
Test Duration:	0	Surface Water Level (ft):	8
Date Measured:	Not Reported	Casing Height (ft):	0
Screen Length (ft):	Not Reported	Total Depth (ft):	42
Completion Date:	19461201000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported

Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	878	Well Drilled By:	Not Reported
Comments:	Not Reported		

A16
SW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000128678**

Database:	Water Well Database	Well Log #:	137369
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	300	Draw Down:	33
Test Duration:	24	Surface Water Level (ft):	9.7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	69
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	867.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

C17
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000128804**

Database:	Water Well Database	Well Log #:	137366
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	867.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

C18
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHPWS8000003523**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15605	Well Name:	Covington, Village Of Well 0007
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	1999-10-15T00:00:00.000Z

Well Status:	Active	System Status:	Active
Last Well Update:	2006-09-29T14:35:49.000Z	Last System Update:	2015-08-28T14:20:18.000Z

C19
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000622650**

Database:	Water Well Database	Well Log #:	915631
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	952	Draw Down:	12
Test Duration:	24	Surface Water Level (ft):	16
Date Measured:	20040714000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	30	Total Depth (ft):	155
Completion Date:	20040712000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	866.3	Well Drilled By:	Not Reported
Comments:	New Well #7		

C20
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000741556**

Database:	Water Well Database	Well Log #:	618169
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	GLACIAL TILL	Permit #:	Not Reported
Test Rate (gpm):	402	Draw Down:	18
Test Duration:	24	Surface Water Level (ft):	9
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	61
Completion Date:	19880825000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	873.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

C21
WNW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000128805**

Database:	Water Well Database	Well Log #:	137367
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	CLAY & BOULDERS	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported

Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	35
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

D22
SW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000128808**

Database:	Water Well Database	Well Log #:	137370
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	100	Draw Down:	20
Test Duration:	24	Surface Water Level (ft):	9.7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	67
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	868.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

23
SSW
1/8 - 1/4 Mile
Lower

OH WELLS **OHD900000074825**

Database:	Water Well Database	Well Log #:	780205
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	BEDROCK	Permit #:	Not Reported
Test Rate (gpm):	15	Draw Down:	70
Test Duration:	1	Surface Water Level (ft):	6
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	85
Completion Date:	19940619000000.000	Depth to Bedrock (ft):	4
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
D24 **SW** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHD900000128807**

Database:	Water Well Database	Well Log #:	137373
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	55
Completion Date:	19541030000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	883.2	Well Drilled By:	Not Reported
Comments:	Not Reported		

	Database	EDR ID Number
E25 **NW** **1/8 - 1/4 Mile** **Lower**	**OH WELLS**	**OHD900000128677**

Database:	Water Well Database	Well Log #:	472205
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	92
Completion Date:	19750801000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

	Database	EDR ID Number
D26 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000070926**

Database:	Water Well Database	Well Log #:	137374
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	19511030000000.000	Depth to Bedrock (ft):	Not Reported

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	880.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

F27
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000020367**

Database:	Monitoring Water Wells Listing		
Well Log #:	330767	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	11.6	Date Measured:	20201211000000.000
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	13.4	Completion Date:	20201214000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Out Of Service. No Longer Needed. Upper 3 Feet Of Casing Was Removed. Well Pad Was Removed And 100 Pounds Of Top Soil Was Used To Restore Surface.		

F28
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000064011**

Database:	Monitoring Water Wells Listing		
Well Log #:	2080629	Well Type:	Water Well
Drill Type:	GEOPROBE	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY/SAND/SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	13	Date Measured:	20200715000000.000
Casing Height (ft):	0	Screen Length (ft):	5
Total Depth (ft):	13.4	Completion Date:	20200715000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	330767	Screen Diameter (in):	2
Screen Type:	PREPACKED SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported	Comments:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
D29 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000128806**

Database:	Water Well Database	Well Log #:	137372
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	34
Completion Date:	19541108000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	884	Well Drilled By:	Not Reported
Comments:	Not Reported		

	Database	EDR ID Number
E30 **NW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHPWS8000003522**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15606	Well Name:	Covington, Village Of Well 0008
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	1999-10-15T00:00:00.000Z
Well Status:	Active	System Status:	Active
Last Well Update:	2006-09-29T14:35:49.000Z	Last System Update:	2015-08-28T14:20:18.000Z

	Database	EDR ID Number
E31 **NW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000072156**

Database:	Water Well Database	Well Log #:	618168
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND/GRAVEL/BOULDERS	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	115
Test Duration:	24	Surface Water Level (ft):	9.4
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	206
Completion Date:	19840825000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	872.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
F32 **ENE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000021785**

Database:	Monitoring Water Wells Listing		
Well Log #:	330766	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	12.3	Date Measured:	20201211000000.000
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	12.3	Completion Date:	20201214000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Out Of Service. No Longer Needed. Upper 3 Feet Of Casing Was Removed. Well Pad Was Removed And 100 Pounds Of Top Soil Was Used To Resore Surface.		

	Database	EDR ID Number
F33 **ENE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000063864**

Database:	Monitoring Water Wells Listing		
Well Log #:	2080630	Well Type:	Water Well
Drill Type:	GEOPROBE	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY/SAND/SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	12.3	Date Measured:	20200715000000.000
Casing Height (ft):	0	Screen Length (ft):	5
Total Depth (ft):	12.3	Completion Date:	20200715000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	330766	Screen Diameter (in):	2
Screen Type:	PREPACKED SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported	Comments:	Not Reported

	Database	EDR ID Number
34 **WNW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHPWS8000003521**

Database:	Public Water Systems Data	PWS ID:	OH5500112
Well Number:	15607	Well Name:	Covington, Village Of Well 0009
Public System Name:	Covington Village Pws	ODNR Well Log #:	Not Reported
Well Availability:	Permanent	Activation Date:	1999-10-15T00:00:00.000Z
Well Status:	Active	System Status:	Active
Last Well Update:	2006-09-29T14:35:49.000Z	Last System Update:	2015-08-28T14:20:18.000Z

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database | EDR ID Number

F35
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000022179**

Database:	Monitoring Water Wells Listing		
Well Log #:	2080625	Well Type:	Water Well
Drill Type:	GEOPROBE	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY/SAND/SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	12	Date Measured:	20200715000000.000
Casing Height (ft):	0	Screen Length (ft):	5
Total Depth (ft):	12.3	Completion Date:	20200715000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	330763	Screen Diameter (in):	2
Screen Type:	PREPACKED SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported	Comments:	Not Reported

F36
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000022614**

Database:	Monitoring Water Wells Listing		
Well Log #:	330763	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	9.1	Date Measured:	20201211000000.000
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	12.3	Completion Date:	20201214000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Out Of Service. No Longer Needed. All Casing And Screen Were Removed		

F37
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000020366**

Database:	Monitoring Water Wells Listing		
Well Log #:	330764	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	8.7	Date Measured:	20201211000000.000
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported

Total Depth (ft):	11.6	Completion Date:	20201214000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Out Of Service. No Longer Needed. All Casing And Screen Were Removed. Well Pad Was Removed And 100 Pounds Of Topsoil Was Used To Restore Surface.		

F38
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000024911**

Database:	Monitoring Water Wells Listing		
Well Log #:	2080626	Well Type:	Water Well
Drill Type:	GEOPROBE	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY/SAND/SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	9	Date Measured:	20200715000000.000
Casing Height (ft):	0	Screen Length (ft):	5
Total Depth (ft):	11.6	Completion Date:	20200715000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	330764	Screen Diameter (in):	2
Screen Type:	PREPACKED SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported	Comments:	Not Reported

F39
ENE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000022239**

Database:	Monitoring Water Wells Listing		
Well Log #:	330765	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	8.9	Date Measured:	20201211000000.000
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	12.6	Completion Date:	20201214000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Out Of Service. No Longer Needed. Upper 3 Feet Of Casing Was Removed.Well Pad Was Removed And 50 Lbs Of Asphalt Was Used To Restore Surface.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
F40 **ENE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000063863**

Database:	Monitoring Water Wells Listing		
Well Log #:	2080627	Well Type:	Water Well
Drill Type:	GEOPROBE	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	CLAY/SAND/SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	9.3	Date Measured:	20200715000000.000
Casing Height (ft):	0	Screen Length (ft):	5
Total Depth (ft):	12.6	Completion Date:	20200715000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	330765	Screen Diameter (in):	2
Screen Type:	PREPACKED SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported	Comments:	Not Reported

E41 **NNW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000128676**

Database:	Water Well Database	Well Log #:	472204
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	231
Completion Date:	19750801000000.000	Depth to Bedrock (ft):	228
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

G42 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000128803**

Database:	Water Well Database	Well Log #:	89864
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	20
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	32
Completion Date:	19540216000000.000	Depth to Bedrock (ft):	Not Reported

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

H43
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHD900000306416**

Database:	Water Well Database	Well Log #:	885701
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	AGRIC/IRRIG
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	20
Test Duration:	Not Reported	Surface Water Level (ft):	24
Date Measured:	19990619000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	72
Completion Date:	19990619000000.000	Depth to Bedrock (ft):	4
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	906.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

H44
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHD900000073398**

Database:	Water Well Database	Well Log #:	32551
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	150	Draw Down:	10
Test Duration:	4	Surface Water Level (ft):	9
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	128
Completion Date:	19471215000000.000	Depth to Bedrock (ft):	18
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	918.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

G45
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000128671**

Database:	Water Well Database	Well Log #:	537076
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	15	Draw Down:	8
Test Duration:	1	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	19780810000000.000	Depth to Bedrock (ft):	43
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	877.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

I46
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000787865**

Database:	Water Well Database	Well Log #:	284853
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	ROCK	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	40
Test Duration:	Not Reported	Surface Water Level (ft):	20
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	70
Completion Date:	19621101000000.000	Depth to Bedrock (ft):	20
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	879.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

I47
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000128809**

Database:	Water Well Database	Well Log #:	234930
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	3	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	85
Completion Date:	19591126000000.000	Depth to Bedrock (ft):	10
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	885	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
I48 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000357768**

Database:	Water Well Database	Well Log #:	285467
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	83
Completion Date:	19621008000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	885	Well Drilled By:	Not Reported
Comments:	Not Reported		

I49 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000128668**

Database:	Water Well Database	Well Log #:	508750
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	180
Completion Date:	19770322000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

J50 **SSW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000128672**

Database:	Water Well Database	Well Log #:	482806
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	Not Reported
Test Duration:	2	Surface Water Level (ft):	12
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	107
Completion Date:	19741207000000.000	Depth to Bedrock (ft):	1

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	889.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

K51
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000059182**

Database:	Monitoring Water Wells Listing		
Well Log #:	2056677	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	6	Date Measured:	20160323000000.000
Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	14	Completion Date:	20160323000000.000
Depth to Bedrock (ft):	12	Drill Year:	Not Reported
Well Seal Report #:	318451	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Mw-8 Is A 2" Monitoring Well. Water During Drilling Was At 6'.		

K52
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000062843**

Database:	Monitoring Water Wells Listing		
Well Log #:	318451	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	14	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
K53 **SE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000062839**

Database:	Monitoring Water Wells Listing		
Well Log #:	318447	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	12	Completion Date:	20180108000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

	Database	EDR ID Number
K54 **SE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000062841**

Database:	Monitoring Water Wells Listing		
Well Log #:	318449	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	14	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

	Database	EDR ID Number
J55 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000788460**

Database:	Water Well Database	Well Log #:	228043
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	14	Draw Down:	37
Test Duration:	1	Surface Water Level (ft):	26
Date Measured:	Not Reported	Casing Height (ft):	Not Reported

Screen Length (ft):	Not Reported	Total Depth (ft):	83
Completion Date:	19600215000000.000	Depth to Bedrock (ft):	45
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	880.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

K56
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000062836**

Database:	Monitoring Water Wells Listing		
Well Log #:	318444	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	15	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

K57
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000052397**

Database:	Monitoring Water Wells Listing		
Well Log #:	2056676	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	SAND
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	8	Date Measured:	20160323000000.000
Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	14	Completion Date:	20160323000000.000
Depth to Bedrock (ft):	12	Drill Year:	Not Reported
Well Seal Report #:	318450	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Mw-7 Is A 2" Monitoring Well. Water During Drilling Was At 8'.		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database | EDR ID Number

K58
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000062842**

Database:	Monitoring Water Wells Listing		
Well Log #:	318450	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	14	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

K59
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000062837**

Database:	Monitoring Water Wells Listing		
Well Log #:	318445	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	13.5	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

K60
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000052150**

Database:	Monitoring Water Wells Listing		
Well Log #:	2056678	Well Type:	Water Well
Drill Type:	AUGER	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	SILT
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	7	Date Measured:	20160324000000.000

Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	13.5	Completion Date:	20160324000000.000
Depth to Bedrock (ft):	12	Drill Year:	Not Reported
Well Seal Report #:	318452	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Mw-9 Is A 2" Monitoring Well. Water During Drilling Was At 7'.		

K61
SE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000062844**

Database:	Monitoring Water Wells Listing		
Well Log #:	318452	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	13.5	Completion Date:	20180108000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

J62
SSW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000039608**

Database:	Water Well Database	Well Log #:	151412
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	60
Test Duration:	1	Surface Water Level (ft):	20
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	90
Completion Date:	19560515000000.000	Depth to Bedrock (ft):	2
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	879.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
K63 **SE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000062840**

Database:	Monitoring Water Wells Listing		
Well Log #:	318448	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	12	Completion Date:	20180108000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

	Database	EDR ID Number
K64 **SE** **1/4 - 1/2 Mile** **Higher**	**OH WELLS**	**OHDM30000062838**

Database:	Monitoring Water Wells Listing		
Well Log #:	318446	Well Type:	Sealing Report
Drill Type:	Not Reported	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	Not Reported
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	Not Reported	Date Measured:	Not Reported
Casing Height (ft):	Not Reported	Screen Length (ft):	Not Reported
Total Depth (ft):	13	Completion Date:	20180109000000.000
Depth to Bedrock (ft):	Not Reported	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	Not Reported
Screen Type:	Not Reported	Screen Material:	Not Reported
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	Not Reported
Well Drilled By:	Not Reported		
Comments:	Monitoring Well No Longer Needed.		

	Database	EDR ID Number
J65 **SW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000730123**

Database:	Water Well Database	Well Log #:	2024520
Well Type:	Water Well	Drill Type:	AIR ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	398312
Test Rate (gpm):	7	Draw Down:	50
Test Duration:	1	Surface Water Level (ft):	34
Date Measured:	20091016000000.000	Casing Height (ft):	1.6

Screen Length (ft):	Not Reported	Total Depth (ft):	100
Completion Date:	20091016000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	873.7	Well Drilled By:	Not Reported
Comments:	Clear		

J66
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000128673**

Database:	Water Well Database	Well Log #:	151386
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SILT	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	40
Test Duration:	1	Surface Water Level (ft):	20
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	70
Completion Date:	19551014000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	886.2	Well Drilled By:	Not Reported
Comments:	Not Reported		

L67
NE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000040354**

Database:	Monitoring Water Wells Listing		
Well Log #:	2026093	Well Type:	Water Well
Drill Type:	ROTOSONIC	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	LIMESTONE
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	24	Date Measured:	Not Reported
Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	35	Completion Date:	20100210000000.000
Depth to Bedrock (ft):	14	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	905.3
Well Drilled By:	Not Reported		
Comments:	No Well Test Performed - Monitor Well		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database | EDR ID Number

L68
NE
1/4 - 1/2 Mile
Higher

OH WELLS **OHDM30000040794**

Database:	Monitoring Water Wells Listing		
Well Log #:	2026094	Well Type:	Water Well
Drill Type:	ROTOSONIC	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	LIMESTONE
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	18	Date Measured:	Not Reported
Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	28	Completion Date:	20100210000000.000
Depth to Bedrock (ft):	14	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	911.1
Well Drilled By:	Not Reported		
Comments:	Well Test Not Performed - Monitor Well		

M69
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000821076**

Database:	Water Well Database	Well Log #:	187510
Well Type:	Sealing Report	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	ABANDONED
Aquifer Type:	Not Reported	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	20091031000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	40
Completion Date:	Not Reported	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Inadequate		

N70
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000839799**

Database:	Water Well Database	Well Log #:	151442
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	65
Test Duration:	1	Surface Water Level (ft):	20
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	86

Completion Date:	19561204000000.000	Depth to Bedrock (ft):	41
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	885.4	Well Drilled By:	Not Reported
Comments:	Not Reported		

O71
WNW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000841204**

Database:	Water Well Database	Well Log #:	2072986
Well Type:	Water Well	Drill Type:	AIR ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	536388
Test Rate (gpm):	1	Draw Down:	5
Test Duration:	1	Surface Water Level (ft):	135
Date Measured:	20190415000000.000	Casing Height (ft):	1.6
Screen Length (ft):	Not Reported	Total Depth (ft):	141
Completion Date:	20190415000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Cloudy Due To Shale		

J72
SSW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000126233**

Database:	Water Well Database	Well Log #:	284886
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE AND SANDSTONE	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	110
Test Duration:	Not Reported	Surface Water Level (ft):	40
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	110
Completion Date:	19640909000000.000	Depth to Bedrock (ft):	10
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	862.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
O73 **WNW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000126300**

Database:	Water Well Database	Well Log #:	100844
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	20
Test Duration:	1	Surface Water Level (ft):	24
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	84
Completion Date:	19530917000000.000	Depth to Bedrock (ft):	40
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	884.2	Well Drilled By:	Not Reported
Comments:	Not Reported		

P74 **SSW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000788860**

Database:	Water Well Database	Well Log #:	428417
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	3	Draw Down:	25
Test Duration:	1	Surface Water Level (ft):	25
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	19720325000000.000	Depth to Bedrock (ft):	40
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	886.4	Well Drilled By:	Not Reported
Comments:	Not Reported		

O75 **WNW** **1/4 - 1/2 Mile** **Lower**	**OH WELLS**	**OHD900000070917**

Database:	Water Well Database	Well Log #:	246546
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	6	Draw Down:	20
Test Duration:	1	Surface Water Level (ft):	24
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	89
Completion Date:	19611017000000.000	Depth to Bedrock (ft):	48

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	885.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

N76
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000711073**

Database:	Water Well Database	Well Log #:	509226
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	30
Test Duration:	1	Surface Water Level (ft):	13
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	89
Completion Date:	19800531000000.000	Depth to Bedrock (ft):	2
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	891	Well Drilled By:	Not Reported
Comments:	Not Reported		

M77
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000039610**

Database:	Water Well Database	Well Log #:	197419
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	ROCK	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	21
Test Duration:	1	Surface Water Level (ft):	10.5
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	80
Completion Date:	19571223000000.000	Depth to Bedrock (ft):	1
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	897.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

M78
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000128802**

Database:	Water Well Database	Well Log #:	397956
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE AND SHALE	Permit #:	Not Reported
Test Rate (gpm):	7	Draw Down:	110
Test Duration:	2	Surface Water Level (ft):	13
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	135
Completion Date:	19690801000000.000	Depth to Bedrock (ft):	47
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	893.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

P79
SSW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000126232**

Database:	Water Well Database	Well Log #:	310747
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	24
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	118
Completion Date:	19640823000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	884.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

M80
SW
1/4 - 1/2 Mile
Lower

OH WELLS **OHD900000609576**

Database:	Water Well Database	Well Log #:	970479
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Bailing	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	337538
Test Rate (gpm):	5	Draw Down:	65
Test Duration:	1	Surface Water Level (ft):	30
Date Measured:	20040219000000.000	Casing Height (ft):	1
Screen Length (ft):	Not Reported	Total Depth (ft):	100
Completion Date:	20040219000000.000	Depth to Bedrock (ft):	4
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	877.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
P81 **SSW** **1/2 - 1 Mile** **Lower**	**OH WELLS**	**OHD900000128674**

Database:	Water Well Database	Well Log #:	510098
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	110
Test Duration:	1	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	120
Completion Date:	19770408000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

---

82 **NE** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHDM30000040793**

Database:	Monitoring Water Wells Listing		
Well Log #:	2026092	Well Type:	Water Well
Drill Type:	ROTOSONIC	Test Type:	Not Reported
Well Use:	MONITOR	Aquifer Type:	LIMESTONE
Permit #:	Not Reported	Test Rate (gpm):	Not Reported
Draw Down:	Not Reported	Test Duration:	Not Reported
Surface Water Level (ft):	18	Date Measured:	Not Reported
Casing Height (ft):	0	Screen Length (ft):	10
Total Depth (ft):	28	Completion Date:	20100211000000.000
Depth to Bedrock (ft):	10	Drill Year:	Not Reported
Well Seal Report #:	Not Reported	Screen Diameter (in):	2
Screen Type:	MACHINE SLOTTED	Screen Material:	PVC
Pump Type:	Not Reported	Pump Capacity (gpm):	Not Reported
Pump Installed By:	Not Reported	Water Level Elev (ft):	914.8
Well Drilled By:	Not Reported		
Comments:	No Well Test Performed. Monitor Well.		

M83 **SW** **1/2 - 1 Mile** **Lower**	**OH WELLS**	**OHD900000288143**

Database:	Water Well Database	Well Log #:	866381
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Bailing	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	1
Test Rate (gpm):	40	Draw Down:	70
Test Duration:	1	Surface Water Level (ft):	26
Date Measured:	19980109000000.000	Casing Height (ft):	1
Screen Length (ft):	Not Reported	Total Depth (ft):	130

Completion Date:	19980109000000.000	Depth to Bedrock (ft):	2
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	882.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

P84
SSW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000128675**

Database:	Water Well Database	Well Log #:	477202
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	20
Test Duration:	3	Surface Water Level (ft):	35
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	98
Completion Date:	19740902000000.000	Depth to Bedrock (ft):	6
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	879.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

P85
SSW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000039609**

Database:	Water Well Database	Well Log #:	199345
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	5	Draw Down:	20
Test Duration:	1	Surface Water Level (ft):	19
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	86
Completion Date:	19590702000000.000	Depth to Bedrock (ft):	6
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	895.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
OH WELLS	OHD900000390126

Q86
SSW
1/2 - 1 Mile
Lower

Database:	Water Well Database	Well Log #:	52168
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	20
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	40
Completion Date:	Not Reported	Depth to Bedrock (ft):	13
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

M87
SW
1/2 - 1 Mile
Lower

Database	EDR ID Number
OH WELLS	OHD900000073410

Database:	Water Well Database	Well Log #:	33397
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SANDSTONE	Permit #:	Not Reported
Test Rate (gpm):	7	Draw Down:	4
Test Duration:	1	Surface Water Level (ft):	9
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	28
Completion Date:	19491208000000.000	Depth to Bedrock (ft):	14
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	900	Well Drilled By:	Not Reported
Comments:	Not Reported		

Q88
SSW
1/2 - 1 Mile
Lower

Database	EDR ID Number
OH WELLS	OHD900000128669

Database:	Water Well Database	Well Log #:	480368
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	121
Completion Date:	19800424000000.000	Depth to Bedrock (ft):	8

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

Q89
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000126072**

Database:	Water Well Database	Well Log #:	62169
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	8
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	59
Completion Date:	Not Reported	Depth to Bedrock (ft):	50
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	899.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

Q90
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000738297**

Database:	Water Well Database	Well Log #:	1012829
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	7	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	14
Date Measured:	20110525000000.000	Casing Height (ft):	2
Screen Length (ft):	Not Reported	Total Depth (ft):	125
Completion Date:	20110525000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	894.4	Well Drilled By:	Not Reported
Comments:	Not Reported		

91
South
1/2 - 1 Mile
Lower

OH WELLS **OHD900000038092**

Database:	Water Well Database	Well Log #:	150696
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	50	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	100
Completion Date:	19560312000000.000	Depth to Bedrock (ft):	100
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	882.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

92
West
1/2 - 1 Mile
Higher

OH WELLS **OHD900000787465**

Database:	Water Well Database	Well Log #:	419010
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	32	Draw Down:	15
Test Duration:	4	Surface Water Level (ft):	8
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	96
Completion Date:	19710423000000.000	Depth to Bedrock (ft):	35
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	936	Well Drilled By:	Not Reported
Comments:	Not Reported		

93
NNE
1/2 - 1 Mile
Lower

OH WELLS **OHD900000797772**

Database:	Water Well Database	Well Log #:	2039598
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Not Reported	Well Use:	HTG/COOLING
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	20120911000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	150
Completion Date:	20120911000000.000	Depth to Bedrock (ft):	15
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	4 Bores The Same		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
94 **West** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000070916**

Database:	Water Well Database	Well Log #:	122217
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	25	Draw Down:	2
Test Duration:	15	Surface Water Level (ft):	40
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	80
Completion Date:	19540322000000.000	Depth to Bedrock (ft):	79
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	904.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

	Database	EDR ID Number
95 **SW** **1/2 - 1 Mile** **Lower**	**OH WELLS**	**OHD900000267555**

Database:	Water Well Database	Well Log #:	844059
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Bailing	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	73
Test Rate (gpm):	4	Draw Down:	130
Test Duration:	1	Surface Water Level (ft):	30
Date Measured:	19970723000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	160
Completion Date:	19970823000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	878.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

	Database	EDR ID Number
R96 **NNE** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000748323**

Database:	Water Well Database	Well Log #:	2026287
Well Type:	Water Well	Drill Type:	AIR ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	398343
Test Rate (gpm):	45	Draw Down:	20
Test Duration:	1	Surface Water Level (ft):	17
Date Measured:	20100305000000.000	Casing Height (ft):	1.6
Screen Length (ft):	Not Reported	Total Depth (ft):	101
Completion Date:	20100305000000.000	Depth to Bedrock (ft):	61

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	909.2	Well Drilled By:	Not Reported
Comments:	Clear		

97
East
1/2 - 1 Mile
Higher

OH WELLS **OHD900000073405**

Database:	Water Well Database	Well Log #:	42444
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	30	Draw Down:	25
Test Duration:	1	Surface Water Level (ft):	5
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	42
Completion Date:	19481014000000.000	Depth to Bedrock (ft):	6
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	926.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

S98
South
1/2 - 1 Mile
Lower

OH WELLS **OHD900000038093**

Database:	Water Well Database	Well Log #:	596104
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	31	Draw Down:	3
Test Duration:	2.5	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	65
Completion Date:	19810826000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	886.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

S99
South
1/2 - 1 Mile
Lower

OH WELLS **OHD900000787920**

Database:	Water Well Database	Well Log #:	447336
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	40	Draw Down:	7
Test Duration:	1.5	Surface Water Level (ft):	15
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	58
Completion Date:	19740727000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	886.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

T100
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000788921**

Database:	Water Well Database	Well Log #:	300686
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	1	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	22
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	95
Completion Date:	19631116000000.000	Depth to Bedrock (ft):	8
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	881.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

T101
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000698843**

Database:	Water Well Database	Well Log #:	921237
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE AND SHALE	Permit #:	316606
Test Rate (gpm):	2	Draw Down:	141
Test Duration:	1	Surface Water Level (ft):	74
Date Measured:	20010209000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	141
Completion Date:	20010209000000.000	Depth to Bedrock (ft):	8
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	838.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
OH WELLS	OHD900000711541

R102
NNE
1/2 - 1 Mile
Higher

Database:	Water Well Database	Well Log #:	310713
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	12
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	19640523000000.000	Depth to Bedrock (ft):	10
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	919.2	Well Drilled By:	Not Reported
Comments:	Not Reported		

T103
SW
1/2 - 1 Mile
Lower

Database	EDR ID Number
OH WELLS	OHD900000804572

Database:	Water Well Database	Well Log #:	1012833
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	17
Date Measured:	20110919000000.000	Casing Height (ft):	2
Screen Length (ft):	Not Reported	Total Depth (ft):	104
Completion Date:	20110919000000.000	Depth to Bedrock (ft):	16
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	896.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

S104
South
1/2 - 1 Mile
Lower

Database	EDR ID Number
OH WELLS	OHD900000038094

Database:	Water Well Database	Well Log #:	387428
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	80
Test Duration:	1	Surface Water Level (ft):	40
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	130
Completion Date:	19700105000000.000	Depth to Bedrock (ft):	10

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	861.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

T105
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000386667**

Database:	Water Well Database	Well Log #:	950597
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE AND SHALE	Permit #:	329654
Test Rate (gpm):	1	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	20021122000000.000	Casing Height (ft):	2
Screen Length (ft):	Not Reported	Total Depth (ft):	141
Completion Date:	20021122000000.000	Depth to Bedrock (ft):	2
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

U106
NNE
1/2 - 1 Mile
Higher

OH WELLS **OHD900000301667**

Database:	Water Well Database	Well Log #:	865634
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	SAND	Permit #:	Not Reported
Test Rate (gpm):	60	Draw Down:	10
Test Duration:	1	Surface Water Level (ft):	18
Date Measured:	19971028000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	3	Total Depth (ft):	80
Completion Date:	19971028000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	912.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

107
ENE
1/2 - 1 Mile
Higher

OH WELLS **OHD900000073567**

Database:	Water Well Database	Well Log #:	148537
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SANDSTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	20
Test Duration:	2	Surface Water Level (ft):	10
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	60
Completion Date:	19551021000000.000	Depth to Bedrock (ft):	10
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	925.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

108
West
1/2 - 1 Mile
Higher

OH WELLS **OHD900000070915**

Database:	Water Well Database	Well Log #:	234921
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	25
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	63
Completion Date:	19550912000000.000	Depth to Bedrock (ft):	52
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	928.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

V109
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000038090**

Database:	Water Well Database	Well Log #:	491917
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	55
Test Duration:	3	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	98
Completion Date:	19761105000000.000	Depth to Bedrock (ft):	41
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	905.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
OH WELLS	OHD900000711542

U110
NNE
1/2 - 1 Mile
Higher

Database:	Water Well Database	Well Log #:	52177
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	30	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	12
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	49
Completion Date:	19570901000000.000	Depth to Bedrock (ft):	12
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	920	Well Drilled By:	Not Reported
Comments:	Not Reported		

W111
SW
1/2 - 1 Mile
Lower

Database	EDR ID Number
OH WELLS	OHD900000788859

Database:	Water Well Database	Well Log #:	311448
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	12	Draw Down:	37
Test Duration:	.5	Surface Water Level (ft):	7
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	60
Completion Date:	19720309000000.000	Depth to Bedrock (ft):	7
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	909.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

112
West
1/2 - 1 Mile
Higher

Database	EDR ID Number
OH WELLS	OHD900000787903

Database:	Water Well Database	Well Log #:	446984
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	102
Completion Date:	19731122000000.000	Depth to Bedrock (ft):	30

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	921.7	Well Drilled By:	Not Reported
Comments:	Not Reported		

X113
South
1/2 - 1 Mile
Lower

OH WELLS **OHD900000787919**

Database:	Water Well Database	Well Log #:	58550
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	49
Completion Date:	19510730000000.000	Depth to Bedrock (ft):	3
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	883.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

X114
South
1/2 - 1 Mile
Higher

OH WELLS **OHD900000070786**

Database:	Water Well Database	Well Log #:	509223
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SAND AND GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	12	Draw Down:	8
Test Duration:	1.5	Surface Water Level (ft):	10
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	41
Completion Date:	19790922000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	905.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

V115
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000066206**

Database:	Water Well Database	Well Log #:	514124
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	55
Test Duration:	2	Surface Water Level (ft):	25
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	97
Completion Date:	19800424000000.000	Depth to Bedrock (ft):	48
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	913.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

W116
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000073496**

Database:	Water Well Database	Well Log #:	818446
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	12	Draw Down:	123
Test Duration:	1	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	153
Completion Date:	19960721000000.000	Depth to Bedrock (ft):	27
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	885.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

Y117
West
1/2 - 1 Mile
Higher

OH WELLS **OHD900000073412**

Database:	Water Well Database	Well Log #:	19815
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	Not Reported
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	50
Completion Date:	Not Reported	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
Y118 **West** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000863727**

Database:	Water Well Database	Well Log #:	2084165
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	555991
Test Rate (gpm):	20	Draw Down:	15
Test Duration:	2	Surface Water Level (ft):	39
Date Measured:	20210112000000.000	Casing Height (ft):	2
Screen Length (ft):	Not Reported	Total Depth (ft):	182
Completion Date:	20210112000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	QUINTER WELL DRILLING LLC
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Clear, No Odor, Good Taste		

Z119 **SSW** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000831216**

Database:	Water Well Database	Well Log #:	171869
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	8	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	28
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	95
Completion Date:	19560712000000.000	Depth to Bedrock (ft):	43
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	912.8	Well Drilled By:	Not Reported
Comments:	Not Reported		

AA120 **East** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000760073**

Database:	Water Well Database	Well Log #:	2043218
Well Type:	Water Well	Drill Type:	AIR ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	521259
Test Rate (gpm):	30	Draw Down:	10
Test Duration:	1	Surface Water Level (ft):	4
Date Measured:	20130610000000.000	Casing Height (ft):	1.6
Screen Length (ft):	Not Reported	Total Depth (ft):	101
Completion Date:	20130610000000.000	Depth to Bedrock (ft):	24

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	SUBMERSIBLE
Pump Capacity (gpm):	10	Pump Installed By:	WILEY WELL DRILLING, INC.
Water Level Elev (ft):	936.9	Well Drilled By:	Not Reported
Comments:	Clear		

121
ENE
1/2 - 1 Mile
Higher

OH WELLS **OHD900000128681**

Database:	Water Well Database	Well Log #:	468659
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SANDSTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	21
Test Duration:	99	Surface Water Level (ft):	18
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	69
Completion Date:	19740802000000.000	Depth to Bedrock (ft):	39
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	927	Well Drilled By:	Not Reported
Comments:	Not Reported		

Z122
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000073469**

Database:	Water Well Database	Well Log #:	687544
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	12	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	44
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	141
Completion Date:	19880823000000.000	Depth to Bedrock (ft):	53
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

AA123
East
1/2 - 1 Mile
Higher

OH WELLS **OHD900000128680**

Database:	Water Well Database	Well Log #:	52181
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	13	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	10
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	44
Completion Date:	19520913000000.000	Depth to Bedrock (ft):	16
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	931	Well Drilled By:	Not Reported
Comments:	Not Reported		

124
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000306427**

Database:	Water Well Database	Well Log #:	871331
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	49
Test Rate (gpm):	15	Draw Down:	15
Test Duration:	1	Surface Water Level (ft):	30
Date Measured:	19980515000000.000	Casing Height (ft):	1
Screen Length (ft):	Not Reported	Total Depth (ft):	120
Completion Date:	19980515000000.000	Depth to Bedrock (ft):	27
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	910.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

125
East
1/2 - 1 Mile
Higher

OH WELLS **OHD900000788423**

Database:	Water Well Database	Well Log #:	199314
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	3
Test Duration:	1	Surface Water Level (ft):	8
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	38
Completion Date:	19570819000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	935.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

	Database	EDR ID Number
AB126 **West** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000076536**

Database:	Water Well Database	Well Log #:	1004566
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	365776
Test Rate (gpm):	30	Draw Down:	20
Test Duration:	1	Surface Water Level (ft):	33
Date Measured:	20060907000000.000	Casing Height (ft):	1
Screen Length (ft):	Not Reported	Total Depth (ft):	121
Completion Date:	20060907000000.000	Depth to Bedrock (ft):	4
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	924.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

---

127 **SE** **1/2 - 1 Mile** **Higher**	**OH WELLS**	**OHD900000128679**

Database:	Water Well Database	Well Log #:	562757
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	12	Draw Down:	35
Test Duration:	1	Surface Water Level (ft):	4.5
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	55
Completion Date:	19800621000000.000	Depth to Bedrock (ft):	7
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	932.4	Well Drilled By:	Not Reported
Comments:	Not Reported		

AC128 **SW** **1/2 - 1 Mile** **Lower**	**OH WELLS**	**OHD900000759374**

Database:	Water Well Database	Well Log #:	199971
Well Type:	Sealing Report	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	Not Reported	Permit #:	Not Reported
Test Rate (gpm):	Not Reported	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	71
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	129
Completion Date:	20130816000000.000	Depth to Bedrock (ft):	Not Reported

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

AB129
West
1/2 - 1 Mile
Higher

OH WELLS **OHD900000306898**

Database:	Water Well Database	Well Log #:	914297
Well Type:	Water Well	Drill Type:	ROTARY
Test Type:	Air	Well Use:	DOMESTIC
Aquifer Type:	SHALE	Permit #:	68
Test Rate (gpm):	12	Draw Down:	90
Test Duration:	1	Surface Water Level (ft):	34
Date Measured:	20000812000000.000	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	141
Completion Date:	20000812000000.000	Depth to Bedrock (ft):	29
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	922	Well Drilled By:	Not Reported
Comments:	Not Reported		

130
North
1/2 - 1 Mile
Lower

OH WELLS **OHD900000597017**

Database:	Water Well Database	Well Log #:	257345
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	GRAVEL	Permit #:	Not Reported
Test Rate (gpm):	30	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	32
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	55
Completion Date:	19610624000000.000	Depth to Bedrock (ft):	Not Reported
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	882.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

131
WNW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000039615**

Database:	Water Well Database	Well Log #:	236808
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	ROCK	Permit #:	Not Reported
Test Rate (gpm):	7	Draw Down:	12
Test Duration:	Not Reported	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	90
Completion Date:	19601030000000.000	Depth to Bedrock (ft):	40
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	921.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

AD132
SSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000770120**

Database:	Water Well Database	Well Log #:	1010010
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Bailing	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	384393
Test Rate (gpm):	20	Draw Down:	25
Test Duration:	2	Surface Water Level (ft):	30
Date Measured:	20080714000000.000	Casing Height (ft):	1
Screen Length (ft):	Not Reported	Total Depth (ft):	100
Completion Date:	20080714000000.000	Depth to Bedrock (ft):	41
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	908.3	Well Drilled By:	Not Reported
Comments:	Not Reported		

133
South
1/2 - 1 Mile
Lower

OH WELLS **OHD900000070787**

Database:	Water Well Database	Well Log #:	609669
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	Not Reported
Test Duration:	1	Surface Water Level (ft):	41
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	80
Completion Date:	19811008000000.000	Depth to Bedrock (ft):	20
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	870.4	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
OH WELLS	OHD900000126235

AD134
SSW
1/2 - 1 Mile
Higher

Database:	Water Well Database	Well Log #:	360863
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	24
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	68
Completion Date:	19670801000000.000	Depth to Bedrock (ft):	46
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	911.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

AE135
West
1/2 - 1 Mile
Higher

Database	EDR ID Number
OH WELLS	OHD900000070912

Database:	Water Well Database	Well Log #:	284870
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	ROCK	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	20
Test Duration:	Not Reported	Surface Water Level (ft):	30
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	85
Completion Date:	19630526000000.000	Depth to Bedrock (ft):	50
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	930.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

136
SW
1/2 - 1 Mile
Higher

Database	EDR ID Number
OH WELLS	OHD900000787866

Database:	Water Well Database	Well Log #:	234914
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	2	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	9
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	52
Completion Date:	19590809000000.000	Depth to Bedrock (ft):	6

Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	908.6	Well Drilled By:	Not Reported
Comments:	Not Reported		

137
NNW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000073598**

Database:	Water Well Database	Well Log #:	268207
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	SHALE	Permit #:	Not Reported
Test Rate (gpm):	3	Draw Down:	Not Reported
Test Duration:	Not Reported	Surface Water Level (ft):	60
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	128
Completion Date:	19610821000000.000	Depth to Bedrock (ft):	92
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	881.1	Well Drilled By:	Not Reported
Comments:	Not Reported		

AE138
West
1/2 - 1 Mile
Higher

OH WELLS **OHD900000126255**

Database:	Water Well Database	Well Log #:	215283
Well Type:	Water Well	Drill Type:	Not Reported
Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	ROCK	Permit #:	Not Reported
Test Rate (gpm):	4	Draw Down:	15
Test Duration:	Not Reported	Surface Water Level (ft):	40
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	90
Completion Date:	19590604000000.000	Depth to Bedrock (ft):	50
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	917.5	Well Drilled By:	Not Reported
Comments:	Not Reported		

AC139
SW
1/2 - 1 Mile
Lower

OH WELLS **OHD900000039612**

Database:	Water Well Database	Well Log #:	171880
Well Type:	Water Well	Drill Type:	Not Reported

Test Type:	Not Reported	Well Use:	Not Reported
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	10	Draw Down:	0
Test Duration:	0	Surface Water Level (ft):	18
Date Measured:	Not Reported	Casing Height (ft):	0
Screen Length (ft):	Not Reported	Total Depth (ft):	46
Completion Date:	19561017000000.000	Depth to Bedrock (ft):	10
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	903.9	Well Drilled By:	Not Reported
Comments:	Not Reported		

140
WSW
1/2 - 1 Mile
Higher

OH WELLS **OHD900000074153**

Database:	Water Well Database	Well Log #:	768561
Well Type:	Water Well	Drill Type:	CABLE TOOL
Test Type:	Not Reported	Well Use:	DOMESTIC
Aquifer Type:	LIMESTONE	Permit #:	Not Reported
Test Rate (gpm):	20	Draw Down:	10
Test Duration:	1	Surface Water Level (ft):	25
Date Measured:	Not Reported	Casing Height (ft):	Not Reported
Screen Length (ft):	Not Reported	Total Depth (ft):	90
Completion Date:	19930428000000.000	Depth to Bedrock (ft):	25
Drill Year:	Not Reported	Well Seal Report #:	Not Reported
Screen Diameter (in):	Not Reported	Screen Type:	Not Reported
Screen Material:	Not Reported	Pump Type:	Not Reported
Pump Capacity (gpm):	Not Reported	Pump Installed By:	Not Reported
Water Level Elev (ft):	Not Reported	Well Drilled By:	Not Reported
Comments:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: OH Radon

Radon Test Results

Zipcode	Num Tests	Maximum	Minimum	Arith Mean	Geo Mean
45318	61	252	0.1	11.01	4.84

Federal EPA Radon Zone for MIAMI County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for MIAMI COUNTY, OH

Number of sites tested: 15

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	3.571 pCi/L	86%	14%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	10.500 pCi/L	27%	60%	13%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Public Water System Data
Source: Ohio Environmental Protection Agency
Telephone: 614-644-2752
The database includes community, transient non-community and non-transient non-community water wells; and source treatment unit locations.

Water Treatment Facilities
Source: Ohio Environmental Protection Agency
Telephone: 614-644-2752

Water Well Database
Source: Department of Natural Resources
Telephone: 614-265-6740

Monitoring Water Wells Listing
Source: Department of Natural Resources
Telephone: 614-265-6740

OTHER STATE DATABASE INFORMATION

Oil and Gas Wells Listing
Source: Department of Natural Resources
Telephone: 614-265-6740
A listing of oil and gas well locations in the state.

RADON

State Database: OH Radon
Source: Department of Health
Telephone: 614-644-2727
Radon Statistics for Zip Code Areas

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey .

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX C

HISTORICAL RESEARCH DOCUMENTATION

Commercial Property
28 N. Main Street
Covington, OH 45318

Inquiry Number: 8173755.3
November 14, 2025

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

11/14/25

Site Name:	Client Name:
Commercial Property	Maksolve
28 N. Main Street	432 Windsor Park Drive
Covington, OH 45318	Dayton, OH 45459
EDR Inquiry # 8173755.3	Contact: Sarah Smith

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Maksolve were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # D26A-4697-9BA3

PO # 181-25

Project 181-25

Maps Provided:

1946
1920
1910
1905
1899
1892
1887

Sanborn® Library search results

Certification #: D26A-4697-9BA3

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Maksolve (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.


1946 Source Sheets




Volume 1, Sheet r
1946




Volume 1, Sheet 3
1946




Volume 1, Sheet 4
1946



Volume 1, Sheet 4
1946




Volume 1, Sheet 2
1946




Volume 1, Sheet 2
1946

1920 Source Sheets




Volume 1, Sheet 3
1920



Volume 1, Sheet 4
1920

1910 Source Sheets




Volume 1, Sheet 3
1910

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1905 Source Sheets




Volume 1, Sheet 3
1905



Volume 1, Sheet 2
1905

1899 Source Sheets




Volume 1, Sheet 2
1899

1892 Source Sheets




Volume 1, Sheet 2
1892



Volume 1, Sheet 3
1892


1887 Source Sheets



Volume 1, Sheet 1
1887

Certified Sanborn® Map

1946





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #D26A-4697-9BA3

Site Name:	Commercial Property
Address:	28 N. Main Street
City, ST, ZIP:	Covington, OH 45318
Client:	Maksolve
EDR Inquiry:	8173755.3
Order Date:	11/14/2025
Certification #:	D26A-4697-9BA3
Copyright:	1946

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 2
Volume 1, Sheet 2
Volume 1, Sheet 4
Volume 1, Sheet 4
Volume 1, Sheet 3
Volume 1, Sheet r

0 Feet 150 300 600


N



Site Name:	Commercial Property
Address:	28 N. Main Street
City, ST, ZIP:	Covington, OH 45318
Client:	Makadive
EDR Inquiry:	8173755.3
Order Date:	11/14/2025
Certification #:	D26A-4697-9BA3
Copyright:	1920


This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 4
Volume 1, Sheet 3


0 Feet 150 300 600



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Commercial Property
Address: 28 N Main Street
City, ST, ZIP: Covington, OH 45318
Client: Malkolve
EDR Inquiry: 8173755.3
Order Date: 11/14/2025
Certification #: D26A-4697-9BA3
Copyright: 1910


This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 3

0 Feet 150 300 600


N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Commercial Property
Address: 28 N. Main Street
City, ST, ZIP: Covington, OH 45318
Client: Makadve
EDR Inquiry: 8173755.3
Order Date: 11/14/2025
Certification #: D26A-4697-9BA3
Copyright: 1905

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 2
Volume 1, Sheet 3

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Commercial Property
Address:	28 N Main Street
City, ST, ZIP:	Covington, OH 45318
Client:	Malachite
EDR Inquiry:	8173755.3
Order Date:	11/14/2025
Certification #:	D26A-4697-9BA3
Copyright:	1899


This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



Volume 1, Sheet 2


N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	Commercial Property
Address:	28 N. Main Street
City, ST, ZIP:	Covington, OH 45318
Client:	Maksolve
EDR Inquiry:	8173755.3
Order Date:	11/14/2025
Certification #:	D26A-4697-9BA3
Copyright:	1892


This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 3
Volume 1, Sheet 2

0 Feet 150 300 600


N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: Commercial Property
Address: 29 N Main Street
City, ST, ZIP: Covington, OH 45318
Client: MaSolve
EDR Inquiry: 8173755.3
Order Date: 11/14/2025
Certification #: D26A-4697-9BA3
Copyright: 1887

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



Volume 1, Sheet 1

0 Feet 150 300 600

N

Commercial Property
28 N. Main Street
Covington, OH 45318

Inquiry Number: 8173755.4
November 14, 2025

EDR Historical Topo Map Report
with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

11/14/25

Site Name:	Client Name:
Commercial Property	Maksolve
28 N. Main Street	432 Windsor Park Drive
Covington, OH 45318	Dayton, OH 45459
EDR Inquiry # 8173755.4	Contact: Sarah Smith

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Maksolve were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:		*Coordinates:*	
P.O.#	181-25	**Latitude:**	40.11801 40° 7' 5" North
Project:	181-25	**Longitude:**	-84.355426 -84° 21' 20" West
		UTM Zone:	Zone 16 North
		UTM X Meters:	725364.69
		UTM Y Meters:	4444207.96
		Elevation:	918.60' above sea level

Maps Provided:

2019
2016
2013
1983, 1984
1973
1961
1944
1911

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.


Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.


2019 Source Sheets




Pleasant Hill
2019
7.5-minute, 24000



Piqua West
2019
7.5-minute, 24000



Gettysburg
2019
7.5-minute, 24000




Versailles
2019
7.5-minute, 24000


2016 Source Sheets




Pleasant Hill
2016
7.5-minute, 24000



Piqua West
2016
7.5-minute, 24000




Gettysburg
2016
7.5-minute, 24000




Versailles
2016
7.5-minute, 24000


2013 Source Sheets




Pleasant Hill
2013
7.5-minute, 24000



Piqua West
2013
7.5-minute, 24000




Gettysburg
2013
7.5-minute, 24000



Versailles
2013
7.5-minute, 24000


1983, 1984 Source Sheets



Pleasant Hill
1983
7.5-minute, 24000
Aerial Photo Revised 1983



Piqua West
1984
7.5-minute, 24000
Aerial Photo Revised 1984




Gettysburg
1984
7.5-minute, 24000
Aerial Photo Revised 1984


Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1973 Source Sheets



Versailles
1973
7.5-minute, 24000
Aerial Photo Revised 1973



Piqua West
1973
7.5-minute, 24000
Aerial Photo Revised 1973


1961 Source Sheets




Piqua West
1961
7.5-minute, 24000
Aerial Photo Revised 1959



Gettysburg
1961
7.5-minute, 24000
Aerial Photo Revised 1960




Versailles
1961
7.5-minute, 24000
Aerial Photo Revised 1960




Pleasant Hill
1961
7.5-minute, 24000
Aerial Photo Revised 1960

1944 Source Sheets



Covington
1944
15-minute, 62500
Aerial Photo Revised 1940


1911 Source Sheets



Covington
1911
15-minute, 62500


Historical Topo Map

2019



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5



TP, Pleasant Hill, 2019, 7.5-minute
NE, Piqua West, 2019, 7.5-minute
SW, Gettysburg, 2019, 7.5-minute
NW, Versailles, 2019, 7.5-minute


SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N

EDR


Historical Topo Map

2016



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5




TP, Pleasant Hill, 2016, 7.5-minute
NE, Piqua West, 2016, 7.5-minute
SW, Gettysburg, 2016, 7.5-minute
NW, Versailles, 2016, 7.5-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N


Historical Topo Map

2013



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5




TP, Pleasant Hill, 2013, 7.5-minute
NE, Piqua West, 2013, 7.5-minute
SW, Gettysburg, 2013, 7.5-minute
NW, Versailles, 2013, 7.5-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N


Historical Topo Map

1983, 1984



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5




TP, Pleasant Hill, 1983, 7.5-minute
NE, Piqua West, 1984, 7.5-minute
SW, Gettysburg, 1984, 7.5-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N


Historical Topo Map

1973



This report includes information from the following map sheet(s).





NE, Piqua West, 1973, 7.5-minute
NW, Versailles, 1973, 7.5-minute


SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve



EDR


Historical Topo Map

1961



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5



TP, Pleasant Hill, 1961, 7.5-minute
NE, Piqua West, 1961, 7.5-minute
SW, Gettysburg, 1961, 7.5-minute
NW, Versailles, 1961, 7.5-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Covington, 1944, 15-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Covington, 1911, 15-minute

SITE NAME: Commercial Property
ADDRESS: 28 N. Main Street
Covington, OH 45318
CLIENT: Maksolve

N

Commercial Property
28 N. Main Street
Covington, OH 45318

Inquiry Number: 8173755.8
November 14, 2025

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

11/14/25

Site Name:

Commercial Property
28 N. Main Street
Covington, OH 45318
EDR Inquiry # 8173755.8

Client Name:

Maksolve
432 Windsor Park Drive
Dayton, OH 45459
Contact: Sarah Smith

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	*Scale*	*Details*	*Source*
2023	1"=500'	Flight Year: 2023	USDA/NAIP
2019	1"=500'	Flight Year: 2019	USDA/NAIP
2015	1"=500'	Flight Year: 2015	USDA/NAIP
2011	1"=500'	Flight Year: 2011	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1994	1"=500'	Acquisition Date: April 01, 1994	USGS/DOQQ
1981	1"=500'	Flight Date: May 03, 1981	USDA
1973	1"=500'	Flight Date: October 01, 1973	USGS
1968	1"=500'	Flight Date: September 12, 1968	USGS
1963	1"=500'	Flight Date: May 02, 1963	USGS
1959	1"=500'	Flight Date: November 21, 1959	USGS
1957	1"=500'	Flight Date: June 21, 1957	USGS
1949	1"=500'	Flight Date: November 01, 1949	USDA
1940	1"=500'	Flight Date: July 20, 1940	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 8173755.8

YEAR: 2023

= 500'

N

EDR




INQUIRY #: 8173755.8

YEAR: 2019

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 2015

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 2011

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 2006

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 1994

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 1981

= 500'

N

EDR




INQUIRY #: 8173755.8

YEAR: 1973

= 500'

N

EDR


INQUIRY #: 8173755.8
YEAR: 1968
= 500'
N
EDR



INQUIRY #: 8173755.8

YEAR: 1963

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 1959

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 1957

= 500'

N

EDR




INQUIRY #: 8173755.8

YEAR: 1949

= 500'

N

EDR



INQUIRY #: 8173755.8

YEAR: 1940

= 500'

N

EDR

Commercial Property
28 N. Main Street
Covington, OH 45318

Inquiry Number: 8173755.5
November 20, 2025

The EDR-City Directory Image Report

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available business directory data at approximately five year intervals.

RECORD SOURCES

The EDR City Directory Report accesses a variety of business directory sources, including Haines, InfoUSA, Polk, Cole, Bresser, and Stewart. Listings marked as EDR Digital Archive access Cole and InfoUSA records. The various directory sources enhance and complement each other to provide a more thorough and accurate report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

Year	*Target Street*	*Cross Street*	*Source*
2022	☑	☑	EDR Digital Archive
2017	☑	☑	Cole Information
2014	☑	☑	Cole Information
2010	☑	☑	Cole Information
2005	☑	☑	Cole Information
2000	☑	☑	Cole Information
1995	☑	☑	Cole Information
1990	☑	☑	Haines Criss-Cross Directory
1985	☑	☑	Haines Criss-Cross Directory
1980	☐	☐	Haines Criss-Cross Directory
1975	☐	☐	Haines Criss-Cross Directory
1969	☐	☐	Haines Criss-Cross Directory
1967	☐	☐	Haines Criss-Cross Directory
1962	☐	☐	Haines Criss-Cross Directory
1958	☐	☐	Haines Criss-Cross Directory
1954	☐	☐	Haines Criss-Cross Directory
1951	☐	☐	Haines Criss-Cross Directory
1947	☐	☐	Haines Criss-Cross Directory

FINDINGS

TARGET PROPERTY STREET

28 N. Main Street
Covington, OH 45318

Year	*CD Image*	*Source*	
N MAIN ST			
2022	pg A4	EDR Digital Archive	
2017	pg A7	Cole Information	
2014	pg A10	Cole Information	
2010	pg A13	Cole Information	
2005	pg A16	Cole Information	
2000	pg A19	Cole Information	
1995	pg A23	Cole Information	
1990	pg A26	Haines Criss-Cross Directory	
1990	pg A27	Haines Criss-Cross Directory	
1985	pg A31	Haines Criss-Cross Directory	
1980	-	Haines Criss-Cross Directory	Street not listed in Source
1975	-	Haines Criss-Cross Directory	Street not listed in Source
1969	-	Haines Criss-Cross Directory	Street not listed in Source
1967	-	Haines Criss-Cross Directory	Street not listed in Source
1962	-	Haines Criss-Cross Directory	Street not listed in Source
1958	-	Haines Criss-Cross Directory	Street not listed in Source
1954	-	Haines Criss-Cross Directory	Street not listed in Source
1951	-	Haines Criss-Cross Directory	Street not listed in Source
1947	-	Haines Criss-Cross Directory	Street not listed in Source

FINDINGS

CROSS STREETS

Year	*CD Image*	*Source*	
N HIGH ST			
2022	pg. A2	EDR Digital Archive	
2017	pg. A6	Cole Information	
2014	pg. A9	Cole Information	
2010	pg. A12	Cole Information	
2005	pg. A15	Cole Information	
2000	pg. A18	Cole Information	
1995	pg. A21	Cole Information	
1990	pg. A25	Haines Criss-Cross Directory	
1985	pg. A29	Haines Criss-Cross Directory	
1985	pg. A30	Haines Criss-Cross Directory	
1980	-	Haines Criss-Cross Directory	Street not listed in Source
1975	-	Haines Criss-Cross Directory	Street not listed in Source
1969	-	Haines Criss-Cross Directory	Street not listed in Source
1967	-	Haines Criss-Cross Directory	Street not listed in Source
1962	-	Haines Criss-Cross Directory	Street not listed in Source
1958	-	Haines Criss-Cross Directory	Street not listed in Source
1954	-	Haines Criss-Cross Directory	Street not listed in Source
1951	-	Haines Criss-Cross Directory	Street not listed in Source
1947	-	Haines Criss-Cross Directory	Street not listed in Source
W WRIGHT ST			
2022	pg. A5	EDR Digital Archive	
2017	pg. A8	Cole Information	
2014	pg. A11	Cole Information	
2010	pg. A14	Cole Information	
2005	pg. A17	Cole Information	
2000	pg. A20	Cole Information	
1995	pg. A24	Cole Information	
1990	pg. A28	Haines Criss-Cross Directory	

FINDINGS

Year	CD Image	Source	
1985	pg. A32	Haines Criss-Cross Directory	
1980	-	Haines Criss-Cross Directory	Street not listed in Source
1975	-	Haines Criss-Cross Directory	Street not listed in Source
1969	-	Haines Criss-Cross Directory	Street not listed in Source
1967	-	Haines Criss-Cross Directory	Street not listed in Source
1962	-	Haines Criss-Cross Directory	Street not listed in Source
1958	-	Haines Criss-Cross Directory	Street not listed in Source
1954	-	Haines Criss-Cross Directory	Street not listed in Source
1951	-	Haines Criss-Cross Directory	Street not listed in Source
1947	-	Haines Criss-Cross Directory	Street not listed in Source

City Directory Images

Target Street	Cross Street	Source
-	✓	EDR Digital Archive

N HIGH ST 2022

2	RAYMOND MEANS
9	DAVID WOLOCH
	JAMES R ODONNELL
	KELLEN WOLOCH
	ODONNELL JAMES R ATTY
10	ELIAS & OLIVER BOUTIQUE LLC
11	J&P SOMMER INVESTMENTS
	SUBWAY
20	FORCE DESIGN
	FORCE DESIGN INC
	FORCE DESIGN, INC
	HEIDI FORCE
	RICK VAUGHAN
	SETH PE
	STITCHERY AND MORE
22	ARENS CORP.
	ARENS LLC
	CONNIE DIDIER
	JEAN DEVLIN
23	JANE SELLMAN
	SELLMANS FURNITURE
24	CLARK PIZZA
27	CLOUD NINE CREATIONS
	LISA SEGER
101	LEININGER JEFFERY
102	COVINGTON OHIO FLEA MARKET AND MILITARY SURPLUS
105	ABOVE & BEYOND
	ALI PERRINE
	THOMAS MANSON
	VANESSA WORTHINGTON
	VILLAGE OF COVINGTON
107	CODY MALONE
	JILL CLARK
	NICOLE NISWONGER
111	ALLEN MCHIGGINS
	ASHLYN ROOT
	JEANETTE MCHIGGINS
	JOANIE SHIELDS
	JOANIES FLORAL DESIGNS
	TIMOTHY LINE
117	COLOR GREEN PHOTO
	COVINGTON SAVINGS & LOAN ASSOCIATION
	COVINGTON SAVINGS AND LOAN ASSOCIATION, THE
	DEBORAH FOSTER
	DENISE WEBER
	RONALD A SUTHERLAND
	THE COVINGTON SAVINGS AND LOAN ASSOCIATION
133	AGPRO INC
	BLAKE FISHER
	HARVEST HOUSE CAFE

N HIGH ST 2022 (Cont'd)

133	ZOE KEMER
	ZOE RECK
140	ROBERT VANDERHORST
	ZYNDALL MOORE
141	EMILY LAYMAN
	JESSICA MCCLURG
	SEAN IRVIN

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

N MAIN ST 2022

1	AMANDA MASTERS
2	BRANDY WALTERS
	JUDY WALTERS
6	JAMES TAPP
17	ANGIE SHERRELL
	BECKY CHRISTMEN
	FURRY FRIENDS
19	NORMAN SHERRY
	VICKI SHERRY
	VINCENT SHERRY
27	GWEN BOONE
	SIMON BOONE
113	MARK LANDIS
124	SYDNEY VOGAN
136	CLEO NORTH
	SHIRLEY NORTH
137	MITCHELL GREENE
139	AVA CONCRETE AND CONSTRUCTION
	BROOKE SWARTZ
	LARRY SWARTZ
	RHONDA SWARTZ
148	AUDREY DOSECK
	DAVID DOSECK
	KAREN DOSECK
	SALLY LANGSTON

Target Street	Cross Street	Source
-	✓	EDR Digital Archive

W WRIGHT ST 2022

104	CODY NISWONGER
	ERIC NISWONGER
	KEITH NISWONGER
	LORETTA NISWONGER
107	CHELSEA WACKLER
109	DUSTY ANGLE
121	JERRY CATTERLIN
	LINDA CATTERLIN
123	COVINGTON SEWAGE PLANT

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 2017

2	BAKER, MATTHEW
7	COVINGTON PLUMBING INC
	COVINGTON PLUMBING LLC
	RENNER, BRAD A
11	J & P SOMMER INVE STMENTS
15	SELLMANS FURNITURE & CARPET STORE
18	THE OSTRICH & FROG
20	THE STITCHERY & MORE
23	SELLMANS FURNITURE & CARPET STORE
24	FERRARIS PIZZA
27	CLOUD NINE CREATIONS
105	ABOVE & BEYOND SALON & SPA
	LVY, KYLE J
107	ADKINS, TRAVIS
111	JOANIES FLORAL DESIGNS
	YOHEY, JODIE J
116	BATES, SCOTT
117	COVINGTON SAVINGS & LOAN ASSN THE
	YINGST, CASEY
133	RECK, ZOE
137	LINT, BOBBI
141	LAYMAN, EMILY
	SMITH, TIMOTHY J

Target Street	Cross Street	Source
✓	-	Cole Information

N MAIN ST 2017

1	MCCULLOUGH, JAMES E
11	SUBWAY
15	CASSEL, JEREMY
17	FURRY FRIENDS
	SPARKEY, MATTHEW
19	SHERRY, VINCENT E
27	REED, MARCIE K
110	THOMPSON, JOHN J
111	WACKLER, TIMOTHY W
113	LANDIS, MARK A
120	HUNTER, CHARLES W
121	EVANS, JERRY
132	BRANT, THOMAS L
136	NORTH, CLEO H
137	SAGER, DON N
139	VONASCHEN, KODY
148	SHEARER, DENISE

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 2017

104	DELANCE, KEVIN E
107	LYLE, RHONDA I
109	MILLIGAN, JESSIE
121	CATTERLIN, JERRY A

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 2014

2	CROMER, TRAVIS A
	MEANS, RAYMOND M
7	COVINGTON PLUMBING INC
	RENNER, BRAD A
9	ODONNELL JAMES R ATTY
	ODONNELL JAMES R DGN ATTY
	WOLOCH DAVID
	WOLOCH, DAVID
11	J & P SOMMER INVE STMENTS
20	THE STITCHERY & MORE
22	BAYS, KRISTA
24	CLARKS PIZZA HOUSE
	WACKLER, JOHN B
27	CLOUD NINE CREATIONS
105	ABOVE & BEYOND SALON & SPA
	PERRINE, ALI L
109	THE BATTER N GROUNDS
111	JOANIES FLORAL DESIGNS
	MCHIGGINS, ALLEN
116	WOLOCH, KIMBERLY L
117	COVINGTON SAVINGS & LOAN ASSN THE
	YINGST, HELEN L
133	OCCUPANT UNKNOWN,
	RECK, ZOE
136	OCCUPANT UNKNOWN,
	PAULS PIZZA
137	LINT, BOBBI
140	VANDERHORST, ROBERT G
141	MCCLURG, JACQUELINE S

N MAIN ST 2014

6	OCCUPANT UNKNOWN,
11	SUBWAY SANDWICHES
12	MCCONELL, H
15	OCCUPANT UNKNOWN,
16	FERREE, SHERRY
17	WINTROW, TRAVIS
19	SHERRY, VINCENT E
51	BURTON, JUNE
107	FRY, DEBRA L
110	THOMPSON, JOHN J
111	WACKLER, STEVEN C
113	LANDIS, MARK A
120	HUNTER, CHARLES W
121	EVANS, JERRY
124	ANWAY, BETHANN
132	BRANT, THOMAS L
136	NORTH, CLEO H
137	SAGER, DON N
138	OCCUPANT UNKNOWN,
139	SWARTZ, LARRY L
148	SHEARER, DENISE

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 2014

22	BOWMAN, JAMES
104	CHURCH, CLAYTON
107	LYLE, TERESA A
109	OCCUPANT UNKNOWN,
121	CATTERLIN, JERRY A
123	SEWAGE DISPOSAL PLANT
	WATER WORKS PUMPING STATION

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 2010

2	EADS, ROBIN E
	MEANS, RAYMOND M
9	WOLOCH DAVID
	WOLOCH, DAVID
10	LANDIS GENERAL STORE
20	FORCE DESIGN INC
102	VIDEO STORE
105	ABOVE & BEYOND SALON
	PELSY, BRANDON
111	JOANIES FLORAL DESIGNS
116	WORTMAN, CHAD
117	YINGST, HELEN L
133	HARVEST HOUSE CAFE
136	PAULS PIZZA
141	SMITH, TIMOTHY J

Target Street	Cross Street	Source
✓	-	Cole Information

N MAIN ST 2010

16	FERREE, SHERRY
17	SIMON, CHRIS T
19	SHERRY, VINCENT E
51	BURTON, JUNE
107	FRY, DEBRA L
110	THOMPSON, JOHN J
111	WACKLER, STEVEN C
113	LANDIS, MARK A
120	HUNTER, CHARLES W
121	EVANS, JESSICA
136	NORTH, CLEO H
137	SHEARER, GLORIA J
139	SWARTZ, LARRY L
215	CHRISTMAN, ROBERT D

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 2010

22	BOWMAN, JAMES
107	LYLE, WILLIAM C
109	KRESS, PATRICIA A
123	COVINGTON SEWAGE PLANT
	WATER WORKS PUMPING STATION

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 2005

2	MEANS, RAYMOND M
7	FESSLER, GARY L
9	ODONNELL JAMES R ATTORNEY
10	LANDIS GENERAL STORE
11	LONG, KATHRYN L
	PETTIT, HAROLD E
12	CONVINGTON INSURANCE AGENCY
	MOMENTS IN TIME PHOTOGRAPHY
16	BAKER, DOUGLAS
	CINNA BUN BAKERY
18	HAIR DEPOT
20	FORCE DESIGN INC
24	FERRARIS PIZZA
	MAR BON LIMITED
	WACKLER, JOHN B
102	VIDEO STORE THE
105	BEAUTY CORRAL
	JILL NIEPORT
109	LANDIS CLOCKS
111	BRYAN, JEANETTE M
	JOANIES FLORAL DESIGN
117	COVINGTON SAVINGS & LOAN ASSOCIATION
	RECK, DARYL
	YINGST, HELEN L
137	BERTHOLOMEY, ROY L
141	NICOLICH, NILSON
	SMITH, JACK

Target Street	Cross Street	Source
✓	-	Cole Information

N MAIN ST 2005

1	MCCULLOUGH, RODGER A
2	GARMAN, CHRISTOPHER
5	BAKER, CHARLES E
7	SIMMONS, THOMAS E
10	ADAMS, DONNA L
11	SUBWAY
15	SHELLENBERGER, MARK E
16	FERREE, SHERRY
	MEDLLNS PEDLLN BIKE SHOP
17	SIMON, CHRIS T
18	MYER, RALPH
19	SHERRY, VINCENT R
22	ADAMS, SCOTT T
26	MICHELANGELO HAIR DESIGNS
27	BRANDT, JANE A
51	BURTON, JUNE
104	DOWTY, MARK A
107	FRY, DEBRA L
110	THOMPSON, JOHN J
111	WACKLER, STEVEN C
120	HUNTER, CHARLES W
124	POTTER, CHUCK J
132	BRANT, THOMAS L
136	NORTH, CLEO R
137	SHEARER, DOYLE E
205	ELECTRONIC SERVICE CENTER

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 2005

107	LYLE, WILLIAM B
121	CATTERLIN, JERRY A
123	COVINGTON VLG BD F PB AFFRS
	VILLAGE OF COVINGTON

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 2000

7	FESSLER, GARY L
9	ODONNELL JAMES R ATTORNEY
10	LANDIS GENERAL STORE
11	CREME OF THE CROP
	JOANIES FLORAL DESIGNS
12	AYDELOTT, ROBERTA
16	COUNTRY AND LACE
	EARLY RISER BAKERY SHOP
18	NORTH-WEST STOREFRONT
20	AUTO OWNERS INSURANCE
	SOTZING DOUG INSURANCE
22	ARENS PUBLICATIONS & PRINTING
24	FERRARIS PIZZA
27	YESTERDAY & TODAY
101	BEEMAN HARDWARE
102	VIDEO ATTRACTIONS
105	FORT ROWDY CAFE
107	LOG CABIN CRAFTS
109	D & G INTERNATIONAL
	ERGONOMICS TRAINING COMPANY
111	COACHLIGHT DRESS SHOPPE THE
116	JEWELL GEORGE D PASTOR
	MONNIER, RICK
117	COVINGTON SAVINGS & LOANS
	YINGST, HELEN
124	ZELL, DON
133	DUNGAN & LEFEVRE A LEGAL PROFESSIONAL ASSOCIATE
	DUNGAN & LEFEVRE A LEGAL PROFESSIONAL ASSOCIATE OR
	GEARHARDT MICHELLE J ATTORNEY
	MIKEL DAVID L ATTORNEY
136	PAULS PIZZA
137	BERTHOLOMEY, ROY L
141	SLIFER, DOUGLAS
	SMITH, GLADYS L

Target Street	Cross Street	Source
✓	-	Cole Information

N MAIN ST 2000

1	MCCULLOUGH, RODGER A
6	ADAMS, EVERETT
17	SIMON, CHRIS
19	SHERRY, VINCENT R
27	BRANDT, JANE A
104	DOWTY, MARK
110	THOMPSON, A J
111	WACKLER, STEVEN
113	COMPTON, NANCY J
120	HUNTER, CHARLES W
124	THOMPSON, ARNOLD
137	SHEARER, DOYLE
205	CASSTOWN CITY OF VOLUNTEER COMMUNITY FIRE DEPARTMENT

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 2000

18	RURAL OPPORTUNITIES INCORPORATED
104	DOWTY, MARK A
107	LYLE, WILLIAM B
121	CATTERLIN, JERRY A
123	COVINGTON CITYOF WATER & SEWAGE DEPARTMENT WATER WORKS PUMPING STATION

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 1995

2	VARNELL, EVELYN
	WESTFALL, CHAD
7	BASYE, MICHAEL D
	BIT O COUNTRY ANTIQUES
9	DUFFEYS PIZZA
10	COVINGTON GENERAL STORE
11	CREME OF THE CROP
12	J RS TREE SVC
	OCCUPANT UNKNOWNN
14	OCCUPANT UNKNOWNN
15	SELLMANS FURNITURE & CARPET
16	COUNTRY & LACE
	EARLY RISER
	RUTHERFORD, MICHELE
18	HAIR DEPOT
	STRAIT, SHANON B
20	DOUG SOTZING
	DOUG SOTZING INSURANCE
21	E R A YATES&ASSOCS
22	ARENS PUBLICATIONS & PRINTING
24	DUFFEY, DEBORAH
	MIAMI VALLEY COMPUTERS
27	HEALTHCARE PHARMACY
101	BEEMAN HARDWARE
102	VIDEO VAULT
105	EIS HAUS
	OCCUPANT UNKNOWNN
107	BENNETT, BEVERLY
	CISSNER, RANDY
	CLEVER IMPRESSIONS
109	FOOD EMPORIUM
111	BRYAN, J
	COACHLIGHT DRESS SHOPPE
112	YESTERDAY & TODAY
116	CALLY, DEBRA K
	WORTMANS PROFESSIONAL LAWN
117	JOHNSTON, MARILYN R
	RECK, DARYL
124	ZELL, DON
133	ALAN M KAPPERS
	BUROKER, MARK
	DAVID L MIKEL
	DAVID M HENRY
	DUNGAN & LE FEVRE
	GEARHARDT, M J
	HENRY, DAVID M
	JOHN A WANNEMACHER
	MICHAEL A BAER
	MICHAEL L CARGILL
	TOWNSEND FOSTER JR

Target Street	Cross Street	Source
-	✓	Cole Information

N HIGH ST 1995 (Cont'd)

133	WILLIAM J MC GRAW III
136	BURLEY, MICHAEL JR
	PAULS PIZZA
137	BERTHOLOMERY, ROY L
140	STRAIT, LESTER L
141	SMITH, GLADYS L

Target Street	Cross Street	Source
✓	-	Cole Information

N MAIN ST 1995

1	CDA FURNITURE
	MCCULLOUGH, RODGER A
2	WALTERS, JUDY M
5	OCCUPANT UNKNOWNN
6	PEEPLES, JAMES D
15	SMITH, JAMES E
17	SIMMONS, JEFFERY
19	SHERRY, VINCENT R
27	OCCUPANT UNKNOWNN
104	SHERMAN, JOE H
110	OCCUPANT UNKNOWNN
111	WACKLER, STEVEN
113	EICHELBERGER, ROBERT
117	OCCUPANT UNKNOWNN
120	HUNTER, CHARLES W
121	PENA, ALBERTO
124	OCCUPANT UNKNOWNN
132	PRATER, VALERIE
136	OCCUPANT UNKNOWNN
137	SHEARER, DOYLE
139	ALYEA, ROBERT
140	MCNUTT, VANESSA
201	OCCUPANT UNKNOWNN

Target Street	Cross Street	Source
-	✓	Cole Information

W WRIGHT ST 1995

107	HAFER, RENEE
109	KRESS, P
121	CATTERLIN, JERRY A
123	COVINGTON SEWAGE PLANT
	WATER WORKS PUMPING STATION

Target Street	Cross Street	Source
-	✓	Haines Criss-Cross Directory

N HIGH ST 1990

HIGH N 45318
COVINGTON

7	STREB C B	473-2637	
9	•VAULT THE	473-5658	
9½	TUCKER Ty N	473-3561	9
10	•BARR COMPANY THE	473-2234	
	•W R THOMAS	473-2234	
11½	SIMON Chris M	473-2757	9
12	•J RS TREE SERVICE	473-2136	-0
15	•SELLMANS FURNITURE	473-2012	8
16	•COUNTRY AND LACE	473-3519	-0
	•WILLIAMS BAKERY SHP	473-3519	6
16½	ABNEY Grover	473-2302	
18	•HAIR DEPOT	473-5365	9
18½	HOLLIDAY Darrel E	473-5378	9
20	•SOTZING DOUG INS	473-3049	8
21	•E R A YATES&ASSOCTS	222-3829	7
	•VIDEO ATTRCTN&THNG	473-5548	8
22	•PRINTING TCHNQS INC	473-2962	9
24	•MARTIN FRITZ E JWLR	473-2828	
24½	ALBRIGHT Randy	473-2106	5
27	•HEALTHCARE PHAR	473-3333	7
28	XXXX	00	
30	XXXX	00	
101	•BEEMAN HARDWARE	473-2341	
102	XXXX	00	
104	XXXX	00	
105½	BURGESS Karen L	473-2747	-0
109	•FOOD EMPORIUM	473-2690	-0
111	•COACHLIGHT DRESS SH	473-3875	
111½	BRYAN Jeanette	473-2352	
116	WORTMAN Cathy	473-3711	-0
	WORTMAN David	473-3711	-0
	•WORTMANS PRO LWN SV	473-3711	-0
117	•COVINGTON SVNG&LOAN	473-2021	
117½	JOHNSTON Marilyn R	473-3457	-0
	LINDSAY Daniel	473-3932	6
	RUHL L A Mrs	473-3475	6
119	GIROUARD Robert MD	473-3531	-0
124	ZELL Don	473-5295	
133	BURGESS Danny	473-3175	
	•BURGESS&ASSOCIATES	473-3175	
	•GEARHART L ATTY	473-5243	7
133½	DEMOSS T M	473-2815	-0
136	•PAULS PIZZA	473-2268	
137	BERTHOLOMEY Roy L	473-3535	
140	STRAIT Lester L	473-2572	
141	XXXX	00	

Target Street	Cross Street	Source
✓	-	Haines Criss-Cross Directory


N MAIN ST 1990

MAIN N 45318
COVINGTON

1	MCCULLOUGH Rodger	473-2749	8
6	XXXX	00	
15	PENNY Tracey M	473-2239	10
17	XXXX	00	
19	XXXX	00	
27	BRANDT Jane Anne	473-2752	
	•PLAYHOUSE SOUTH	439-5060	8
39	XXXX	00	
104	XXXX	00	
120	THOMPSON Ford W	473-2742	
124	CHILDS Pat L	473-5503	9
132	BURKETT Vernon	473-2340	8
137	SHEARER Doyle	473-3145	
139	ALYEA Robert	473-2766	

Target Street	Cross Street	Source
✓	-	Haines Criss-Cross Directory

N MAIN ST 1990



Target Street	Cross Street	Source
-	✓	Haines Criss-Cross Directory

W WRIGHT ST 1990

WRIGHT W 45318
COVINGTON

107	MCCLURG Jamas M	473-3513	+D
121	CATTERLIN Jerry A	473-3744	
123	*WATER WORKS PUMPING	473-2103	S
NO #	*CITY OFFICIAL WATER	473-2103	
	* 2 BUS 2 RES 1 NEW		

Target Street	Cross Street	Source
-	✓	Haines Criss-Cross Directory


N HIGH ST 1985

HIGH N 45318 COVINGTON

7	STREIB C B	473-2837
9	VAULT THE	473-5858
10	BARR COMPANY THE	473-2234
	W R THOMAS	473-2234
12	HIGHLAND CEMETERY	473-2241 +5
	ODONNELL JAS R ATTY	473-3181
15	SELLMANS FRNTR&CRPT	473-2012
16	BILLS PASTRY&COFFEE	473-3819
	EARLY RISER BAKERY	473-3519 +5
16½	ABNEY GROVER	473-2302
18	NEW IMAGE HR STYLNG	473-2220
20	KINNEYS MENS SHOP	473-3401
21	GERLACH FLORIST INC	473-3038
	SELLMAN FRNTR&CRPT	335-5007 +5
22	WALTZS DRY CLEANERS	473-2762 +5
24	MARTIN FRITZ E JWLR	473-2828
24½	ALBRIGHT RANDY	473-2106 +5
27	SHANELY REXALL PHAR	473-3333
28	XXXX	00
30	WILSONS FAMILY STRE	473-2417
101	BEEMAN HARDWARE	473-2341
102	WESTRN OH NATL BANK	473-2058

Target Street	Cross Street	Source
-	✓	Haines Criss-Cross Directory

N HIGH ST 1985



..HIGH N		45318 CONT..
104	XXXX	00
108	[illegible]	473-3616
	MARTIN E FLOOR CVRG	473-3616
	[illegible]	473-3344 +
111	COACHLIGHT DINING RM	473-3875
111½	BRYAN JEANETTE	473-2362
116	REINEWALD HENRY REV	473-3442
117	COVINGTON BLDG&LOAN	473-2021
	COVINGTON SVG&LOAN	473-2021
	GANGER GARY A	473-6234
117½	HERGENRATHER DONALD	473-3657
119	[illegible]	473-3431
124	ZELL DON	473-6286
136	PAULS PIZZA	473-2248 !
137	BERTHOLOMEY ROY L	473-3636
140	STRAIT LESTER L	473-2672
141	XXXX	00

Target Street	Cross Street	Source
✓	-	Haines Criss-Cross Directory

N MAIN ST 1985

MAIN N 45318 COVINGTON

1	POWELL J D	473-3346
E	THOMPSON WARREN S	473-3793
15	SUMMERS WM OSCAR	473-3756
27	BRANDT JANE ANNE	473-2752
104	GILLETTE NANCY	473-3561
120	THOMPSON FORD W	473-2742
132	CREAGER DONOVAN	473-5215
137	SHEARER DOYLE	473-3145
139	ALYEA ROBERT	473-2766
140	XXXX	00
146	KISER B S	473-5417
215	LAUGHMAN JIM	473-3395

Target Street	Cross Street	Source
-	✓	Haines Criss-Cross Directory

W WRIGHT ST 1985

WRIGHT W 45318
COVINGTON

107	THOMPSON HOWARD F	473-3981
121	CATTERLIN JERRY A	473-3744
123	WATER WORKS PUMPING	473-2103 +5
NO #	CITY OFFICIAL WATER	473-2103

* 2 BUS 2 RES 1 NEW

APPENDIX D

SOIL SURVEY DATA

United States Department of Agriculture

NRCS

Natural Resources Conservation Service

A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Miami County, Ohio



December 1, 2025

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.


Contents

Preface 2
Soil Map 5
Soil Map 6
Legend 7
Map Unit Legend 8
Map Unit Descriptions 8
Miami County, Ohio 10
MkA—Miamian silt loam, limestone substratum, 0 to 2 percent slopes 10
MkC2—Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded 11
References 13

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

Custom Soil Resource Report
Soil Map



Map Scale: 1:322 if printed on A portrait (8.5" x 11") sheet.

N

Meters: 0 4 9 18 27

Feet: 0 15 30 60 90

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84

MAP LEGEND

Area of Interest (AOI)
- Area of Interest (AOI)

Soils
- Soil Map Unit Polygons
- Soil Map Unit Lines
- Soil Map Unit Points

Special Point Features
- Blowout
- Borrow Pit
- Clay Spot
- Closed Depression
- Gravel Pit
- Gravelly Spot
- Landfill
- Lava Flow
- Marsh or swamp
- Mine or Quarry
- Miscellaneous Water
- Perennial Water
- Rock Outcrop
- Saline Spot
- Sandy Spot
- Severely Eroded Spot
- Sinkhole
- Slide or Slip
- Sodic Spot
- Spoil Area
- Stony Spot
- Very Stony Spot
- Wet Spot
- Other
- Special Line Features

Water Features
- Streams and Canals

Transportation
- Rails
- Interstate Highways
- US Routes
- Major Roads
- Local Roads

Background
- Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Miami County, Ohio
Survey Area Data: Version 24, Sep 2, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 18, 2023—Aug 4, 2023

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
MkA	Miamian silt loam, limestone substratum, 0 to 2 percent slopes	0.0	8.6%
MkC2	Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded	0.5	91.4%
Totals for Area of Interest		**0.5**	**100.0%**

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The

delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series.* Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases.* Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas.* Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Miami County, Ohio

MkA—Miamian silt loam, limestone substratum, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 5pd0
Elevation: 700 to 1,530 feet
Mean annual precipitation: 35 to 45 inches
Mean annual air temperature: 50 to 55 degrees F
Frost-free period: 151 to 180 days
Farmland classification: All areas are prime farmland

Map Unit Composition

Miamian and similar soils: 95 percent
Minor components: 5 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Miamian

Setting

Landform: Ground moraines
Parent material: Silty loess over loamy till

Typical profile

H1 - 0 to 10 inches: silt loam
H2 - 10 to 32 inches: clay loam
H3 - 32 to 50 inches: loam
H4 - 50 to 60 inches: loam
H5 - 60 to 65 inches: unweathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 80 inches to lithic bedrock
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately high (0.00 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 45 percent
Available water supply, 0 to 60 inches: Moderate (about 7.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 1
Hydrologic Soil Group: C
Ecological site: F111XA009IN - Till Ridge
Hydric soil rating: No

Minor Components

Millsdale

Percent of map unit: 5 percent
Landform: Depressions on ground moraines, drainageways on ground moraines
Ecological site: F111XA007IN - Till Depression Flatwood

Hydric soil rating: Yes

Milton

Percent of map unit:
Landform: Till plains
Ecological site: F111XA019IN - Moderately Deep Restricted

Bedrock at more than 80 inches

Percent of map unit:

Loam surface layer

Percent of map unit:

Celina

Percent of map unit:
Landform: Moraines, till plains
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Ecological site: F111XA009IN - Till Ridge

MkC2—Miamian silt loam, limestone substratum, 6 to 12 percent slopes, moderately eroded

Map Unit Setting

National map unit symbol: 5pd3
Elevation: 700 to 1,530 feet
Mean annual precipitation: 35 to 45 inches
Mean annual air temperature: 50 to 55 degrees F
Frost-free period: 151 to 180 days
Farmland classification: Not prime farmland

Map Unit Composition

Miamian and similar soils: 93 percent
Minor components: 7 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Miamian

Setting

Landform: Knolls on ground moraines, hillsides on ground moraines
Parent material: Silty loess over loamy till

Typical profile

H1 - 0 to 5 inches: silt loam
H2 - 5 to 44 inches: clay loam
H3 - 44 to 60 inches: loam
H4 - 60 to 65 inches: unweathered bedrock

Properties and qualities

Slope: 6 to 12 percent

Depth to restrictive feature: 40 to 80 inches to lithic bedrock
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately high (0.00 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 45 percent
Available water supply, 0 to 60 inches: Moderate (about 7.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3e
Hydrologic Soil Group: C
Ecological site: F111XA009IN - Till Ridge
Hydric soil rating: No

Minor Components

Millsdale

Percent of map unit: 5 percent
Landform: Drainageways on ground moraines
Ecological site: F111XA007IN - Till Depression Flatwood
Hydric soil rating: Yes

Severely eroded areas

Percent of map unit: 2 percent

Uneroded areas

Percent of map unit:

Slopes of more than 12 percent

Percent of map unit:

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

APPENDIX E

CORRESPONDENCE DOCUMENTATION

MAK / SOLVE

Property Contact Questionnaire

Please sign your name and print your name and the date below. By signing you state that the information you provided herein is accurate to the best of your knowledge.

Signature | 11/05/2025 Date | Jordan Hodges Print Name

Property Information				
Property Name: Sellmons Property	Property Identification (e.g. Block & Lot or Parcel ID #): H19-000310 & H19-000320			
Property Street Address: 21 W. Wright St. & 28 N. Main St. Covington, OH 45318				
Property City: Covington	Property County: Miami	Property State & Zip: OH, 45318		
Property Size (acres): .53 acres	# Buildings: 2	# Units:	# Stories: 2+ Basement	Square footage (total): 8,520
Foundation: ☐ Slab-on-grade ☒ Basement	Property Use: ☒ Commercial ☐ Residential ☐ Industrial ☐ Other (specify)			
Describe renovations & provide dates: N/A				

Key Site Manager Contact Information		
Key Site Manager Name & Title: Jordan Hodges, Village Admin	Company: Village of Covington	
Address: 1 S. High St.	City: Covington	State & Zip: OH 45318
Phone: 937-473-3420	Fax: N/A	
Cell phone: 937-308-8431	Email: Jordan.hodges@villageofcovington.com	

Current Property Owner		
Owner Name & Title: Village of Covington	Company: Village of Covington	
Address: 1 S. High St.	City: Covington	State & Zip: OH 45318
Date of Acquisition: March 2023		

1. UTILITIES

Utility	Provider	Utility	Provider
Electricity		Fuel Oil	
Natural Gas		Steam	
Sanitary Sewerage		Solid Waste Removal (include medical waste)	
Potable Water			

If a potable water well and/or septic system is located at property, please complete Sections 5.1.6 and/or 5.1.8.

2.1 CURRENT OPERATIONS

Is the property currently used for any of the following operations? ***(Check all that apply.)***

☐ Manufacturing operations ☐ Gasoline service station ☐ Automobile repair ☐ Printing facility ☐ Dry cleaning*
☐ Photodevelopment ☐ Junkyard or landfill ☐ Waste treatment, transfer, storage, disposal, processing, or recycling

***If dry cleaning operations currently occur or have occurred at property, please complete Section 5.1.9.**

Describe current operations:

NONE

2.2 PAST OPERATIONS & OWNERS

Has the property ever been used for any of the following operations? ***(Check all that apply.)***

☐ Manufacturing operations ☐ Gasoline service station ☐ Automobile repair ☐ Printing facility ☐ Dry cleaning*
☐ Photodevelopment ☐ Junkyard or landfill ☐ Waste treatment, transfer, storage, disposal, processing, or recycling

***If dry cleaning operations currently occur or have occurred at property, please complete Section 5.1.9.**

Describe property use/operations prior to the construction of buildings currently at the property:

Furniture Warehousing

Provide previous property owners, occupants, and/or operators. Attach pages as necessary.

Company	Owner/ Occupant/ Operator	Dates of occupancy	Operations	Contact name & number
Sellman Furniture Co.	Jane Sellman	1990–2023	Furniture warehouse/ store	Unknown?

2.3 NEIGHBORING OPERATIONS

Check any operations which occur, or have occurred in the past, at adjoining properties.

☐ Manufacturing operations ☐ Gasoline service station ☐ Automobile repair ☐ Printing facility ☐ Dry cleaning*
☐ Photodevelopment ☐ Junkyard or landfill ☐ Waste treatment, transfer, storage, disposal, processing, or recycling

3. EXISTING DOCUMENTATION

Does the following documentation exist? If yes, please provide copies.

Yes	No		Yes	No	
☐	☑	ESA Reports	☐	☑	Community Right-to-know plan
☐	☑	Env. Compliance Audit Reports	☐	☑	Safety Plans
☐	☑	Environmental Permits	☐	☑	SPCC Plans
☐	☑	UST/AST registrations	☐	☑	Emergency preparedness & prevention plans
☐	☑	Underground injection permits	☐	☑	Hydrogeologic reports
☐	☑	MSDS	☐	☑	Government correspondence & violations
☐	☑	Hazardous waste generator notices	☐	☑	Recorded AULs
☐	☑	Geotechnical studies	☐	☑	Environmental Liens
☐	☑	Risk Assessments	☐	☑	Other ____

4. KNOWN ENVIRONMENTAL CONCERNS

	Yes	No
Are you aware of any pending, threatened, or past litigation relevant to *hazardous substances* or *petroleum products* in, on, or from the property?	☐	☑
Are you aware of any pending, threatened, or past administrative proceedings relevant to *hazardous substances* or *petroleum products* in, on, or from the property?	☐	☑
Are you aware of any notices from governmental agencies regarding possible violation of environmental laws or possible liability relating to *hazardous substances* or *petroleum products*?	☐	☑
Are you aware of any remediation activities that have occurred at the property or adjacent properties in response to contaminated soil, groundwater, and/or surface water?	☐	☑
Are you aware of any proposed remediations at the property?	☑	☐

If yes to any of the above, describe. Attach pages as necessary. Village of Covington currently looking at Brownfield grant.

Are you aware of any of the following currently or previously located at the subject property?

(Check all that apply. If you answer yes to any of the items, provide the additional information described on the following pages.)

	Yes – currently	Yes – previously	No – never	If yes, provide additional information in section below:
Underground storage tanks:	☐	☐	☑	*5.1.1*
Aboveground storage tanks:	☐	☐	☑	*5.1.2*
Electrical transformers or capacitors:	☐	☐	☑	*5.1.3*
Hydraulic equipment, including elevators, dock levelers, lifts, compactors, & balers:	☐	☐	☑	*5.1.3*
Chemical storage (greater than 5 gallons):	☐	☐	☑	*5.1.4*
Hazardous wastes, including used oil:	☐	☐	☑ ?	*5.1.5*
Wells, including potable water wells, monitoring wells, test wells:	☐	☐	☑	*5.1.6*
Sumps:	☐	☐	☑ ?	*5.1.6*
Pits:	☐	☐	☑	*5.1.6*
Floor drains:	☐	☐	☑ ?	*5.1.6*
Surface water bodies, stormwater discharge, and/or wetlands:	☐	☐	☑	*5.1.7*
Lagoons:	☐	☐	☑	*5.1.8*
Septic systems:	☐	☐	☑	*5.1.8*
Oil water separators:	☐	☐	☑	*5.1.8*
Dry cleaners:	☐	☐	☑	*5.1.9*
Asbestos:	☑	☑	☐	*5.2.1*
Radon studies/mitigation systems:	☐	☐	☑ ?	*5.2.2*
Lead:	☑	☑	☐ ?	*5.2.3*
Air emissions, including emergency generators, fume hoods, & spray paint booths:	☐	☐	☑ ?	*5.2.4*
Mold growth and/or water intrusion:	☑	☐	☐	*5.2.5*

If you have answered No to all of the above, you are finished with the Questionnaire.

Key = ? — I am unsure → JH, VA

5. ADDITIONAL INFORMATION

Underground Storage Tanks (USTs)

If USTs are/were located at the property (including closed or removed USTs), complete the following tables:

UST No.	Capacity (gallons)	Contents	Material of Construction	Install Date	LD? (Y/N)	CP? (Y/N)	S/O? (Y/N)	DLIT
1								
2								
3								
4								
5								

LD: Leak detection, CP: Corrosion Protection, S/O: Spill/Overflow Protection, DLIT: Date of last integrity test

UST No.	Location/Former Location	Use/Former Use	Registered? (Y/N)	Permit No.	Status
1					
2					
3					
4					
5					

Status: ACT – Active, NIU - Not in use, REM – Removed, CIP – Closed in place

Do any underground pipelines traverse the property? Include easements. Yes ☐ No ☐

Please attach additional UST information and documentation, including tightness test reports, closure reports, registration forms, permits, correspondence (e.g. No Further Action letters), and approvals.

Aboveground Storage Tanks (ASTs)

If ASTs (include & indicate silos) are/were located at the property, please describe:

Capacity (gallons)	Contents	Material of Construction	Location	Install Date	Secondary Containment? (Y/N)	Permit # &/or Facility #	Status	Registered? (Y/N)

Status: ACT – Active, NIU - Not in use, REM – Removed

Please attach any additional AST documentation.

Electrical & Hydraulic Equipment

Are the transformers labeled "Non-PCB" or has the owner verified they are Non-PCB? Yes ☐ No ☐

Have any releases of dielectric fluid occurred? Yes ☐ No ☐

Are dry-type transformers located at the property? Yes ☐ No ☐

Do any high-tension electric transmission lines traverse the property? Include easements. Yes ☐ No ☐

Number of hydraulic elevators at the property: _____ Number of cable-drawn elevators at property: _____

If applicable, who services the hydraulic elevators? _____

Describe any other hydraulic equipment at the property (including trash compactors, lifts, & dock levelers):

_____

If hydraulic elevators are located at property, have any hydraulic fluid releases occurred? Yes ☐ No ☐

Chemical Storage

Chemical	Use	Amount Stored	Type of Container	MSDS present? (Y/N)	Leaks from container?

Has a significant release of chemicals (greater than 5 gallons) occurred at the property? Yes ☐ No ☐

Are you aware of any parts cleaners or degreasers located at the property? Yes ☐ No ☐

Please attach additional chemical storage information/documentation, including information concerning any releases, if applicable.

Waste Generation

Waste type/description	Location stored on property	Quantity generated per month	Waste manifest? (Y/N)	Waste handler

Please attach additional waste information, including copies of waste manifests for each above types of waste.

Wells, Sumps, Pits, & Floor Drains

Wells: Describe wells present at the property, include quantity, type (monitoring, test, potable water supply, etc.), active/inactive, depths of wells, and locations.

_____

If water quality tests have been performed on water provided by wells, please attach copy of analytical results.

Sumps: Describe location, whether they are equipped with pumps, and if so, to where the pumps discharge.

_____

Pits: Describe pits' construction and whether equipped with sump. Include hydraulic elevator pits and quantity, and to where sump discharges or if it retains all it collects.

_____

Floor drains: Indicate locations and to where they discharge.

_____

Is/are grease trap(s) located at the property? If yes, please provide following information. Yes ☐ No ☐

Locations: _____ Construction: _____

Who services them? _____ How often cleaned out? _____

Surface Water Bodies & Stormwater Discharge

Are stormwater retention or detention basins located at the property? Yes ☐ No ☐

If yes, are there outflow or overflow structures? Yes ☐ No ☐

Are there streams and/or ponds at the property? Yes ☐ No ☐

Are wetlands located at the property? Yes ☐ No ☐

If yes, where? _____

To where do roof drains/leaders discharge? _____

Does the property have a NPDES permit? Yes ☐ No ☐

Lagoons, Septic Systems, & Separators

Lagoons: Describe purpose, years of existence, and location:

_____

Septic system: If currently or previously located at property, provide following: ☐ Active ☐ Inactive ☐ Closed

Type: ☐ Tank ☐ Leach field ☐ Spray field ☐ Cesspool ☐ Other (specify) ____

Describe location: _____

Separator: If an oil/water separator is located at the property, provide following:

Location: _____ Discharges to: _____ Tank capacity: _____

Construction: _____ Permit required? _____ Used oil removed by: _____

ensure that the EP's opinion of information sufficiency fully complies with the all appropriate inquiries requirement. You will be contacted, and a change order provided, before proceeding with the expanded regulatory file review.

USER RESPONSIBILITIES

1. Provide MAKSolve with means of access to the property for the purpose of conducting the required site reconnaissance.
2. Provide the name and phone number of at least one site contact possessing specialized knowledge of the subject site history, operations, and waste management practices (i.e. past and present owners, operators and occupants, etc.).
3. Provide documentation pertaining to Chain-of-Title, recorded land titles, easements, recorded activity and any administrative use limitations, or engineering controls, if available.
4. Provide MAKSolve with any previously conducted environmental assessments (i.e. previous PIESA/PIIESA); asbestos surveys, enforcement actions and conclusions of such actions.
5. Apprise MAKSolve of any confidentiality issues, if applicable, upon Authorization to Proceed.
6. Complete to the best of client's ability the appended "User Questionnaire," and return to MAKSolve with signed Authorization to Proceed.

SCHEDULE

MAKSolve will complete the site reconnaissance following discussion with the site coordinator. A verbal assessment will be provided within 48 hours of completion of the physical site reconnaissance.

MAKSolve will complete the PIESA and deliver a Final Report in PDF Format, inclusive of "data gaps" if applicable, 20 working days following the site reconnaissance.

MAKSolve will make every attempt to meet this timeline. However, factors beyond our control such as access, inclement weather, and responsiveness by others in fulfilling the AAI portion of the PIESA may impact the actual delivery of the final work product.

Note: Hard copies of the final Report are an additional charge of $180.00 each. In addition, *"after-the-fact"* reliance letters, if required, for third party reliance on the generated report will be an additional charge of $280.00 per party.

TOTAL	$ 3,260.00

The above described work will be performed in accordance with the standards of due care and diligence as practiced by professional firms in performing such similar in nature services. **Payment terms are Due Upon receipt of Report.** Any scope deviation or client requested deviation from the above specifications involving extra costs will be executed only upon receipt of written approval and will become an extra fee over and above the proposed fee.

The fee and conditions as described above are hereby accepted, and MAKSolve and its specialty sub-contractors are hereby authorized to proceed with the work as described. Payments will be made as outlined above. MAKSolve's Terms and Conditions are accepted as referenced herein.

Signature: _____ **Name:** Jordon Hodges

Title: Villages Admin. **Date:** 11/5/2025

Company: _____

Billing Information

Invoice is sent to: Lisa Cavender **Phone #:** 937-473-3420

Email: Lisa.Cavender@villageofcovington.com **Address:** 1 S. High St. Covington OH 45318

THANK YOU FOR CHOOSING MAKSOLVE

USER QUESTIONNAIRE

INTRODUCTION: In order to qualify for one of the *Landowner Liability Protections (LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the *"Brownfields Amendments"*), the *user* must conduct the following inquiries required by 40 CFR 312.24, 312.28, 312.29, 312.30, and 312.31. The user should provide the following information to the *environmental professional.* Failure to conduct these inquiries could result in a determination that *"all appropriate inquiries"* is not complete.

(1) ***Environmental liens that are filed or recorded against the property. (40 CFR 312.25).***
Question: Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law? Yes:_____ No: ✓
If yes, please provide details below, or attach a separate sheet.

(2) ***Activity and use limitations that are in place on the property or that have been filed or recorded against the property (40 CFR 312.26(a)(1)(v) and vi)).***
Question: Are you aware of any AULs, such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law?
Yes:_____ No: ✓
If yes, please provide details below, or attach a separate sheet.

(3) ***Specialized knowledge or experience of the person seeking to qualify for the LLP (40 CFR 312.28).***
Question: As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?
Yes:_____ No: ✓
If yes, please provide details below, or attach a separate sheet.

(4) ***Relationship of the purchase price to the fair market value of the property if it were not contaminated (40 CFR 312.29).***
Question: Does the purchase price being paid for this property reasonably reflect the fair market value of the property?
Yes:_____ No:_____ UNSURE ✓
If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property?
Yes:_____ No:_____ UNSURE ✓
If yes, please provide details below, or attach a separate sheet

(5) ***Commonly known or reasonably ascertainable information about the property (40 CFR 312.30).***
Question: Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases?
Yes: ✓ No:_____
For example, as a user,

(a)	Do you know the past uses of the property?	Yes:	✓	No:	
(b	Do you know of specific chemicals that are present or once were present at the property?	Yes:		No:	✓
(c)	Do you know of spills or other chemical releases that have taken place at the property?	Yes:		No:	✓
(d	Do you know of any environmental cleanups that have taken place at the property?	Yes:		No:	✓

(6) ***The degree of obviousness of the presence of likely presence of contamination at the property, and the ability to detect the contamination by appropriate investigation (40 CFR 312.31).***
Question: As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property?
Yes:_____ No:_____ UNSURE ✓
If yes, please provide details below, or attach a separate sheet

(7) In addition, certain information should be collected, if available, and provided to the *environmental professional* at *MAKSolve*. This information is intended to assist the *environmental professional but* is not necessarily required to qualify for one of the LLPs. The information includes:

(a) the reason why the Phase I is being performed,

Future development for parking lot

(b) the type of property and type of property transaction, for example, sale, purchase, exchange, etc.,

Warehousing

(c) the complete and correct address for the property (a map or other documentation showing property location and boundaries is helpful),

Sent to Rebecca w/ Mak Solve

(d) the scope of services desired for the Phase I (including whether any parties to the *property* transaction may have a required standard scope of services or whether any considerations beyond the requirements of Practice E 1527 are to be considered),

Sent to Rebecca w/ Mak Solve

(e) identification of all parties who will rely on the Phase I report,

Village of Covington

(f) identification of the site contact and how the contact can be reached,

(g) any special terms and conditions which must be agreed upon by the *environmental professional,* and

N/A

(h) any other knowledge or experience with the *property* that may be pertinent to the *environmental professional* (for example, copies of any available prior *environmental* site *assessment reports,* documents, correspondence, etc., concerning the *property* and its environmental condition).

N/A

To the best of the signatory's knowledge, as of the date hereof, the answers given in this questionnaire are deemed accurate. No active environmental investigation has been personally conducted by the signatory. Furthermore, this certification shall not be construed to constitute a professional opinion or an all-inclusive report but, rather, merely a disclosure of information known to the signatory as of the date hereof.

Signature

11/05/2025
Date

Jordan Hodges
Printed Name

Village Admin
Title/Affiliation with Subject Property

Village of Covington
Company Name

Reference: ASTM E 1527-21 "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process," Appendix X3.

From: Sarah Smith
To: Marinda VanHoose
Subject: FW: [EXTERNAL] 28 North Main
Date: Thursday, December 4, 2025 12:11:32 PM
Attachments: image001.png

Sarah S. Smith, MSES
Senior Environmental Scientist
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com

Please consider the environment before printing this email.

From: Sarah Smith
Sent: Friday, November 14, 2025 11:38 AM
To: 'bartmweer@aol.com' <bartmweer@aol.com>
Subject: RE: [EXTERNAL] 28 North Main

Hi Bart,

Thank you for letting us know.

Regards,
Sarah

Sarah S. Smith, MSES
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com
Please consider the environment before printing this email.

From: bartmweer@aol.com <bartmweer@aol.com>
Sent: Friday, November 14, 2025 9:45 AM
To: Sarah Smith <sarah@maksolve.com>
Subject: [EXTERNAL] 28 North Main

Hello Sarah, in regards to 28 North Main St. in Covington Ohio there is no history noted to my knowledge of any hazards at this location. Any questions feel free to call my cell phone 1-937-216-9855

Thanks
Chief Bart M. Weer
Covington Fire & Rescue

Sent from the all new AOL app for iOS

From: Sarah Smith
To: Marinda VanHoose
Subject: FW: [EXTERNAL] Information Request
Date: Thursday, December 4, 2025 12:10:18 PM
Attachments: image001.png
image004.png
image005.png
image006.png
image011.png
image012.png
image013.png
image014.png
image003.wmz
image002.png

MAK/SOLVE

Sarah S. Smith, MSES
Senior Environmental Scientist
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com
Please consider the environment before printing this email.

From: Sarah Smith
Sent: Tuesday, November 18, 2025 8:39 AM
To: 'Gerry Tipton' <gtipton@miamicountyhealth.net>
Subject: RE: [EXTERNAL] Information Request

Good morning,

Thank you for letting me know.
I will add this to the file.

Have a great Tuesday,
Regards,
Sarah

Sarah S. Smith, MSES
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com
Please consider the environment before printing this email.

From: Gerry Tipton <gtipton@miamicountyhealth.net>
Sent: Tuesday, November 18, 2025 7:03 AM
To: Sarah Smith <sarah@maksolve.com>
Subject: RE: [EXTERNAL] Information Request

Sarah

Miami County Public Health does not have any information regarding any current or historic septic tank systems, compliance, spills, dumping, landfills, hazardous material storage, notices of violations (NOVs), and release records from this property, or any other environmental concerns associated with this site.

Gerry

Gerry Tipton, REHS
Environmental Health Supervisor
Registered Environmental Health Specialist
Miami County Public Health
Environmental Health Division
510 W. Water St., Suite 130
Troy, OH 45373-2985
Phone: (937)573-3538
Fax: (937)573-3502
www.miamicountyhealth.net
gtipton@miamicountyhealth.net

Click HERE to take our survey and tell us how we are doing

Click HERE to see our Employment Opportunities

Follow us! It's up to all of us:

Would you like to join our Team? Click HERE to see our Employment Opportunities!

From: EHShared <EH@miamicountyhealth.net>
Sent: Thursday, November 13, 2025 2:47 PM
To: Gerry Tipton <gtipton@miamicountyhealth.net>
Subject: FW: Information Request

Sarah Barnhart
Environmental Health Clerk
Miami County Public Health
510 W. Water St., Suite 130
Troy, OH 45373
Phone: (937) 573-3534
Fax: (937) 573-3502
Email: sbarnhart@miamicountyhealth.net

Miami County Public Health
Prevent. Promote. Protect.

Follow Us!

CLICK HERE TO TELL US HOW WE ARE DOING

From: Sarah Smith <sarah@maksolve.com>
Sent: Thursday, November 13, 2025 2:44 PM
To: EHShared <EH@miamicountyhealth.net>
Cc: John Bowen <john@maksolve.com>
Subject: Information Request

You don't often get email from sarah@maksolve.com. Learn why this is important

Dear Miami County Health Department,

We are requesting information on behalf of the Village of Covington in connection with the environmental record review for the property at 28 N Main St, Covington, Ohio 45318, United States (see attached Auditor information). Information regarding any current or historic septic tank systems, compliance, spills, dumping, landfills, hazardous material storage, notices of violations (NOVs), and release records from this property, or any other environmental concerns associated with this site. If files exists, those files can be emailed to me at sarah@maksolve.com or to my associate John Bowen at john@maksolve.com.

Thank you for your time in this matter.
Best Regards,

MAK/SOLVE

Sarah S. Smith, MSES
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com
Please consider the environment before printing this email.

Caution: This is an email that was sent from outside of MCPH. Please take care when clicking links, opening attachments and entering passwords. When in doubt,

contact the MCPH Helpdesk.

From: Sarah Smith
To: "bartmweer@aol.com"
Subject: RE: [EXTERNAL] 28 North Main
Date: Friday, November 14, 2025 11:38:00 AM
Attachments: image001.png

Hi Bart,

Thank you for letting us know.

Regards,
Sarah

Sarah S. Smith, MSES
MAKSolve, LLC
432 Windsor Park Drive
Centerville, Ohio 45459
Senior Environmental Scientist

(937) 815-6949 - Office
(513)276-8894- Cell

www.maksolve.com

Please consider the environment before printing this email.

From: bartmweer@aol.com <bartmweer@aol.com>
Sent: Friday, November 14, 2025 9:45 AM
To: Sarah Smith <sarah@maksolve.com>
Subject: [EXTERNAL] 28 North Main

Hello Sarah, in regards to 28 North Main St. in Covington Ohio there is no history noted to my knowledge of any hazards at this location. Any questions feel free to call my cell phone 1-937-216-9855

Thanks
Chief Bart M. Weer
Covington Fire & Rescue

Sent from the all new AOL app for iOS

From: Gerry Tipton
To: Sarah Smith
Subject: RE: [EXTERNAL] Information Request
Date: Tuesday, November 18, 2025 7:03:12 AM
Attachments: image008.wmz
image009.png
image010.png
image011.png
image012.png
image015.png
image016.png
image017.png
image018.png
image019.png

Sarah

Miami County Public Health does not have any information regarding any current or historic septic tank systems, compliance, spills, dumping, landfills, hazardous material storage, notices of violations (NOVs), and release records from this property, or any other environmental concerns associated with this site.

Gerry

Gerry Tipton, REHS
Environmental Health Supervisor
Registered Environmental Health Specialist
Miami County Public Health
Environmental Health Division
510 W. Water St., Suite 130
Troy, OH 45373-2985
Phone: (937)573-3538
Fax: (937)573-3502
www.miamicountyhealth.net
gtipton@miamicountyhealth.net

Click HERE to take our survey and tell us how we are doing

Click HERE to see our Employment Opportunities

Follow us! It's up to all of us:
Would you like to join our Team? Click HERE to see our Employment Opportunities!